



## Vertical Clearances for Missouri Bridges

May 26, 2010

5:30:59am

Traveled Route	County	Bridge Number	Location Description	Permitted Clearance
IS 29 N	Jackson	L0936	CST ADMIRAL BLVD	18'0"
IS 29 N	Jackson	L0934	US 24	14'2"
IS 29 N	Jackson	L0782	US 24	14'9"
IS 29 N	Jackson	A7644	RP IS29S TO US24	*
IS 29 N	Clay	A1763	RP IS29S TO IS35N	15'11"
IS 29 N	Platte	L0692	RT A	18'0"
IS 29 N	Platte	A3976	MO 152	17'3"
IS 29 N	Platte	A3975	MO 152	16'6"
IS 29 N	Platte	A1794	CST SKYVIEW AVE	17'11"
IS 29 N	Platte	A2281	RP IS29N TO RTDW	16'3"
IS 29 N	Platte	A3431	IS 435	16'5"
IS 29 N	Platte	A3492	CST MEXICO CITY AVE	16'11"
IS 29 N	Platte	A3380	CST BETHEL RD	16'9"
IS 29 N	Platte	A3459	RP IS435S TO IS29N	17'3"
IS 29 N	Platte	A3460	IS 435	16'8"
IS 29 N	Platte	A4170	MO 92	18'0"
IS 29 N	Platte	A0200	RT HH	16'1"
IS 29 N	Platte	A7784	RT HH	*
IS 29 N	Platte	A0108	MO 273	16'0"
IS 29 N	Platte	A0107	CRD NORTH AMERICAN AVE	16'1"
IS 29 N	Platte	A0106	RT E	16'1"
IS 29 N	Platte	A0105	CRD OLD PIKE RD	15'10"
IS 29 N	Platte	A0104	CRD NEW MARKET RD	15'7"
IS 29 N	Platte	A0103	RT H	15'9"
IS 29 N	Buchanan	A0074	MO 116	15'10"
IS 29 N	Buchanan	A0051	RT DD	15'10"
IS 29 N	Buchanan	A0046	RT H	15'10"
IS 29 N	Buchanan	A0073	CRD SE 40	21'7"
IS 29 N	Buchanan	A0024	RT O	17'3"
IS 29 N	Buchanan	A1239	IS 229	16'2"
IS 29 N	Buchanan	A1577	RP IS229S TO IS29N	16'7"
IS 29 N	Buchanan	A0004	CST PICKETT RD	17'5"
IS 29 N	Buchanan	A0003	RT YY	16'6"
IS 29 N	Buchanan	A6284	CST FARAON ST	17'0"
IS 29 N	Buchanan	A0001	MO 6	15'6"
IS 29 N	Buchanan	A0701	CST GENE FIELD RD	15'9"
IS 29 N	Buchanan	A0700	CST COOK RD	16'3"
IS 29 N	Buchanan	A0699	US 169	16'1"
IS 29 N	Andrew	A0726	US 59	16'10"
IS 29 N	Andrew	A0726	LP 29	15'9"
IS 29 N	Andrew	R0458	CRD 369	15'11"
IS 29 N	Andrew	A1291	RT K	16'0"
IS 29 N	Andrew	A1288	US 59	16'1"

\* = Clearance Not Available

Page 1

Selected County: All Counties

This report is to provide vertical clearance information to the public and to serve as a tool for planning your travel route. Vertical clearances are an approximation and may change due to various maintenance activities. Structures signed at a clearance less than reported above should be obeyed. For official vertical clearances, please contact the Motor Carrier Services Division, Missouri Department of Transportation at 1-800-877-8499.



## Vertical Clearances for Missouri Bridges

May 26, 2010

5:30:59am

Traveled Route	County	Bridge Number	Location Description	Permitted Clearance
IS 29 N	Holt	A1394	US 59	16'5"
IS 29 N	Holt	A1815	RT Y	17'5"
IS 29 N	Holt	A1834	RT B	16'5"
IS 29 N	Holt	A1814	CRD RAINTREE DR	16'5"
IS 29 N	Holt	A2535	US 159	15'10"
IS 29 N	Holt	A1766	MO 118	16'5"
IS 29 N	Holt	A1911	CRD IRON WOOD RD	18'4"
IS 29 N	Holt	A1910	CRD GRAYSTONE RD	16'10"
IS 29 N	Holt	A1908	CRD ELMWOOD RD	16'7"
IS 29 N	Holt	A1906	US 59	17'11"
IS 29 N	Holt	A2707	CRD BEAGLE RD	16'6"
IS 29 N	Holt	A2704	RT W	16'6"
IS 29 N	Atchison	A2713	RT Z	16'1"
IS 29 N	Atchison	A2712	CRD 280 ST	17'5"
IS 29 N	Atchison	A2708	MO 111	16'1"
IS 29 N	Atchison	A2379	US 136	19'11"
IS 29 N	Atchison	A2377	CRD RED STAR RD	16'1"
IS 29 N	Atchison	A2375	RT A	16'2"
IS 29 N	Atchison	A2372	CRD DAYTON AVE	16'2"
IS 29 N	Atchison	A2370	CRD C AVE	16'8"
IS 29 S	Atchison	A2370	CRD C AVE	16'4"
IS 29 S	Atchison	A2372	CRD DAYTON AVE	16'3"
IS 29 S	Atchison	A2375	RT A	16'4"
IS 29 S	Atchison	A2377	CRD RED STAR RD	16'6"
IS 29 S	Atchison	A2379	US 136	15'7"
IS 29 S	Atchison	A2708	MO 111	16'2"
IS 29 S	Atchison	A2712	CRD 280 ST	16'6"
IS 29 S	Atchison	A2713	RT Z	16'0"
IS 29 S	Holt	A2704	RT W	16'7"
IS 29 S	Holt	A2707	CRD BEAGLE RD	16'7"
IS 29 S	Holt	A1906	US 59	17'2"
IS 29 S	Holt	A1908	CRD ELMWOOD RD	16'7"
IS 29 S	Holt	A1910	CRD GRAYSTONE RD	18'3"
IS 29 S	Holt	A1911	CRD IRON WOOD RD	17'7"
IS 29 S	Holt	A1766	MO 118	16'5"
IS 29 S	Holt	A2535	US 159	17'0"
IS 29 S	Holt	A1814	CRD RAINTREE DR	16'7"
IS 29 S	Holt	A1834	RT B	16'6"
IS 29 S	Holt	A1815	RT Y	15'10"
IS 29 S	Holt	A1394	US 59	15'11"
IS 29 S	Andrew	A1288	US 59	16'1"
IS 29 S	Andrew	A1291	RT K	16'0"
IS 29 S	Andrew	R0458	CRD 369	16'5"

\* = Clearance Not Available

Page 2

Selected County: All Counties

This report is to provide vertical clearance information to the public and to serve as a tool for planning your travel route. Vertical clearances are an approximation and may change due to various maintenance activities. Structures signed at a clearance less than reported above should be obeyed. For official vertical clearances, please contact the Motor Carrier Services Division, Missouri Department of Transportation at 1-800-877-8499.



## Vertical Clearances for Missouri Bridges

May 26, 2010

5:30:59am

Traveled Route	County	Bridge Number	Location Description	Permitted Clearance
IS 29 S	Andrew	A0726	LP 29	15'8"
IS 29 S	Andrew	A0726	US 59	15'8"
IS 29 S	Buchanan	A0699	US 169	16'3"
IS 29 S	Buchanan	A0700	CST COOK RD	15'8"
IS 29 S	Buchanan	A0701	CST GENE FIELD RD	15'8"
IS 29 S	Buchanan	A0001	MO 6	15'9"
IS 29 S	Buchanan	A6284	CST FARAON ST	18'2"
IS 29 S	Buchanan	A0003	RT YY	16'7"
IS 29 S	Buchanan	A0004	CST PICKETT RD	15'8"
IS 29 S	Buchanan	A1577	RP IS229S TO IS29N	20'0"
IS 29 S	Buchanan	A1239	IS 229	15'8"
IS 29 S	Buchanan	A0024	RT O	16'0"
IS 29 S	Buchanan	A0073	CRD SE 40	21'0"
IS 29 S	Buchanan	A0046	RT H	15'9"
IS 29 S	Buchanan	A0051	RT DD	15'10"
IS 29 S	Buchanan	A0074	MO 116	17'2"
IS 29 S	Platte	A0103	RT H	15'8"
IS 29 S	Platte	A0104	CRD NEW MARKET RD	15'10"
IS 29 S	Platte	A0105	CRD OLD PIKE RD	16'2"
IS 29 S	Platte	A0106	RT E	16'1"
IS 29 S	Platte	A0107	CRD NORTH AMERICAN AVE	16'2"
IS 29 S	Platte	A0108	MO 273	16'6"
IS 29 S	Platte	A0200	RT HH	16'2"
IS 29 S	Platte	A7784	RT HH	*
IS 29 S	Platte	A4170	MO 92	16'8"
IS 29 S	Platte	A3460	IS 435	16'7"
IS 29 S	Platte	A3459	RP IS435S TO IS29N	16'4"
IS 29 S	Platte	A3380	CST BETHEL RD	16'8"
IS 29 S	Platte	A3492	CST MEXICO CITY AVE	16'10"
IS 29 S	Platte	A3431	IS 435	16'2"
IS 29 S	Platte	A2281	RP IS29N TO RTDW	16'2"
IS 29 S	Platte	A1794	CST SKYVIEW AVE	18'1"
IS 29 S	Platte	A3975	MO 152	17'5"
IS 29 S	Platte	A3976	MO 152	18'0"
IS 29 S	Platte	A1688	IS 635	19'0"
IS 29 S	Platte	A1687	RP IS29N TO IS635S	17'1"
IS 29 S	Platte	L0692	RT A	18'0"
IS 29 S	Clay	A1614	US 169	17'3"
IS 29 S	Clay	A1616	US 169	17'0"
IS 29 S	Clay	A1763	RP IS29S TO IS35N	25'0"
IS 29 S	Jackson	L0782	US 24	16'3"
IS 29 S	Jackson	L0934	IS 35	18'0"
IS 29 S	Jackson	L0934	US 24	18'0"

\* = Clearance Not Available

Page 3

Selected County: All Counties

This report is to provide vertical clearance information to the public and to serve as a tool for planning your travel route. Vertical clearances are an approximation and may change due to various maintenance activities. Structures signed at a clearance less than reported above should be obeyed. For official vertical clearances, please contact the Motor Carrier Services Division, Missouri Department of Transportation at 1-800-877-8499.



## Vertical Clearances for Missouri Bridges

May 26, 2010

5:30:59am

Traveled Route	County	Bridge Number	Location Description	Permitted Clearance
IS 29 S	Jackson	L0935	IS 70	14'5"
IS 29 S	Jackson	L0936	CST ADMIRAL BLVD	18'0"
IS 35 N	Jackson	A1707	RP IS35S TO SUMMIT ST	18'0"
IS 35 N	Jackson	A1704	CST 27TH ST	14'11"
IS 35 N	Jackson	L0248	RP IS35S TO 27TH ST	15'1"
IS 35 N	Jackson	A1122	CST 14TH ST	14'9"
IS 35 N	Jackson	A1123	RP PENNSYLVANIA AVE TO I	14'8"
IS 35 N	Jackson	A1135	CST 12TH ST	14'6"
IS 35 N	Jackson	L0490	CST BROADWAY	15'7"
IS 35 N	Jackson	L0491	IS 35	15'7"
IS 35 N	Jackson	L0492	CST WYANDOTTE ST	16'3"
IS 35 N	Jackson	A4223	CST DELAWARE ST	16'1"
IS 35 N	Jackson	L0494	CST WALNUT ST	18'3"
IS 35 N	Jackson	A4224	CST GRAND AVE	18'0"
IS 35 N	Jackson	A4115	RP MO9S TO IS35N	16'9"
IS 35 N	Jackson	A4112	MO 9	18'0"
IS 35 N	Jackson	A4457	MO 9	18'0"
IS 35 N	Jackson	A4114	RP IS35N TO MO9N	15'9"
IS 35 N	Clay	A1763	RP IS29S TO IS35N	16'8"
IS 35 N	Clay	L0655	CST BRIGHTON AVE	17'2"
IS 35 N	Clay	L0656	SP 69	14'8"
IS 35 N	Clay	L0758	US 69	18'0"
IS 35 N	Clay	L0757	US 69	18'0"
IS 35 N	Clay	L0756	CST BRYANT ST	17'1"
IS 35 N	Clay	A3389	RP IS435S TO US69N	16'8"
IS 35 N	Clay	A1579	RP IS35S TO IS435S	15'10"
IS 35 N	Clay	A1580	RP IS435N TO IS35S	16'7"
IS 35 N	Clay	A3374	IS 435	17'9"
IS 35 N	Clay	A3375	IS 435	17'7"
IS 35 N	Clay	A3388	RP IS35N TO IS435N	17'8"
IS 35 N	Clay	A0220	PED S CHURCH OVERPASS	16'5"
IS 35 N	Clay	A0495	MO 152	15'11"
IS 35 N	Clay	L0499	MO 291	15'11"
IS 35 N	Clay	R0476	CRD 128TH ST	16'1"
IS 35 N	Clay	R0477	CRD 192ND ST	16'11"
IS 35 N	Clinton	A0996	RT PP	16'3"
IS 35 N	Clinton	R0226	RT V	18'10"
IS 35 N	Clinton	A1058	MO 116	15'11"
IS 35 N	Clinton	R0227	CRD NE 272ND ST	16'2"
IS 35 N	Clinton	R0228	RT H	16'2"
IS 35 N	Clinton	A1152	US 69	16'1"
IS 35 N	Clinton	R0277	RT BB	16'5"
IS 35 N	Clinton	A0999	CST GRAND AVE	16'5"

\* = Clearance Not Available

Page 4

Selected County: All Counties

This report is to provide vertical clearance information to the public and to serve as a tool for planning your travel route. Vertical clearances are an approximation and may change due to various maintenance activities. Structures signed at a clearance less than reported above should be obeyed. For official vertical clearances, please contact the Motor Carrier Services Division, Missouri Department of Transportation at 1-800-877-8499.



## Vertical Clearances for Missouri Bridges

May 26, 2010

5:30:59am

Traveled Route	County	Bridge Number	Location Description	Permitted Clearance
IS 35 N	Dekalb	A1001	IS 35	16'2"
IS 35 N	Dekalb	A1059	US 36	16'3"
IS 35 N	Dekalb	A1059	US 36	16'3"
IS 35 N	Daviess	R0237	RT BB	16'6"
IS 35 N	Daviess	A1317	US 69	16'5"
IS 35 N	Daviess	A1589	MO 6	16'6"
IS 35 N	Daviess	A1801	RT KK	16'3"
IS 35 N	Daviess	A1598	US 69	16'6"
IS 35 N	Daviess	A1807	RT DD	16'8"
IS 35 N	Daviess	A1809	RT C	16'7"
IS 35 N	Daviess	A1917	RT B	16'4"
IS 35 N	Harrison	A1920	CRD E 200 AVE	16'2"
IS 35 N	Harrison	A1919	RT H	16'0"
IS 35 N	Harrison	A1918	MO 13	15'11"
IS 35 N	Harrison	A0698	US 136	17'0"
IS 35 N	Harrison	R0068	CRD E 280 ST	16'10"
IS 35 N	Harrison	A2516	RT A	15'11"
IS 35 N	Harrison	A2515	CRD E 205 ST	15'11"
IS 35 N	Harrison	A2291	RT N	15'10"
IS 35 N	Harrison	A2288	CRD E 245 AVE	16'4"
IS 35 N	Harrison	A2287	CRD E 120 ST	17'6"
IS 35 S	Harrison	A2287	CRD E 120 ST	16'3"
IS 35 S	Harrison	A2288	CRD E 245 AVE	16'6"
IS 35 S	Harrison	A2291	RT N	15'10"
IS 35 S	Harrison	A2515	CRD E 205 ST	16'0"
IS 35 S	Harrison	A2516	RT A	15'11"
IS 35 S	Harrison	R0068	CRD E 280 ST	17'0"
IS 35 S	Harrison	A0698	US 136	16'5"
IS 35 S	Harrison	A1918	MO 13	15'11"
IS 35 S	Harrison	A1919	RT H	16'3"
IS 35 S	Harrison	A1920	CRD E 200 AVE	16'2"
IS 35 S	Daviess	A1917	RT B	18'2"
IS 35 S	Daviess	A1809	RT C	16'5"
IS 35 S	Daviess	A1807	RT DD	16'5"
IS 35 S	Daviess	A1598	US 69	16'6"
IS 35 S	Daviess	A1801	RT KK	16'9"
IS 35 S	Daviess	A1589	MO 6	16'10"
IS 35 S	Daviess	A1317	US 69	16'2"
IS 35 S	Daviess	R0237	RT BB	16'2"
IS 35 S	Dekalb	A1059	US 36	16'2"
IS 35 S	Dekalb	A1059	US 36	16'2"
IS 35 S	Dekalb	A1001	IS 35	16'10"
IS 35 S	Clinton	A0999	CST GRAND AVE	15'11"

\* = Clearance Not Available

Page 5

Selected County: All Counties

This report is to provide vertical clearance information to the public and to serve as a tool for planning your travel route. Vertical clearances are an approximation and may change due to various maintenance activities. Structures signed at a clearance less than reported above should be obeyed. For official vertical clearances, please contact the Motor Carrier Services Division, Missouri Department of Transportation at 1-800-877-8499.

Vertical clearances are an approximation and may change due to various maintenance activities. Structures signed at a clearance less than reported above should be obeyed. For official vertical clearances, please contact the Motor Carrier Services Division, Missouri Department of Transportation at 1-800-877-8499.



## Vertical Clearances for Missouri Bridges

May 26, 2010

5:30:59am

Traveled Route	County	Bridge Number	Location Description	Permitted Clearance
IS 35 S	Clinton	R0277	RT BB	16'2"
IS 35 S	Clinton	A1152	US 69	18'3"
IS 35 S	Clinton	R0228	RT H	16'3"
IS 35 S	Clinton	R0227	CRD NE 272ND ST	16'3"
IS 35 S	Clinton	A1058	MO 116	16'0"
IS 35 S	Clinton	R0226	RT V	16'4"
IS 35 S	Clinton	A0996	RT PP	16'0"
IS 35 S	Clay	R0477	CRD 192ND ST	16'0"
IS 35 S	Clay	R0476	CRD 128TH ST	16'0"
IS 35 S	Clay	L0499	MO 291	16'11"
IS 35 S	Clay	A0495	MO 152	16'11"
IS 35 S	Clay	A0220	PED S CHURCH OVERPASS	16'5"
IS 35 S	Clay	A3388	RP IS35N TO IS435N	18'0"
IS 35 S	Clay	A3375	IS 435	20'0"
IS 35 S	Clay	A3374	IS 435	19'8"
IS 35 S	Clay	A1579	RP IS35S TO IS435S	15'8"
IS 35 S	Clay	A1580	RP IS435N TO IS35S	16'8"
IS 35 S	Clay	A3389	RP IS435S TO US69N	17'0"
IS 35 S	Clay	L0756	CST BRYANT ST	16'4"
IS 35 S	Clay	L0757	US 69	17'9"
IS 35 S	Clay	L0758	US 69	17'1"
IS 35 S	Clay	L0655	CST BRIGHTON AVE	16'10"
IS 35 S	Clay	A1763	RP IS29S TO IS35N	20'0"
IS 35 S	Clay	L0658	IS 29	15'10"
IS 35 S	Jackson	A4114	RP IS35N TO MO9N	16'2"
IS 35 S	Jackson	A4457	MO 9	17'10"
IS 35 S	Jackson	A4112	MO 9	18'0"
IS 35 S	Jackson	A4115	RP MO9S TO IS35N	16'4"
IS 35 S	Jackson	A4224	CST GRAND AVE	16'1"
IS 35 S	Jackson	L0494	CST WALNUT ST	19'3"
IS 35 S	Jackson	A4223	CST DELAWARE ST	17'1"
IS 35 S	Jackson	L0492	CST WYANDOTTE ST	16'11"
IS 35 S	Jackson	L0491	IS 35	16'8"
IS 35 S	Jackson	L0490	CST BROADWAY	18'0"
IS 35 S	Jackson	A1133	OPEN WALLS EACH SI	14'1"
IS 35 S	Jackson	A1128	RP IS35N TO IS70W	14'1"
IS 35 S	Jackson	A1135	CST 12TH ST	14'9"
IS 35 S	Jackson	A1123	RP PENNSYLVANIA AVE TO I	15'2"
IS 35 S	Jackson	A1122	CST 14TH ST	17'5"
IS 44 E	Newton	A5725	MO 43	16'11"
IS 44 E	Newton	A1969	CST CONNECTICUT	16'7"
IS 44 E	Jasper	A5596	RT FF	16'2"
IS 44 E	Jasper	A5153	US 71	16'0"

\* = Clearance Not Available

Page 6

Selected County: All Counties

This report is to provide vertical clearance information to the public and to serve as a tool for planning your travel route. Vertical clearances are an approximation and may change due to various maintenance activities. Structures signed at a clearance less than reported above should be obeyed. For official vertical clearances, please contact the Motor Carrier Services Division, Missouri Department of Transportation at 1-800-877-8499.



## Vertical Clearances for Missouri Bridges

May 26, 2010

5:30:59am

Traveled Route	County	Bridge Number	Location Description	Permitted Clearance
IS 44 E	Jasper	A5150	MO 249	16'2"
IS 44 E	Jasper	A5149	MO 249	16'2"
IS 44 E	Jasper	A0624	CRD 190	16'0"
IS 44 E	Jasper	A0625	MO 66	15'11"
IS 44 E	Jasper	A0861	CRD 100	15'10"
IS 44 E	Jasper	A1898	CRD 40	16'0"
IS 44 E	Jasper	A0863	RT U	16'5"
IS 44 E	Lawrence	R0136	CRD 1010	16'1"
IS 44 E	Lawrence	R0137	RT F	16'8"
IS 44 E	Lawrence	A0921	MO 97	16'2"
IS 44 E	Lawrence	R0198	CRD 1100	16'3"
IS 44 E	Lawrence	A7574	MO 39	18'1"
IS 44 E	Lawrence	A0934	MO 174	16'2"
IS 44 E	Lawrence	R0144	RT N	16'0"
IS 44 E	Lawrence	A0600	RT O	16'4"
IS 44 E	Greene	A0229	RT K	15'7"
IS 44 E	Greene	A0230	RT N	15'9"
IS 44 E	Greene	A5905	RP IS44W TO MO360E	17'0"
IS 44 E	Greene	A5906	MO 360	17'0"
IS 44 E	Greene	A0231	RT B	15'7"
IS 44 E	Greene	A0598	MO 266	16'0"
IS 44 E	Greene	A0713	RT EE	16'0"
IS 44 E	Greene	A3623	US 160	16'1"
IS 44 E	Greene	A0441	CRD 127	17'6"
IS 44 E	Greene	A0443	MO 13	16'2"
IS 44 E	Greene	A7501	RT H	16'10"
IS 44 E	Greene	A7024	RP US65N TO IS44W	20'0"
IS 44 E	Greene	A2071	US 65	15'6"
IS 44 E	Greene	A7300	US 65	15'6"
IS 44 E	Greene	A4721	MO 744	16'6"
IS 44 E	Greene	A5400	MO 125	17'4"
IS 44 E	Webster	A1764	RT B	19'1"
IS 44 E	Webster	A1765	MO 38	16'6"
IS 44 E	Webster	A2728	CRD PLANK SCHOOL RD	16'6"
IS 44 E	Webster	A2729	CRD SAMPSON RD	16'9"
IS 44 E	Laclede	A1196	RT J	16'6"
IS 44 E	Laclede	A0599	RT A	16'2"
IS 44 E	Laclede	L0703	IS 44	14'9"
IS 44 E	Laclede	A2892	CRD DOVE RD	16'1"
IS 44 E	Laclede	A7388	LP 44	17'1"
IS 44 E	Laclede	A3617	MO 5	17'2"
IS 44 E	Laclede	A6737	RT MM	17'7"
IS 44 E	Laclede	A2741	RT F	16'5"

\* = Clearance Not Available

Page 7

Selected County: All Counties

This report is to provide vertical clearance information to the public and to serve as a tool for planning your travel route. Vertical clearances are an approximation and may change due to various maintenance activities. Structures signed at a clearance less than reported above should be obeyed. For official vertical clearances, please contact the Motor Carrier Services Division, Missouri Department of Transportation at 1-800-877-8499.



## Vertical Clearances for Missouri Bridges

May 26, 2010

5:30:59am

Traveled Route	County	Bridge Number	Location Description	Permitted Clearance
IS 44 E	Laclede	A2743	RT N	15'10"
IS 44 E	Pulaski	A3048	MO 133	16'5"
IS 44 E	Pulaski	A3050	CRD RIO RD	19'0"
IS 44 E	Pulaski	A3051	MO 7	16'4"
IS 44 E	Pulaski	L0774	MO 17	15'5"
IS 44 E	Pulaski	A3052	RT H	15'11"
IS 44 E	Pulaski	A0801	LP 44	16'11"
IS 44 E	Pulaski	A0801	LP 44	16'11"
IS 44 E	Pulaski	A0802	RT Y	16'8"
IS 44 E	Pulaski	A0802	RT Y	16'8"
IS 44 E	Pulaski	A0803	MO 28	16'10"
IS 44 E	Phelps	A1633	RT J	18'1"
IS 44 E	Phelps	A1634	RT D	16'7"
IS 44 E	Phelps	A1627	CRD 8490	17'9"
IS 44 E	Phelps	A3034	RT C	16'5"
IS 44 E	Phelps	A1259	LP 44	17'6"
IS 44 E	Phelps	A1261	RT E	16'1"
IS 44 E	Phelps	A7207	CRD VICHY RD	25'6"
IS 44 E	Phelps	A4548	US 63	17'3"
IS 44 E	Phelps	A1296	RT V	17'5"
IS 44 E	Phelps	A0602	MO 8	16'4"
IS 44 E	Phelps	A1869	RT U	16'2"
IS 44 E	Crawford	A1383	RT F	16'8"
IS 44 E	Crawford	A2055	CRD BEAMER LN RD	17'0"
IS 44 E	Crawford	A1191	MO 19	16'2"
IS 44 E	Crawford	A1384	RT UU	16'2"
IS 44 E	Crawford	A1192	RT H	17'1"
IS 44 E	Crawford	A1753	RT C	16'10"
IS 44 E	Crawford	A1754	RT J	17'10"
IS 44 E	Crawford	A1853	RT FF	16'5"
IS 44 E	Franklin	A7278	MO 185	17'6"
IS 44 E	Franklin	A2047	RT D	16'1"
IS 44 E	Franklin	A2048	RT AF	16'3"
IS 44 E	Franklin	A2049	RT W	16'4"
IS 44 E	Franklin	A1894	CRD ANACONDA RD	16'4"
IS 44 E	Franklin	A2017	MO 30	16'3"
IS 44 E	Franklin	A4313	MO 47	16'8"
IS 44 E	Franklin	A2018	RT AH	16'7"
IS 44 E	Franklin	A2089	CRD DENMARK RD	16'8"
IS 44 E	Franklin	L0868	CRD ST MARYS RD	15'11"
IS 44 E	Franklin	A5113	SP 100	16'7"
IS 44 E	Franklin	L0896	MO 100	25'10"
IS 44 E	Franklin	A6879	MO 100	18'0"

\* = Clearance Not Available

Page 8

Selected County: All Counties

This report is to provide vertical clearance information to the public and to serve as a tool for planning your travel route. Vertical clearances are an approximation and may change due to various maintenance activities. Structures signed at a clearance less than reported above should be obeyed. For official vertical clearances, please contact the Motor Carrier Services Division, Missouri Department of Transportation at 1-800-877-8499.





## Vertical Clearances for Missouri Bridges

May 26, 2010

5:30:59am

Traveled Route	County	Bridge Number	Location Description	Permitted Clearance
IS 44 E	St. Louis	A4288	CST CENTRAL AVE	16'5"
IS 44 E	St. Louis	A1797	CRD LEWIS RD	15'9"
IS 44 E	St. Louis	L0761	CRD ANTIRE RD	16'9"
IS 44 E	St. Louis	A3996	PVT MARITZ ENT	16'2"
IS 44 E	St. Louis	PO13	IS 44	23'9"
IS 44 E	St. Louis	A3856	CST BOWLES AVE	16'11"
IS 44 E	St. Louis	A3638	RP SOR44E TO MRAZ LN	18'10"
IS 44 E	St. Louis	A5412	RP IS44E TO IS270E	17'3"
IS 44 E	St. Louis	A1006	IS 270	17'4"
IS 44 E	St. Louis	A5411	RP IS44W TO IS270W	17'5"
IS 44 E	St. Louis	A1008	MO 366	16'0"
IS 44 E	St. Louis	A5410	CST GEYER RD	23'0"
IS 44 E	St. Louis	A1716	CST BIG BEND BLVD	15'1"
IS 44 E	St. Louis	A1670	IS 44	17'8"
IS 44 E	St. Louis	A1720	CST HOLMES AVE	18'4"
IS 44 E	St. Louis	A1721	CST SAPPINGTON RD	15'2"
IS 44 E	St. Louis	A1725	PED GLENDALE RD OVERPASS	16'0"
IS 44 E	St. Louis	A1726	CST SO ROCK HILL RD	17'3"
IS 44 E	St. Louis	A2092	CST BIG BEND BLVD	*
IS 44 E	St. Louis	A2092	CST BIG BEND BLVD	17'3"
IS 44 E	St. Louis	A1729	PED SELMA AVE OVERPASS	15'2"
IS 44 E	St. Louis	A1730	CST EDGAR RD	20'3"
IS 44 E	St. Louis	A1732	CST MURDOCH AVE	15'6"
IS 44 E	St. Louis	A1736	CST SHREWSBURY AVE	17'7"
IS 44 E	St. Louis	A7101	IS 44	*
IS 44 E	St. Louis City	A2381	PED WABASH AVE OVERPASS	16'2"
IS 44 E	St. Louis City	A2317	CST JAMIESON AVE	15'1"
IS 44 E	St. Louis City	A2304	CST ARSENAL AVE	15'2"
IS 44 E	St. Louis City	A2322	CST MACKLIND AVE	15'3"
IS 44 E	St. Louis City	A3263	CST EDWARDS ST	15'6"
IS 44 E	St. Louis City	A2346	PED FENDLER AND ASSOCIAT	15'8"
IS 44 E	St. Louis City	A2727	PED GRAND BLVD OVERPASS	15'0"
IS 44 E	St. Louis City	A2279	CST GRAND BLVD	15'0"
IS 44 E	St. Louis City	A2256	CST COMPTON AVE	15'8"
IS 44 E	St. Louis City	A2257	CST NEBRASKA AVE	15'8"
IS 44 E	St. Louis City	A1096	CST MISSISSIPPI AVE	16'2"
IS 44 W	St. Louis City	A1094	CST GRAVOIS RD	15'9"
IS 44 W	St. Louis City	A1542	RP IS55N TO TRUMAN PKWY	18'0"
IS 44 W	St. Louis City	A1536	RP IS44E TO LAFAYETTE AV	16'0"
IS 44 W	St. Louis City	A1096	CST MISSISSIPPI AVE	15'10"
IS 44 W	St. Louis City	A2257	CST NEBRASKA AVE	15'0"
IS 44 W	St. Louis City	A2256	CST COMPTON AVE	15'0"
IS 44 W	St. Louis City	A2279	CST GRAND BLVD	15'0"

\* = Clearance Not Available

Page 9

Selected County: All Counties

This report is to provide vertical clearance information to the public and to serve as a tool for planning your travel route. Vertical clearances are an approximation and may change due to various maintenance activities. Structures signed at a clearance less than reported above should be obeyed. For official vertical clearances, please contact the Motor Carrier Services Division, Missouri Department of Transportation at 1-800-877-8499.



## Vertical Clearances for Missouri Bridges

May 26, 2010

5:30:59am

Traveled Route	County	Bridge Number	Location Description	Permitted Clearance
IS 44 W	St. Louis City	A2727	PED GRAND BLVD OVERPASS	15'0"
IS 44 W	St. Louis City	A2346	PED FENDLER AND ASSOCIAT	15'5"
IS 44 W	St. Louis City	A3263	CST EDWARDS ST	15'7"
IS 44 W	St. Louis City	A2322	CST MACKLIND AVE	15'9"
IS 44 W	St. Louis City	A2304	CST ARSENAL AVE	16'10"
IS 44 W	St. Louis City	A2317	CST JAMIESON AVE	15'7"
IS 44 W	St. Louis City	A2381	PED WABASH AVE OVERPASS	16'11"
IS 44 W	St. Louis	A7101	IS 44	*
IS 44 W	St. Louis	A1736	CST SHREWSBURY AVE	15'9"
IS 44 W	St. Louis	A1732	CST MURDOCH AVE	15'5"
IS 44 W	St. Louis	A1730	CST EDGAR RD	19'9"
IS 44 W	St. Louis	A1729	PED SELMA AVE OVERPASS	15'8"
IS 44 W	St. Louis	A2092	CST BIG BEND BLVD	15'0"
IS 44 W	St. Louis	A1726	CST SO ROCK HILL RD	15'0"
IS 44 W	St. Louis	A1725	PED GLENDALE RD OVERPASS	18'0"
IS 44 W	St. Louis	A1721	CST SAPPINGTON RD	16'0"
IS 44 W	St. Louis	A1720	CST HOLMES AVE	16'1"
IS 44 W	St. Louis	A1670	IS 44	15'7"
IS 44 W	St. Louis	A1716	CST BIG BEND BLVD	18'0"
IS 44 W	St. Louis	A5410	CST GEYER RD	18'1"
IS 44 W	St. Louis	A1008	MO 366	15'4"
IS 44 W	St. Louis	A5411	RP IS44W TO IS270W	18'4"
IS 44 W	St. Louis	A1006	IS 270	14'8"
IS 44 W	St. Louis	A5412	RP IS44E TO IS270E	18'0"
IS 44 W	St. Louis	A3638	RP SOR44E TO MRAZ LN	17'11"
IS 44 W	St. Louis	A3856	CST BOWLES AVE	18'5"
IS 44 W	St. Louis	PO13	IS 44	25'10"
IS 44 W	St. Louis	A3996	PVT MARITZ ENT	16'3"
IS 44 W	St. Louis	L0761	CRD ANTIRE RD	17'7"
IS 44 W	St. Louis	A1797	CRD LEWIS RD	16'9"
IS 44 W	St. Louis	A4288	CST CENTRAL AVE	17'6"
IS 44 W	Franklin	A6879	MO 100	18'3"
IS 44 W	Franklin	L0896	MO 100	26'7"
IS 44 W	Franklin	A5113	SP 100	17'7"
IS 44 W	Franklin	L0868	CRD ST MARYS RD	19'0"
IS 44 W	Franklin	A2089	CRD DENMARK RD	16'6"
IS 44 W	Franklin	A2018	RT AH	16'6"
IS 44 W	Franklin	A4313	MO 47	16'8"
IS 44 W	Franklin	A2017	MO 30	17'2"
IS 44 W	Franklin	A1894	CRD ANACONDA RD	16'4"
IS 44 W	Franklin	A2049	RT W	16'5"
IS 44 W	Franklin	A2048	RT AF	18'6"
IS 44 W	Franklin	A2047	RT D	15'6"

\* = Clearance Not Available

Page 10

Selected County: All Counties

This report is to provide vertical clearance information to the public and to serve as a tool for planning your travel route. Vertical clearances are an approximation and may change due to various maintenance activities. Structures signed at a clearance less than reported above should be obeyed. For official vertical clearances, please contact the Motor Carrier Services Division, Missouri Department of Transportation at 1-800-877-8499.



## Vertical Clearances for Missouri Bridges

May 26, 2010

5:30:59am

Traveled Route	County	Bridge Number	Location Description	Permitted Clearance
IS 44 W	Franklin	A7278	MO 185	16'10"
IS 44 W	Crawford	A1853	RT FF	17'5"
IS 44 W	Crawford	A1754	RT J	17'4"
IS 44 W	Crawford	A1753	RT C	16'1"
IS 44 W	Crawford	A1192	RT H	16'10"
IS 44 W	Crawford	A1384	RT UU	15'11"
IS 44 W	Crawford	A1191	MO 19	16'3"
IS 44 W	Crawford	A2055	CRD BEAMER LN RD	15'11"
IS 44 W	Crawford	A1383	RT F	15'12"
IS 44 W	Phelps	A1869	RT U	16'6"
IS 44 W	Phelps	A0602	MO 8	15'11"
IS 44 W	Phelps	A1296	RT V	16'8"
IS 44 W	Phelps	A4548	US 63	18'9"
IS 44 W	Phelps	A7207	CRD VICHY RD	17'8"
IS 44 W	Phelps	A1261	RT E	17'0"
IS 44 W	Phelps	A1259	LP 44	15'10"
IS 44 W	Phelps	A3034	RT C	16'0"
IS 44 W	Phelps	A1627	CRD 8490	16'3"
IS 44 W	Phelps	A1634	RT D	18'8"
IS 44 W	Phelps	A1633	RT J	16'4"
IS 44 W	Pulaski	A0803	MO 28	15'2"
IS 44 W	Pulaski	A0802	RT Y	15'10"
IS 44 W	Pulaski	A0802	RT Y	15'10"
IS 44 W	Pulaski	A0801	LP 44	16'10"
IS 44 W	Pulaski	A0801	LP 44	16'10"
IS 44 W	Pulaski	A3052	RT H	16'5"
IS 44 W	Pulaski	L0774	MO 17	15'6"
IS 44 W	Pulaski	A3051	MO 7	16'5"
IS 44 W	Pulaski	A3050	CRD RIO RD	17'1"
IS 44 W	Pulaski	A3048	MO 133	16'0"
IS 44 W	Laclede	A2743	RT N	16'4"
IS 44 W	Laclede	A2741	RT F	17'1"
IS 44 W	Laclede	A6737	RT MM	17'8"
IS 44 W	Laclede	A3617	MO 5	16'2"
IS 44 W	Laclede	A7388	LP 44	17'3"
IS 44 W	Laclede	A2892	CRD DOVE RD	16'1"
IS 44 W	Laclede	L0703	IS 44	14'8"
IS 44 W	Laclede	A0599	RT A	16'2"
IS 44 W	Laclede	A1196	RT J	15'10"
IS 44 W	Webster	A2729	CRD SAMPSON RD	16'7"
IS 44 W	Webster	A2728	CRD PLANK SCHOOL RD	17'8"
IS 44 W	Webster	A1765	MO 38	16'0"
IS 44 W	Webster	A1764	RT B	16'4"

\* = Clearance Not Available

Page 11

Selected County: All Counties

This report is to provide vertical clearance information to the public and to serve as a tool for planning your travel route. Vertical clearances are an approximation and may change due to various maintenance activities. Structures signed at a clearance less than reported above should be obeyed. For official vertical clearances, please contact the Motor Carrier Services Division, Missouri Department of Transportation at 1-800-877-8499.



## Vertical Clearances for Missouri Bridges

May 26, 2010

5:30:59am

Traveled Route	County	Bridge Number	Location Description	Permitted Clearance
IS 44 W	Greene	A5400	MO 125	16'9"
IS 44 W	Greene	A4721	MO 744	16'4"
IS 44 W	Greene	A7300	US 65	15'4"
IS 44 W	Greene	A2071	US 65	15'4"
IS 44 W	Greene	A7024	RP US65N TO IS44W	20'0"
IS 44 W	Greene	A7501	RT H	16'6"
IS 44 W	Greene	A0443	MO 13	16'0"
IS 44 W	Greene	A0441	CRD 127	15'10"
IS 44 W	Greene	A3623	US 160	16'1"
IS 44 W	Greene	A0713	RT EE	15'11"
IS 44 W	Greene	A0598	MO 266	16'0"
IS 44 W	Greene	A0231	RT B	15'7"
IS 44 W	Greene	A5906	MO 360	16'3"
IS 44 W	Greene	A5905	RP IS44W TO MO360E	16'3"
IS 44 W	Greene	A0230	RT N	15'11"
IS 44 W	Greene	A0229	RT K	15'7"
IS 44 W	Lawrence	A0600	RT O	16'2"
IS 44 W	Lawrence	R0144	RT N	18'10"
IS 44 W	Lawrence	A0934	MO 174	16'1"
IS 44 W	Lawrence	A7574	MO 39	16'7"
IS 44 W	Lawrence	R0198	CRD 1100	17'1"
IS 44 W	Lawrence	A0921	MO 97	16'1"
IS 44 W	Lawrence	R0137	RT F	16'0"
IS 44 W	Lawrence	R0136	CRD 1010	16'1"
IS 44 W	Jasper	A0863	RT U	16'2"
IS 44 W	Jasper	A1898	CRD 40	16'4"
IS 44 W	Jasper	A0861	CRD 100	16'1"
IS 44 W	Jasper	A0625	MO 66	17'3"
IS 44 W	Jasper	A0624	CRD 190	16'2"
IS 44 W	Jasper	A5149	MO 249	16'1"
IS 44 W	Jasper	A5150	MO 249	16'1"
IS 44 W	Jasper	A5153	US 71	16'4"
IS 44 W	Jasper	A5596	RT FF	17'5"
IS 44 W	Newton	A1969	CST CONNECTICUT	16'6"
IS 44 W	Newton	A5725	MO 43	18'7"
IS 55 N	Pemiscot	A0470	RT O	16'8"
IS 55 N	Pemiscot	A1940	RT E	16'8"
IS 55 N	Pemiscot	A1939	CRD 547	16'8"
IS 55 N	Pemiscot	A1938	US 61	16'6"
IS 55 N	Pemiscot	A1935	CRD 444	16'4"
IS 55 N	Pemiscot	A1932	RT U	16'5"
IS 55 N	Pemiscot	A1465	MO 84	17'1"
IS 55 N	Pemiscot	A1820	RT J	15'11"

\* = Clearance Not Available

Page 12

Selected County: All Counties

This report is to provide vertical clearance information to the public and to serve as a tool for planning your travel route. Vertical clearances are an approximation and may change due to various maintenance activities. Structures signed at a clearance less than reported above should be obeyed. For official vertical clearances, please contact the Motor Carrier Services Division, Missouri Department of Transportation at 1-800-877-8499.



## Vertical Clearances for Missouri Bridges

May 26, 2010

5:30:59am

Traveled Route	County	Bridge Number	Location Description	Permitted Clearance
IS 55 N	Pemiscot	A1742	RT A	15'10"
IS 55 N	Pemiscot	A1609	RT T	15'10"
IS 55 N	New Madrid	A1374	MO 162	15'10"
IS 55 N	New Madrid	A1816	RT M	15'10"
IS 55 N	New Madrid	A1274	RT EE	16'3"
IS 55 N	New Madrid	A1149	US 61	16'5"
IS 55 N	New Madrid	A1209	IS 55	16'1"
IS 55 N	New Madrid	R0359	RT U	15'10"
IS 55 N	New Madrid	A1148	US 61	16'4"
IS 55 N	New Madrid	A1147	RT P	15'11"
IS 55 N	New Madrid	R0371	CRD 604	15'11"
IS 55 N	New Madrid	A1146	MO 80	15'10"
IS 55 N	New Madrid	R0358	CRD 820	16'2"
IS 55 N	New Madrid	R0357	RT AA	16'1"
IS 55 N	Scott	A5884	RT HH	18'5"
IS 55 N	Scott	A0926	RT H	16'5"
IS 55 N	Scott	R0118	RT C	16'3"
IS 55 N	Scott	A0925	MO 77	16'6"
IS 55 N	Scott	R0139	RT E	16'5"
IS 55 N	Scott	R0138	RT PP	16'6"
IS 55 N	Cape Girardeau	A0467	RT AB	16'6"
IS 55 N	Cape Girardeau	A0628	US 61	16'2"
IS 55 N	Cape Girardeau	A5080	MO 74	16'8"
IS 55 N	Cape Girardeau	A0473	CST BLOOMFIELD RD	16'2"
IS 55 N	Cape Girardeau	A0475	RT K	16'3"
IS 55 N	Cape Girardeau	A0339	CST HOPPER RD	16'5"
IS 55 N	Cape Girardeau	A0330	CST BAINBRIDGE RD	18'12"
IS 55 N	Cape Girardeau	A0687	RT Y	23'5"
IS 55 N	Cape Girardeau	A2493	RT FF	16'10"
IS 55 N	Cape Girardeau	A2492	RT E	16'4"
IS 55 N	Cape Girardeau	A2491	RT D	16'8"
IS 55 N	Cape Girardeau	A2490	RT KK	16'8"
IS 55 N	Perry	A2512	RT F	17'8"
IS 55 N	Perry	A2511	RT B	17'5"
IS 55 N	Perry	A2495	RT K	18'5"
IS 55 N	Perry	A2472	MO 51	16'8"
IS 55 N	Perry	A2471	RT T	17'10"
IS 55 N	Perry	A2455	RT M	17'10"
IS 55 N	Perry	A2454	RT NN	17'10"
IS 55 N	Perry	A2453	CRD 830	17'10"
IS 55 N	Ste. Genevieve	A2460	RT Z	16'11"
IS 55 N	Ste. Genevieve	A2420	RT M	16'7"
IS 55 N	Ste. Genevieve	A2417	CRD EISENBEIS BOTTOM RD	16'10"

\* = Clearance Not Available

Page 13

Selected County: All Counties

This report is to provide vertical clearance information to the public and to serve as a tool for planning your travel route. Vertical clearances are an approximation and may change due to various maintenance activities. Structures signed at a clearance less than reported above should be obeyed. For official vertical clearances, please contact the Motor Carrier Services Division, Missouri Department of Transportation at 1-800-877-8499.



## Vertical Clearances for Missouri Bridges

May 26, 2010

5:30:59am

Traveled Route	County	Bridge Number	Location Description	Permitted Clearance
IS 55 N	Ste. Genevieve	A2406	MO 32	17'10"
IS 55 N	Ste. Genevieve	A2404	CRD ZELL RD	16'10"
IS 55 N	Ste. Genevieve	A2267	RT Y	17'10"
IS 55 N	Ste. Genevieve	A2266	CRD CARRON RD	17'10"
IS 55 N	Ste. Genevieve	A2265	RT DD	16'7"
IS 55 N	Jefferson	A1990	RT TT	17'0"
IS 55 N	Jefferson	A1989	CRD DANBY RD	16'1"
IS 55 N	Jefferson	A1987	RT AA	16'8"
IS 55 N	Jefferson	A1781	US 61	16'11"
IS 55 N	Jefferson	A5980	RT A	17'2"
IS 55 N	Jefferson	A0831	CST MAIN ST	18'0"
IS 55 N	Jefferson	A1173	CRD MCNUTT SCHOOL RD	16'0"
IS 55 N	Jefferson	A5929	CRD IMPERIAL MAIN ST	17'4"
IS 55 N	Jefferson	A5729	CST RICHARDSON RD	18'0"
IS 55 N	Jefferson	A5728	RP RICHARDSON RD TO IS55	18'0"
IS 55 N	Jefferson	A5459	CST CHURCH RD	18'8"
IS 55 N	Jefferson	A5458	MO 141	18'7"
IS 55 N	St. Louis	A5383	CRD MERAMEC BOTTOM RD	17'2"
IS 55 N	St. Louis	A4909	CRD MATTIS RD	16'10"
IS 55 N	St. Louis	A5051	IS 55	16'4"
IS 55 N	St. Louis	A4881	RP IS55N TO IS270E	17'0"
IS 55 N	St. Louis	A4882	RP IS55S TO IS255S	16'11"
IS 55 N	St. Louis	A1235	RP IS270W TO IS55N	20'2"
IS 55 N	St. Louis	A1234	IS 255	20'1"
IS 55 N	St. Louis	A1233	IS 255	16'8"
IS 55 N	St. Louis	A5129	US 50	17'0"
IS 55 N	St. Louis	A0619	PED DAYCARE OVERPASS	15'2"
IS 55 N	St. Louis	A7369	CRD UNION RD	*
IS 55 N	St. Louis City	A0918	CST WEBER RD	17'0"
IS 55 N	St. Louis City	A1077	CST LOUGHBOROUGH AVE	15'0"
IS 55 N	St. Louis City	A1078	CST HOLLY HILLS AVE	16'3"
IS 55 N	St. Louis City	A1189	PED ALABAMA AVE OVERPASS	17'3"
IS 55 N	St. Louis City	A1081	CST DELOR ST	15'3"
IS 55 N	St. Louis City	A1182	PED NEBRASKA AVE OVERPAS	14'6"
IS 55 N	St. Louis City	A1087	CST UTAH ST	14'8"
IS 55 N	St. Louis City	A1088	CST ARSENAL AVE	16'4"
IS 55 N	St. Louis City	A1089	CST PESTALOZZI ST	15'1"
IS 55 N	St. Louis City	A1090	CST SIDNEY ST	15'1"
IS 55 N	St. Louis City	A1091	MO 30	14'11"
IS 55 N	St. Louis City	A1093	IS 44	20'0"
IS 55 N	St. Louis City	A1094	CST GRAVOIS RD	15'7"
IS 55 N	St. Louis City	A3128	CST LAFAYETTE AVE	16'3"
IS 55 N	St. Louis City	A3133	PED CARROLL ST OVERPASS	16'3"

\* = Clearance Not Available

Page 14

Selected County: All Counties

This report is to provide vertical clearance information to the public and to serve as a tool for planning your travel route. Vertical clearances are an approximation and may change due to various maintenance activities. Structures signed at a clearance less than reported above should be obeyed. For official vertical clearances, please contact the Motor Carrier Services Division, Missouri Department of Transportation at 1-800-877-8499.



## Vertical Clearances for Missouri Bridges

May 26, 2010

5:30:59am

Traveled Route	County	Bridge Number	Location Description	Permitted Clearance
IS 55 N	St. Louis City	L0361	CST MAC ARTHUR BRG, CST,	16'8"
IS 55 N	St. Louis City	L0362	IS 55	16'8"
IS 55 N	St. Louis City	A1501	IS 64	*
IS 55 N	St. Louis City	L0363	IS 55	13'8"
IS 55 N	St. Louis City	A1501	IS 64	*
IS 55 S	St. Louis City	A1501	IS 64	16'9"
IS 55 S	St. Louis City	A1501	IS 64	16'9"
IS 55 S	St. Louis City	L0363	IS 55	13'8"
IS 55 S	St. Louis City	A3162	CST BROADWAY, CST S 7TH,	18'4"
IS 55 S	St. Louis City	L0362	IS 55	18'4"
IS 55 S	St. Louis City	A3133	PED CARROLL ST OVERPASS	16'3"
IS 55 S	St. Louis City	A3128	CST LAFAYETTE AVE	16'11"
IS 55 S	St. Louis City	A1094	CST GRAVOIS RD	15'4"
IS 55 S	St. Louis City	A1092	RP IS55N TO IS44W	15'2"
IS 55 S	St. Louis City	A1093	IS 44	18'0"
IS 55 S	St. Louis City	A1091	MO 30	15'2"
IS 55 S	St. Louis City	A1090	CST SIDNEY ST	16'3"
IS 55 S	St. Louis City	A1089	CST PESTALOZZI ST	15'9"
IS 55 S	St. Louis City	A1088	CST ARSENAL AVE	15'0"
IS 55 S	St. Louis City	A1087	CST UTAH ST	16'4"
IS 55 S	St. Louis City	A1182	PED NEBRASKA AVE OVERPAS	15'1"
IS 55 S	St. Louis City	A1081	CST DELOR ST	15'3"
IS 55 S	St. Louis City	A1189	PED ALABAMA AVE OVERPASS	17'1"
IS 55 S	St. Louis City	A1078	CST HOLLY HILLS AVE	15'4"
IS 55 S	St. Louis City	A1077	CST LOUGHBOROUGH AVE	15'1"
IS 55 S	St. Louis	A0918	CST WEBER RD	15'6"
IS 55 S	St. Louis	A7369	CRD UNION RD	*
IS 55 S	St. Louis	A0619	PED DAYCARE OVERPASS	15'2"
IS 55 S	St. Louis	A5129	US 50	17'3"
IS 55 S	St. Louis	A1233	IS 255	20'0"
IS 55 S	St. Louis	A1234	IS 255	21'10"
IS 55 S	St. Louis	A4882	RP IS55S TO IS255S	17'2"
IS 55 S	St. Louis	A1235	RP IS270W TO IS55N	17'4"
IS 55 S	St. Louis	A4881	RP IS55N TO IS270E	17'0"
IS 55 S	St. Louis	A5051	IS 55	16'3"
IS 55 S	St. Louis	A4909	CRD MATTIS RD	18'0"
IS 55 S	St. Louis	A5383	CRD MERAMEC BOTTOM RD	16'11"
IS 55 S	Jefferson	A5458	MO 141	17'3"
IS 55 S	Jefferson	A5459	CST CHURCH RD	17'1"
IS 55 S	Jefferson	A5728	RP RICHARDSON RD TO IS55	17'8"
IS 55 S	Jefferson	A5729	CST RICHARDSON RD	18'0"
IS 55 S	Jefferson	A5929	CRD IMPERIAL MAIN ST	19'10"
IS 55 S	Jefferson	A1173	CRD MCNUTT SCHOOL RD	15'11"

\* = Clearance Not Available

Page 15

Selected County: All Counties

This report is to provide vertical clearance information to the public and to serve as a tool for planning your travel route. Vertical clearances are an approximation and may change due to various maintenance activities. Structures signed at a clearance less than reported above should be obeyed. For official vertical clearances, please contact the Motor Carrier Services Division, Missouri Department of Transportation at 1-800-877-8499.



## Vertical Clearances for Missouri Bridges

May 26, 2010

5:30:59am

Traveled Route	County	Bridge Number	Location Description	Permitted Clearance
IS 55 S	Jefferson	A0831	CST MAIN ST	18'0"
IS 55 S	Jefferson	A5980	RT A	18'0"
IS 55 S	Jefferson	A1781	US 61	18'0"
IS 55 S	Jefferson	A1987	RT AA	18'0"
IS 55 S	Jefferson	A1989	CRD DANBY RD	18'0"
IS 55 S	Jefferson	A1990	RT TT	16'4"
IS 55 S	Ste. Genevieve	A2265	RT DD	17'10"
IS 55 S	Ste. Genevieve	A2266	CRD CARRON RD	17'0"
IS 55 S	Ste. Genevieve	A2267	RT Y	17'2"
IS 55 S	Ste. Genevieve	A2404	CRD ZELL RD	16'10"
IS 55 S	Ste. Genevieve	A2406	MO 32	16'6"
IS 55 S	Ste. Genevieve	A2417	CRD EISENBEIS BOTTOM RD	16'10"
IS 55 S	Ste. Genevieve	A2420	RT M	16'7"
IS 55 S	Ste. Genevieve	A2460	RT Z	17'10"
IS 55 S	Perry	A2453	CRD 830	16'7"
IS 55 S	Perry	A2454	RT NN	17'2"
IS 55 S	Perry	A2455	RT M	16'6"
IS 55 S	Perry	A2471	RT T	16'10"
IS 55 S	Perry	A2472	MO 51	16'8"
IS 55 S	Perry	A2495	RT K	17'1"
IS 55 S	Perry	A2511	RT B	16'11"
IS 55 S	Perry	A2512	RT F	17'2"
IS 55 S	Cape Girardeau	A2490	RT KK	16'8"
IS 55 S	Cape Girardeau	A2491	RT D	17'1"
IS 55 S	Cape Girardeau	A2492	RT E	17'0"
IS 55 S	Cape Girardeau	A2493	RT FF	17'2"
IS 55 S	Cape Girardeau	A0687	RT Y	23'5"
IS 55 S	Cape Girardeau	A0330	CST BAINBRIDGE RD	16'4"
IS 55 S	Cape Girardeau	A0339	CST HOPPER RD	16'10"
IS 55 S	Cape Girardeau	A0475	RT K	16'2"
IS 55 S	Cape Girardeau	A0473	CST BLOOMFIELD RD	16'2"
IS 55 S	Cape Girardeau	A5080	MO 74	16'7"
IS 55 S	Cape Girardeau	A0628	US 61	15'11"
IS 55 S	Scott	A0467	RT AB	16'6"
IS 55 S	Scott	R0138	RT PP	16'2"
IS 55 S	Scott	R0139	RT E	19'11"
IS 55 S	Scott	A0925	MO 77	15'10"
IS 55 S	Scott	R0118	RT C	16'1"
IS 55 S	Scott	A0926	RT H	16'6"
IS 55 S	Scott	A5884	RT HH	18'7"
IS 55 S	New Madrid	R0357	RT AA	16'1"
IS 55 S	New Madrid	R0358	CRD 820	16'2"
IS 55 S	New Madrid	A1146	MO 80	15'11"

\* = Clearance Not Available

Page 16

Selected County: All Counties

This report is to provide vertical clearance information to the public and to serve as a tool for planning your travel route. Vertical clearances are an approximation and may change due to various maintenance activities. Structures signed at a clearance less than reported above should be obeyed. For official vertical clearances, please contact the Motor Carrier Services Division, Missouri Department of Transportation at 1-800-877-8499.





## Vertical Clearances for Missouri Bridges

May 26, 2010

5:30:59am

Traveled Route	County	Bridge Number	Location Description	Permitted Clearance
IS 55 S	New Madrid	R0371	CRD 604	15'11"
IS 55 S	New Madrid	A1147	RT P	15'11"
IS 55 S	New Madrid	A1148	US 61	15'11"
IS 55 S	New Madrid	R0359	RT U	15'10"
IS 55 S	New Madrid	A1209	IS 55	16'1"
IS 55 S	New Madrid	A1149	US 61	16'0"
IS 55 S	New Madrid	A1274	RT EE	16'0"
IS 55 S	New Madrid	A1816	RT M	15'10"
IS 55 S	New Madrid	A1374	MO 162	16'2"
IS 55 S	Pemiscot	A1609	RT T	15'10"
IS 55 S	Pemiscot	A1742	RT A	16'1"
IS 55 S	Pemiscot	A1820	RT J	16'5"
IS 55 S	Pemiscot	A1465	MO 84	17'10"
IS 55 S	Pemiscot	A1932	RT U	16'5"
IS 55 S	Pemiscot	A1935	CRD 444	16'1"
IS 55 S	Pemiscot	A1938	US 61	16'5"
IS 55 S	Pemiscot	A1939	CRD 547	16'2"
IS 55 S	Pemiscot	A1940	RT E	16'8"
IS 55 S	Pemiscot	A0470	RT O	15'10"
IS 57 N	Scott	A0939	IS 55	16'1"
IS 57 N	Scott	A0939	IS 55	16'1"
IS 57 N	Mississippi	A0234	RT CC	15'5"
IS 57 N	Mississippi	A0236	RT B	15'1"
IS 57 N	Mississippi	A0458	CRD 401	15'7"
IS 57 N	Mississippi	A0462	MO 105	16'3"
IS 57 N	Mississippi	A0465	RT UU	15'5"
IS 57 N	Mississippi	A2024	US 62	17'0"
IS 57 N	Mississippi	A2026	CRD 218	16'11"
IS 57 N	Mississippi	A2028	RT J	17'4"
IS 57 N	Mississippi	A2000	MISSISSIPPI RVR	19'8"
IS 57 S	Mississippi	A2000	MISSISSIPPI RVR	19'8"
IS 57 S	Mississippi	A2028	RT J	16'7"
IS 57 S	Mississippi	A2026	CRD 218	17'1"
IS 57 S	Mississippi	A2024	US 62	16'7"
IS 57 S	Mississippi	A0465	RT UU	16'0"
IS 57 S	Mississippi	A0462	MO 105	16'1"
IS 57 S	Mississippi	A0458	CRD 401	15'7"
IS 57 S	Mississippi	A0236	RT B	15'1"
IS 57 S	Mississippi	A0234	RT CC	15'5"
IS 57 S	Scott	A0939	IS 55	16'2"
IS 57 S	Scott	A0939	IS 55	16'2"
IS 64 E	St. Louis	A8001	CST SPOEDE RD	15'9"
IS 64 E	St. Louis	A8005	CST MC KNIGHT RD	15'9"

\* = Clearance Not Available

Page 17

Selected County: All Counties

This report is to provide vertical clearance information to the public and to serve as a tool for planning your travel route. Vertical clearances are an approximation and may change due to various maintenance activities. Structures signed at a clearance less than reported above should be obeyed. For official vertical clearances, please contact the Motor Carrier Services Division, Missouri Department of Transportation at 1-800-877-8499.



## Vertical Clearances for Missouri Bridges

May 26, 2010

5:30:59am

Traveled Route	County	Bridge Number	Location Description	Permitted Clearance
IS 64 E	St. Louis	A8006	CST MC CUTCHEON RD	15'9"
IS 64 E	St. Louis	A8013	RP IS64E TO IS170W	18'1"
IS 64 E	St. Louis	A8014	RP IS170E TO IS64E	25'0"
IS 64 E	St. Louis	A8016	CST HANLEY RD	15'10"
IS 64 E	St. Louis	A8018	CST BOLAND PL	16'7"
IS 64 E	St. Louis	A8020	CST BIG BEND BLVD	16'2"
IS 64 E	St. Louis	A8021	CST HIGHLAND TER	15'11"
IS 64 E	St. Louis	A8022	CST BELLEVUE AVE	16'8"
IS 64 E	St. Louis City	A8024	CST CLAYTON AVE	16'7"
IS 64 E	St. Louis City	A8025	CST OAKLAND AVE	17'11"
IS 64 E	St. Louis City	A8026	RP SKINKER BLVD TO IS64E	15'6"
IS 64 E	St. Louis City	A8027	CST TAMM ENTRANCE	17'2"
IS 64 E	St. Louis City	A8028	CST CONCOURSE DR	16'10"
IS 64 E	St. Louis City	SC001	IS 64	17'1"
IS 64 E	St. Louis City	A8033	CST KINGSHIGHWAY BLVD	17'10"
IS 64 E	St. Louis City	A8034	PED CID OVERPASS	25'0"
IS 64 E	St. Louis City	K0453	CST TAYLOR AVE	16'9"
IS 64 E	St. Louis City	K0465	CST NEWSTEAD AVE	14'10"
IS 64 E	St. Louis City	K0466	CST TOWER GROVE AVE	15'0"
IS 64 E	St. Louis City	L0668	CST BOYLE AVE	15'1"
IS 64 E	St. Louis City	A0282	IS 64	16'1"
IS 64 E	St. Louis City	L0638	CST GRAND BLVD	17'1"
IS 64 E	St. Louis City	A7081	CST COMPTON AVE	15'3"
IS 64 E	St. Louis City	A0838	CST EWING AVE	14'11"
IS 64 E	St. Louis City	A0839	CST JEFFERSON AVE	14'11"
IS 64 E	St. Louis City	A1523	RP PINE ST TO IS64E	15'2"
IS 64 E	St. Louis City	A1501	IS 55, IS 70, IS 55, RP,	16'1"
IS 64 W	St. Louis City	A1523	RP PINE ST TO IS64E	16'0"
IS 64 W	St. Louis City	A0839	CST JEFFERSON AVE	*
IS 64 W	St. Louis City	A0839	CST JEFFERSON AVE	16'6"
IS 64 W	St. Louis City	A0838	CST EWING AVE	17'10"
IS 64 W	St. Louis City	A7081	CST COMPTON AVE	15'3"
IS 64 W	St. Louis City	A0282	IS 64	*
IS 64 W	St. Louis City	L0668	CST BOYLE AVE	15'1"
IS 64 W	St. Louis City	K0466	CST TOWER GROVE AVE	15'0"
IS 64 W	St. Louis City	K0465	CST NEWSTEAD AVE	16'4"
IS 64 W	St. Louis City	K0453	CST TAYLOR AVE	14'7"
IS 64 W	St. Louis City	A8034	PED CID OVERPASS	20'11"
IS 64 W	St. Louis City	A8033	CST KINGSHIGHWAY BLVD	15'7"
IS 64 W	St. Louis City	SC001	IS 64	17'9"
IS 64 W	St. Louis City	A8028	CST CONCOURSE DR	16'5"
IS 64 W	St. Louis City	A8027	CST TAMM ENTRANCE	15'11"
IS 64 W	St. Louis City	A8026	RP SKINKER BLVD TO IS64E	15'6"

\* = Clearance Not Available

Page 18

Selected County: All Counties

This report is to provide vertical clearance information to the public and to serve as a tool for planning your travel route. Vertical clearances are an approximation and may change due to various maintenance activities. Structures signed at a clearance less than reported above should be obeyed. For official vertical clearances, please contact the Motor Carrier Services Division, Missouri Department of Transportation at 1-800-877-8499.



## Vertical Clearances for Missouri Bridges

May 26, 2010

5:30:59am

Traveled Route	County	Bridge Number	Location Description	Permitted Clearance
IS 64 W	St. Louis City	A8025	CST OAKLAND AVE	16'2"
IS 64 W	St. Louis City	A8024	CST CLAYTON AVE	16'6"
IS 64 W	St. Louis	A8022	CST BELLEVUE AVE	20'4"
IS 64 W	St. Louis	A8021	CST HIGHLAND TER	19'6"
IS 64 W	St. Louis	A8020	CST BIG BEND BLVD	17'0"
IS 64 W	St. Louis	A8018	CST BOLAND PL	16'7"
IS 64 W	St. Louis	A8016	CST HANLEY RD	15'9"
IS 64 W	St. Louis	A8014	RP IS170E TO IS64E	25'0"
IS 64 W	St. Louis	A8013	RP IS64E TO IS170W	21'7"
IS 64 W	St. Louis	A8006	CST MC CUTCHEON RD	15'9"
IS 64 W	St. Louis	A8005	CST MC KNIGHT RD	15'9"
IS 64 W	St. Louis	A8001	CST SPOEDE RD	15'6"
IS 70 E	Jackson	A1128	RP IS35N TO IS70W	18'0"
IS 70 E	Jackson	A1130	IS 35	18'0"
IS 70 E	Jackson	L0936	CST ADMIRAL BLVD	14'8"
IS 70 E	Jackson	L0937	CST EIGHTH ST	18'0"
IS 70 E	Jackson	L0938	CST NINTH ST	18'0"
IS 70 E	Jackson	L0939	CST TENTH ST	14'11"
IS 70 E	Jackson	A0805	RP IS670E TO IS70W	14'10"
IS 70 E	Jackson	A5162	US 71	16'11"
IS 70 E	Jackson	A0291	CST PROSPECT AVE	14'8"
IS 70 E	Jackson	A0292	CST CHESTNUT AVE	17'8"
IS 70 E	Jackson	A0306	CST 23RD TRFY	14'10"
IS 70 E	Jackson	A0307	CST CLEVELAND AVE	14'9"
IS 70 E	Jackson	A0310	CST 27TH ST	14'0"
IS 70 E	Jackson	A0317	PED CYPRESS OVERPASS	18'0"
IS 70 E	Jackson	A0319	CST LISTER AVE	16'7"
IS 70 E	Jackson	A0318	PED OAKLEY OVERPASS	18'0"
IS 70 E	Jackson	A0990	RP IS435N TO IS70W	16'0"
IS 70 E	Jackson	A0992	IS 435	17'10"
IS 70 E	Jackson	A0993	IS 435	18'0"
IS 70 E	Jackson	A0991	RP IS435S TO IS70E	14'10"
IS 70 E	Jackson	A2842	CST STADIUM DR	18'0"
IS 70 E	Jackson	A7751	CST BLUE RIDGE CUTOFF	*
IS 70 E	Jackson	L0970	CST BLUE RIDGE CUTOFF	16'3"
IS 70 E	Jackson	L0971	CST PITTMAN RD	16'7"
IS 70 E	Jackson	L0997	CST BLUE RIDGE BLVD	15'7"
IS 70 E	Jackson	L0974	CST CRYSLER ST	15'8"
IS 70 E	Jackson	L0975	IS 70	15'9"
IS 70 E	Jackson	A7418	CST NOLAND RD	18'4"
IS 70 E	Jackson	L0977	CST PHELPS RD	15'9"
IS 70 E	Jackson	A3763	CST LEES SUMMIT RD	16'10"
IS 70 E	Jackson	A1349	IS 470	18'0"

\* = Clearance Not Available

Page 19

Selected County: All Counties

This report is to provide vertical clearance information to the public and to serve as a tool for planning your travel route. Vertical clearances are an approximation and may change due to various maintenance activities. Structures signed at a clearance less than reported above should be obeyed. For official vertical clearances, please contact the Motor Carrier Services Division, Missouri Department of Transportation at 1-800-877-8499.



# Vertical Clearances for Missouri Bridges

May 26, 2010

5:30:59am

Traveled Route	County	Bridge Number	Location Description	Permitted Clearance
IS 70 E	Jackson	A1349	IS 470	17'8"
IS 70 E	Jackson	A5726	CST LITTLE BLUE PKWY	19'0"
IS 70 E	Jackson	L0982	CST WOODS CHAPEL RD	16'6"
IS 70 E	Jackson	R0135	CRD OLD US HWY 40	15'10"
IS 70 E	Jackson	L0986	RT F	15'10"
IS 70 E	Lafayette	A0056	RT D	15'9"
IS 70 E	Lafayette	A0075	RT WW	16'1"
IS 70 E	Lafayette	A0057	MO 131	16'1"
IS 70 E	Lafayette	A0058	CRD JOHNSON DR	16'3"
IS 70 E	Lafayette	A0076	RT M	15'10"
IS 70 E	Lafayette	A0078	RT E	15'9"
IS 70 E	Lafayette	A4599	MO 13	16'9"
IS 70 E	Lafayette	A0098	CRD BLACKJACK RD	15'7"
IS 70 E	Lafayette	A0099	RT T	16'6"
IS 70 E	Lafayette	A0100	RT KK	16'1"
IS 70 E	Lafayette	A0102	CRD WALKENHORST RD	17'9"
IS 70 E	Saline	A0120	RT Y	15'12"
IS 70 E	Saline	A0125	CO NOR70 TO SOR70	16'8"
IS 70 E	Saline	A0126	MO 127	16'4"
IS 70 E	Saline	A0128	RT K	15'11"
IS 70 E	Saline	A0129	RT YY	16'6"
IS 70 E	Saline	A0130	CRD 211	16'4"
IS 70 E	Saline	A0131	RT J	15'10"
IS 70 E	Saline	A0132	CRD 225	16'1"
IS 70 E	Cooper	R0231	RT Z	15'10"
IS 70 E	Cooper	A0958	RT K	25'0"
IS 70 E	Cooper	A0868	RT M	15'10"
IS 70 E	Cooper	L0944	MO 41	16'3"
IS 70 E	Cooper	L0945	CRD DUNKLES DR	16'2"
IS 70 E	Cooper	L0946	IS 70	17'0"
IS 70 E	Cooper	A0124	MO 5	16'6"
IS 70 E	Cooper	A0090	RT B	15'9"
IS 70 E	Cooper	A0150	MO 87	15'10"
IS 70 E	Cooper	A0007	CRD WOODLAND SCHOOL DR	16'0"
IS 70 E	Cooper	A0008	MO 179	15'10"
IS 70 E	Cooper	L0962	MISSOURI RVR, KATY TRAIL	19'5"
IS 70 E	Boone	A0152	RT BB	17'9"
IS 70 E	Boone	A0172	US 40	14'10"
IS 70 E	Boone	A0491	CRD SORRELS OVERPASS DR	15'8"
IS 70 E	Boone	A0048	MO 740	16'6"
IS 70 E	Boone	A0081	MO 163	16'0"
IS 70 E	Boone	PO23	PED PROVIDENCE OVERPASS	17'4"
IS 70 E	Boone	L0285	IS 70	15'6"

\* = Clearance Not Available

Page 20

Selected County: All Counties

This report is to provide vertical clearance information to the public and to serve as a tool for planning your travel route. Vertical clearances are an approximation and may change due to various maintenance activities. Structures signed at a clearance less than reported above should be obeyed. For official vertical clearances, please contact the Motor Carrier Services Division, Missouri Department of Transportation at 1-800-877-8499.



## Vertical Clearances for Missouri Bridges

May 26, 2010

5:30:59am

Traveled Route	County	Bridge Number	Location Description	Permitted Clearance
IS 70 E	Boone	L0286	RT B	17'3"
IS 70 E	Boone	L0928	RP IS70W TO LP70W	15'3"
IS 70 E	Boone	A4092	US 63	20'1"
IS 70 E	Boone	A4091	US 63	18'6"
IS 70 E	Boone	A0800	US 63C	16'3"
IS 70 E	Boone	L0908	CRD ST CHARLES RD	16'7"
IS 70 E	Boone	L0909	RT Z	16'4"
IS 70 E	Callaway	L0911	RT J	15'8"
IS 70 E	Callaway	L0943	RT M	16'6"
IS 70 E	Callaway	L0965	IS 70	16'0"
IS 70 E	Callaway	L0965	IS 70	16'8"
IS 70 E	Callaway	L0964	US 54	17'2"
IS 70 E	Callaway	L0964	US 54	17'2"
IS 70 E	Callaway	L1000	RT JJ	16'7"
IS 70 E	Callaway	A0025	RT A	16'3"
IS 70 E	Callaway	A0027	RT D	16'3"
IS 70 E	Callaway	A0028	RT D	16'2"
IS 70 E	Montgomery	A0042	RT N	15'12"
IS 70 E	Montgomery	A0227	MO 161	16'7"
IS 70 E	Montgomery	A0986	MO 19	15'11"
IS 70 E	Montgomery	A0865	RT F	16'1"
IS 70 E	Montgomery	L0637	IS 70	14'5"
IS 70 E	Montgomery	R0062	CRD GARRETT RD	15'11"
IS 70 E	Montgomery	A0866	RT E	16'1"
IS 70 E	Warren	R0069	RT A	16'2"
IS 70 E	Warren	A4949	MO 47	18'0"
IS 70 E	Warren	R0052	CRD STRACKS CHURCH RD	16'1"
IS 70 E	Warren	A3757	CST WILDCAT DR	17'1"
IS 70 E	Warren	A3759	RT F	16'3"
IS 70 E	St. Charles	A0795	RT T	15'11"
IS 70 E	St. Charles	A5800	CST WENTZVILLE PKWY	17'1"
IS 70 E	St. Charles	L0154	IS 70	15'11"
IS 70 E	St. Charles	L0624	US 61	16'8"
IS 70 E	St. Charles	L0428	US 40	16'3"
IS 70 E	St. Charles	A7043	CST LAKE ST LOUIS BLVD	16'4"
IS 70 E	St. Charles	A5045	CST BRYAN RD	17'2"
IS 70 E	St. Charles	A6053	CST WOODLAWN AVE	17'7"
IS 70 E	St. Charles	A6086	CST SONDEREN ST	17'7"
IS 70 E	St. Charles	A6157	CRD BELLEAU CREEK RD	18'0"
IS 70 E	St. Charles	A4294	MO 79	16'5"
IS 70 E	St. Charles	A4266	RT C	16'7"
IS 70 E	St. Charles	A4266	RT C	16'7"
IS 70 E	St. Charles	A5448	CST SPENCER RD	25'0"

\* = Clearance Not Available

Page 21

Selected County: All Counties

This report is to provide vertical clearance information to the public and to serve as a tool for planning your travel route. Vertical clearances are an approximation and may change due to various maintenance activities. Structures signed at a clearance less than reported above should be obeyed. For official vertical clearances, please contact the Motor Carrier Services Division, Missouri Department of Transportation at 1-800-877-8499.



## Vertical Clearances for Missouri Bridges

May 26, 2010

5:30:59am

Traveled Route	County	Bridge Number	Location Description	Permitted Clearance
IS 70 E	St. Charles	A5093	RP MO370W TO IS70E	20'0"
IS 70 E	St. Charles	A5952	CST EXECUTIVE CENTER PKW	18'0"
IS 70 E	St. Charles	A4040	CST HARRY S TRUMAN BLVD	16'2"
IS 70 E	St. Charles	A3852	CST ZUMBEHL RD	17'8"
IS 70 E	St. Charles	A5969	CST HAWKS NEST DR	18'0"
IS 70 E	St. Charles	A6680	MO 94	18'0"
IS 70 E	St. Charles	A3440	CST FAIRGROUNDS RD	16'1"
IS 70 E	St. Charles	A3292	MISSOURI RVR, CST MAIN S	19'10"
IS 70 E	St. Louis	A3766	RP IS270W TO IS70E	19'0"
IS 70 E	St. Louis	A3753	RP IS70W TO IS270W	18'0"
IS 70 E	St. Louis	A3764	RP IS270E TO IS70W	18'1"
IS 70 E	St. Louis	A3729	CST MCKELVEY RD	18'0"
IS 70 E	St. Louis	L0887	MO 180	16'2"
IS 70 E	St. Louis	L0887	MO 180	16'2"
IS 70 E	St. Louis	L0888	CST FEE FEE RD	15'4"
IS 70 E	St. Louis	L0889	US 67	18'0"
IS 70 E	St. Louis	L0889	US 67	18'0"
IS 70 E	St. Louis	L0810	MO 115	15'10"
IS 70 E	St. Louis	A4282	RP LAMBERT INTL BLVD TO	18'0"
IS 70 E	St. Louis	A4226	CST JAMES S MCDONNELL BL	18'0"
IS 70 E	St. Louis	ML2	IS 70	17'3"
IS 70 E	St. Louis	A3007	RP IS70W TO IS170E	16'9"
IS 70 E	St. Louis	A6175	CST NORTH HANLEY RD	17'2"
IS 70 E	St. Louis	A6167	CST BERMUDA RD	17'11"
IS 70 E	St. Louis	A6233	RT U	16'5"
IS 70 E	St. Louis City	A6234	CST GOODFELLOW BLVD	19'4"
IS 70 E	St. Louis City	A5976	CST UNION BLVD	15'8"
IS 70 E	St. Louis City	A6204	CST KINGSHIGHWAY BLVD	16'10"
IS 70 E	St. Louis City	A6206	CST SHREVE AVE	18'0"
IS 70 E	St. Louis City	A5984	CST WEST FLORISSANT AVE	18'0"
IS 70 E	St. Louis City	A5986	CST TAYLOR AVE	18'0"
IS 70 E	St. Louis City	A6205	CST CARRIE AVE	19'10"
IS 70 E	St. Louis City	A5960	CST ADELAIDE AVE	19'9"
IS 70 E	St. Louis City	A6238	CST MC KINLEY BRG	19'10"
IS 70 E	St. Louis City	A6239	MO 115	19'10"
IS 70 E	St. Louis City	A0141	CST ST LOUIS AVE	15'7"
IS 70 E	St. Louis City	A0140	PED NORTH MARKET PL OVER	14'10"
IS 70 E	St. Louis City	A0139	CST MADISON ST	16'1"
IS 70 E	St. Louis City	A0138	IS 70	14'8"
IS 70 E	St. Louis City	A0136	CST 9TH ST	15'5"
IS 70 E	St. Louis City	A0134	CST BROADWAY	14'8"
IS 70 E	St. Louis City	A1513	CST PINE ST	14'10"
IS 70 E	St. Louis City	A1512	CST CHESTNUT ST	15'5"

\* = Clearance Not Available

Page 22

Selected County: All Counties

This report is to provide vertical clearance information to the public and to serve as a tool for planning your travel route. Vertical clearances are an approximation and may change due to various maintenance activities. Structures signed at a clearance less than reported above should be obeyed. For official vertical clearances, please contact the Motor Carrier Services Division, Missouri Department of Transportation at 1-800-877-8499.



## Vertical Clearances for Missouri Bridges

May 26, 2010

5:30:59am

Traveled Route	County	Bridge Number	Location Description	Permitted Clearance
IS 70 E	St. Louis City	A1511	CST MARKET ST	15'8"
IS 70 E	St. Louis City	A1510	CST WALNUT ST	15'9"
IS 70 E	St. Louis City	A1504	RP IS70E TO IS55S, RP IS	14'6"
IS 70 E	St. Louis City	A1502	IS 55	18'0"
IS 70 E	St. Louis City	A1501	IS 64	14'10"
IS 70 E	St. Louis City	A1501	IS 64	14'10"
IS 70 W	St. Louis City	A1510	CST WALNUT ST	14'11"
IS 70 W	St. Louis City	A1511	CST MARKET ST	15'7"
IS 70 W	St. Louis City	A1512	CST CHESTNUT ST	15'7"
IS 70 W	St. Louis City	A1513	CST PINE ST	15'6"
IS 70 W	St. Louis City	A0134	CST BROADWAY	14'11"
IS 70 W	St. Louis City	A0136	CST 9TH ST	17'11"
IS 70 W	St. Louis City	A0138	IS 70	18'0"
IS 70 W	St. Louis City	A0139	CST MADISON ST	14'8"
IS 70 W	St. Louis City	A0140	PED NORTH MARKET PL OVER	14'10"
IS 70 W	St. Louis City	A0141	CST ST LOUIS AVE	14'7"
IS 70 W	St. Louis City	A6239	MO 115	15'11"
IS 70 W	St. Louis City	A6238	CST MC KINLEY BRG	15'5"
IS 70 W	St. Louis City	A5960	CST ADELAIDE AVE	15'2"
IS 70 W	St. Louis City	A6205	CST CARRIE AVE	15'9"
IS 70 W	St. Louis City	A5986	CST TAYLOR AVE	15'0"
IS 70 W	St. Louis City	A5984	CST WEST FLORISSANT AVE	15'6"
IS 70 W	St. Louis City	A6206	CST SHREVE AVE	15'3"
IS 70 W	St. Louis City	A6204	CST KINGSHIGHWAY BLVD	15'10"
IS 70 W	St. Louis City	A5976	CST UNION BLVD	16'7"
IS 70 W	St. Louis City	A6234	CST GOODFELLOW BLVD	16'0"
IS 70 W	St. Louis	A6233	RT U	16'5"
IS 70 W	St. Louis	A6167	CST BERMUDA RD	17'5"
IS 70 W	St. Louis	A6175	CST NORTH HANLEY RD	17'0"
IS 70 W	St. Louis	A3003	RP IS70E TO IS170W	16'8"
IS 70 W	St. Louis	ML1	IS 70	18'0"
IS 70 W	St. Louis	A4226	CST JAMES S MCDONNELL BL	16'4"
IS 70 W	St. Louis	A4282	RP LAMBERT INTL BLVD TO	18'0"
IS 70 W	St. Louis	L0889	US 67	15'7"
IS 70 W	St. Louis	L0889	US 67	15'7"
IS 70 W	St. Louis	L0888	CST FEE FEE RD	15'7"
IS 70 W	St. Louis	L0887	MO 180	18'0"
IS 70 W	St. Louis	L0887	MO 180	18'0"
IS 70 W	St. Louis	A3729	CST MCKELVEY RD	17'4"
IS 70 W	St. Louis	A3752	RP IS70W TO IS270W	18'0"
IS 70 W	St. Louis	A3764	RP IS270E TO IS70W	18'6"
IS 70 W	St. Louis	A3749	RP IS70E TO IS270E	17'4"
IS 70 W	St. Louis	A3766	RP IS270W TO IS70E	17'11"

\* = Clearance Not Available

Page 23

Selected County: All Counties

This report is to provide vertical clearance information to the public and to serve as a tool for planning your travel route. Vertical clearances are an approximation and may change due to various maintenance activities. Structures signed at a clearance less than reported above should be obeyed. For official vertical clearances, please contact the Motor Carrier Services Division, Missouri Department of Transportation at 1-800-877-8499.





# Vertical Clearances for Missouri Bridges

May 26, 2010

5:30:59am

Traveled Route	County	Bridge Number	Location Description	Permitted Clearance
IS 70 W	St. Louis	L0561	MISSOURI RVR, CST MAIN S	19'8"
IS 70 W	St. Charles	A3440	CST FAIRGROUNDS RD	16'0"
IS 70 W	St. Charles	A6680	MO 94	16'11"
IS 70 W	St. Charles	A5969	CST HAWKS NEST DR	18'0"
IS 70 W	St. Charles	A3852	CST ZUMBEHL RD	16'9"
IS 70 W	St. Charles	A4040	CST HARRY S TRUMAN BLVD	16'4"
IS 70 W	St. Charles	A5952	CST EXECUTIVE CENTER PKW	18'0"
IS 70 W	St. Charles	A5093	RP MO370W TO IS70E	20'0"
IS 70 W	St. Charles	A5448	CST SPENCER RD	25'0"
IS 70 W	St. Charles	A4266	RT C	16'9"
IS 70 W	St. Charles	A4266	RT C	16'9"
IS 70 W	St. Charles	A4294	MO 79	17'1"
IS 70 W	St. Charles	A6157	CRD BELLEAU CREEK RD	18'0"
IS 70 W	St. Charles	A6086	CST SONDEREN ST	17'10"
IS 70 W	St. Charles	A6053	CST WOODLAWN AVE	17'7"
IS 70 W	St. Charles	A5045	CST BRYAN RD	17'3"
IS 70 W	St. Charles	A7043	CST LAKE ST LOUIS BLVD	16'5"
IS 70 W	St. Charles	L0428	US 40	16'8"
IS 70 W	St. Charles	L0624	US 61	16'8"
IS 70 W	St. Charles	L0154	IS 70	16'0"
IS 70 W	St. Charles	A5800	CST WENTZVILLE PKWY	17'2"
IS 70 W	St. Charles	A0795	RT T	16'4"
IS 70 W	Warren	A3759	RT F	15'11"
IS 70 W	Warren	A3757	CST WILDCAT DR	16'4"
IS 70 W	Warren	R0052	CRD STRACKS CHURCH RD	16'2"
IS 70 W	Warren	A4949	MO 47	16'7"
IS 70 W	Warren	R0069	RT A	16'7"
IS 70 W	Montgomery	A0866	RT E	16'1"
IS 70 W	Montgomery	R0062	CRD GARRETT RD	16'0"
IS 70 W	Montgomery	L0637	IS 70	15'3"
IS 70 W	Montgomery	A0865	RT F	16'2"
IS 70 W	Montgomery	A0986	MO 19	15'10"
IS 70 W	Montgomery	A0227	MO 161	16'0"
IS 70 W	Montgomery	A0042	RT N	16'4"
IS 70 W	Callaway	A0028	RT D	15'11"
IS 70 W	Callaway	A0027	RT D	15'11"
IS 70 W	Callaway	A0025	RT A	16'4"
IS 70 W	Callaway	L1000	RT JJ	16'8"
IS 70 W	Callaway	L0964	US 54	16'0"
IS 70 W	Callaway	L0964	US 54	16'0"
IS 70 W	Callaway	L0965	IS 70	16'8"
IS 70 W	Callaway	L0943	RT M	16'3"
IS 70 W	Callaway	L0911	RT J	16'4"

\* = Clearance Not Available

Page 24

Selected County: All Counties

This report is to provide vertical clearance information to the public and to serve as a tool for planning your travel route. Vertical clearances are an approximation and may change due to various maintenance activities. Structures signed at a clearance less than reported above should be obeyed. For official vertical clearances, please contact the Motor Carrier Services Division, Missouri Department of Transportation at 1-800-877-8499.





# Vertical Clearances for Missouri Bridges

May 26, 2010

5:30:59am

Traveled Route	County	Bridge Number	Location Description	Permitted Clearance
IS 70 W	Boone	L0909	RT Z	16'7"
IS 70 W	Boone	L0908	CRD ST CHARLES RD	15'9"
IS 70 W	Boone	A0800	US 63C	16'10"
IS 70 W	Boone	A4091	US 63	17'1"
IS 70 W	Boone	A4092	US 63	17'6"
IS 70 W	Boone	L0286	RT B	16'11"
IS 70 W	Boone	L0285	IS 70	14'11"
IS 70 W	Boone	PO23	PED PROVIDENCE OVERPASS	17'4"
IS 70 W	Boone	A0081	MO 163	15'11"
IS 70 W	Boone	A0048	MO 740	15'9"
IS 70 W	Boone	A0491	CRD SORRELS OVERPASS DR	15'0"
IS 70 W	Boone	A0172	US 40	14'10"
IS 70 W	Boone	A0152	RT BB	16'5"
IS 70 W	Boone	L0962	MISSOURI RVR, KATY TRAIL	18'10"
IS 70 W	Cooper	A0008	MO 179	16'2"
IS 70 W	Cooper	A0007	CRD WOODLAND SCHOOL DR	16'9"
IS 70 W	Cooper	A0150	MO 87	16'2"
IS 70 W	Cooper	A0090	RT B	16'10"
IS 70 W	Cooper	A0124	MO 5	15'11"
IS 70 W	Cooper	L0946	IS 70	15'10"
IS 70 W	Cooper	L0945	CRD DUNKLES DR	16'1"
IS 70 W	Cooper	L0944	MO 41	16'3"
IS 70 W	Cooper	A0868	RT M	16'2"
IS 70 W	Cooper	A0958	RT K	23'1"
IS 70 W	Cooper	R0231	RT Z	15'11"
IS 70 W	Saline	A0132	CRD 225	15'10"
IS 70 W	Saline	A0131	RT J	16'8"
IS 70 W	Saline	A0130	CRD 211	16'6"
IS 70 W	Saline	A0129	RT YY	16'7"
IS 70 W	Saline	A0128	RT K	15'11"
IS 70 W	Saline	A0126	MO 127	16'4"
IS 70 W	Saline	A0125	CO NOR70 TO SOR70	16'6"
IS 70 W	Lafayette	A0120	RT Y	15'12"
IS 70 W	Lafayette	A0102	CRD WALKENHORST RD	16'8"
IS 70 W	Lafayette	A0100	RT KK	17'6"
IS 70 W	Lafayette	A0099	RT T	16'3"
IS 70 W	Lafayette	A0098	CRD BLACKJACK RD	17'8"
IS 70 W	Lafayette	A4599	MO 13	17'0"
IS 70 W	Lafayette	A0078	RT E	15'10"
IS 70 W	Lafayette	A0076	RT M	15'10"
IS 70 W	Lafayette	A0058	CRD JOHNSON DR	15'5"
IS 70 W	Lafayette	A0057	MO 131	15'8"
IS 70 W	Lafayette	A0075	RT WW	16'6"

\* = Clearance Not Available

Page 25

Selected County: All Counties

This report is to provide vertical clearance information to the public and to serve as a tool for planning your travel route. Vertical clearances are an approximation and may change due to various maintenance activities. Structures signed at a clearance less than reported above should be obeyed. For official vertical clearances, please contact the Motor Carrier Services Division, Missouri Department of Transportation at 1-800-877-8499.



## Vertical Clearances for Missouri Bridges

May 26, 2010

5:30:59am

Traveled Route	County	Bridge Number	Location Description	Permitted Clearance
IS 70 W	Lafayette	A0056	RT D	15'11"
IS 70 W	Jackson	L0986	RT F	16'3"
IS 70 W	Jackson	R0135	CRD OLD US HWY 40	16'5"
IS 70 W	Jackson	L0982	CST WOODS CHAPEL RD	16'4"
IS 70 W	Jackson	A5726	CST LITTLE BLUE PKWY	17'2"
IS 70 W	Jackson	A1349	IS 470	19'3"
IS 70 W	Jackson	A1349	IS 470	19'3"
IS 70 W	Jackson	A3763	CST LEES SUMMIT RD	18'6"
IS 70 W	Jackson	L0977	CST PHELPS RD	16'0"
IS 70 W	Jackson	A7418	CST NOLAND RD	18'4"
IS 70 W	Jackson	L0975	IS 70	15'5"
IS 70 W	Jackson	L0974	CST CRYSLER ST	15'9"
IS 70 W	Jackson	L0997	CST BLUE RIDGE BLVD	15'11"
IS 70 W	Jackson	L0971	CST PITTMAN RD	17'1"
IS 70 W	Jackson	A7751	CST BLUE RIDGE CUTOFF	*
IS 70 W	Jackson	L0970	CST BLUE RIDGE CUTOFF	16'11"
IS 70 W	Jackson	A2842	CST STADIUM DR	18'0"
IS 70 W	Jackson	A0991	RP IS435S TO IS70E	16'4"
IS 70 W	Jackson	A0993	IS 435	18'0"
IS 70 W	Jackson	A0992	IS 435	17'10"
IS 70 W	Jackson	A0990	RP IS435N TO IS70W	15'5"
IS 70 W	Jackson	A0318	PED OAKLEY OVERPASS	18'0"
IS 70 W	Jackson	A0319	CST LISTER AVE	14'8"
IS 70 W	Jackson	A0317	PED CYPRESS OVERPASS	16'0"
IS 70 W	Jackson	A0310	CST 27TH ST	14'5"
IS 70 W	Jackson	A0307	CST CLEVELAND AVE	16'10"
IS 70 W	Jackson	A0306	CST 23RD TRFY	16'8"
IS 70 W	Jackson	A0298	CST BENTON BLVD	14'6"
IS 70 W	Jackson	A0292	CST CHESTNUT AVE	15'1"
IS 70 W	Jackson	A0291	CST PROSPECT AVE	18'0"
IS 70 W	Jackson	A5162	US 71	25'0"
IS 70 W	Jackson	A0805	RP IS670E TO IS70W	15'4"
IS 70 W	Jackson	L0939	CST TENTH ST	16'6"
IS 70 W	Jackson	L0938	CST NINTH ST	18'0"
IS 70 W	Jackson	L0937	CST EIGHTH ST	18'0"
IS 70 W	Jackson	L0936	CST ADMIRAL BLVD	16'9"
IS 70 W	Jackson	L0935	IS 29	14'5"
IS 70 W	Jackson	L0934	IS 35	14'5"
IS 70 W	Jackson	A1130	IS 35	15'9"
IS 70 W	Jackson	A1128	RP IS35N TO IS70W	16'0"
IS 72 E	Marion	A5477	CST COUNTRY CLUB DR	23'3"
IS 72 E	Marion	A5054	MISSISSIPPI RVR, CST 410	17'5"
IS 72 W	Marion	A5054	MISSISSIPPI RVR, CST 410	17'5"

\* = Clearance Not Available

Page 26

Selected County: All Counties

This report is to provide vertical clearance information to the public and to serve as a tool for planning your travel route. Vertical clearances are an approximation and may change due to various maintenance activities. Structures signed at a clearance less than reported above should be obeyed. For official vertical clearances, please contact the Motor Carrier Services Division, Missouri Department of Transportation at 1-800-877-8499.



# Vertical Clearances for Missouri Bridges

May 26, 2010

5:30:59am

Traveled Route	County	Bridge Number	Location Description	Permitted Clearance
IS 72 W	Marion	A5477	CST COUNTRY CLUB DR	23'3"
IS 155 N	Pemiscot	A1700	MISSISSIPPI RVR, COUNTY	17'4"
IS 155 N	Pemiscot	A2415	MO 84	16'4"
IS 155 N	Pemiscot	A2414	RT U	16'5"
IS 155 N	Pemiscot	A2440	CRD 505	17'0"
IS 155 N	Pemiscot	A2430	RP IS55S TO IS155S	16'9"
IS 155 N	Pemiscot	A2427	IS 55	17'10"
IS 155 N	Pemiscot	A2428	IS 55	16'1"
IS 155 S	Pemiscot	A2428	IS 55	17'1"
IS 155 S	Pemiscot	A2427	IS 55	21'11"
IS 155 S	Pemiscot	A2440	CRD 505	17'2"
IS 155 S	Pemiscot	A2414	RT U	16'5"
IS 155 S	Pemiscot	A2415	MO 84	16'3"
IS 155 S	Pemiscot	A1700	MISSISSIPPI RVR, COUNTY	17'4"
IS 170 E	St. Louis	A2994	CST SCUDDER AVE	16'10"
IS 170 E	St. Louis	A2999	RP IS170W TO IS70W	17'10"
IS 170 E	St. Louis	A3001	IS 70	20'0"
IS 170 E	St. Louis	A3003	RP IS70E TO IS170W	20'0"
IS 170 E	St. Louis	A3002	RP IS170W TO IS70W	16'10"
IS 170 E	St. Louis	A3004	IS 70	16'8"
IS 170 E	St. Louis	ML2	IS 170	17'9"
IS 170 E	St. Louis	A3170	IS 170	16'9"
IS 170 E	St. Louis	A3602	CST LACKLAND RD	18'0"
IS 170 E	St. Louis	A3173	CST MIDLAND BLVD	16'7"
IS 170 E	St. Louis	A2806	IS 170	14'11"
IS 170 E	St. Louis	A2794	CST OLD BONHOMME RD	15'11"
IS 170 E	St. Louis	A2793	CST DELMAR BLVD	16'3"
IS 170 E	St. Louis	A8011	RP IS170E TO IS64W	18'3"
IS 170 E	St. Louis	A8013	RP IS64E TO IS170W	22'2"
IS 170 E	St. Louis	A8009	RP HANLEY DR TO IS64W	16'2"
IS 170 E	St. Louis	A8008	IS 64	17'3"
IS 170 E	St. Louis	A8010	RP BRENTWOOD BLVD TO IS6	18'3"
IS 170 W	St. Louis	A8010	RP BRENTWOOD BLVD TO IS6	18'8"
IS 170 W	St. Louis	A8008	IS 64	17'4"
IS 170 W	St. Louis	A8009	RP HANLEY DR TO IS64W	16'3"
IS 170 W	St. Louis	A8014	RP IS170E TO IS64E	25'0"
IS 170 W	St. Louis	A8013	RP IS64E TO IS170W	15'4"
IS 170 W	St. Louis	A2793	CST DELMAR BLVD	14'6"
IS 170 W	St. Louis	A2794	CST OLD BONHOMME RD	15'1"
IS 170 W	St. Louis	A2806	IS 170	14'11"
IS 170 W	St. Louis	A3173	CST MIDLAND BLVD	18'0"
IS 170 W	St. Louis	A3602	CST LACKLAND RD	18'0"
IS 170 W	St. Louis	A3170	IS 170	16'11"

\* = Clearance Not Available

Page 27

Selected County: All Counties

This report is to provide vertical clearance information to the public and to serve as a tool for planning your travel route. Vertical clearances are an approximation and may change due to various maintenance activities. Structures signed at a clearance less than reported above should be obeyed. For official vertical clearances, please contact the Motor Carrier Services Division, Missouri Department of Transportation at 1-800-877-8499.



# Vertical Clearances for Missouri Bridges

May 26, 2010

5:30:59am

Traveled Route	County	Bridge Number	Location Description	Permitted Clearance
IS 170 W	St. Louis	A3007	RP IS70W TO IS170E	20'0"
IS 170 W	St. Louis	ML3	IS 170	16'6"
IS 170 W	St. Louis	A3005	IS 70	16'6"
IS 170 W	St. Louis	A3006	RP IS170E TO IS70E	17'1"
IS 170 W	St. Louis	A3008	IS 70	20'0"
IS 170 W	St. Louis	A2994	CST SCUDDER AVE	17'10"
IS 170 W	St. Louis	A6370	IS 270, RP DUNN RD TO IS	17'4"
IS 170 W	St. Louis	A6371	RP IS270W TO IS170E	17'8"
IS 229 N	Buchanan	A1576	RP IS229S TO IS29N	15'2"
IS 229 N	Buchanan	A1164	RT A	14'10"
IS 229 N	Buchanan	A3147	MO 752	16'8"
IS 229 N	Buchanan	A2131	CST LAKE BLVD	16'6"
IS 229 N	Buchanan	A2232	RP IS229S TO US36E	18'0"
IS 229 N	Buchanan	L0319	US 36	16'2"
IS 229 N	Buchanan	A1163	CST HUNTOON RD	19'4"
IS 229 N	Buchanan	A1162	CST COOK RD	17'1"
IS 229 N	Andrew	A1161	RT K	16'11"
IS 229 N	Andrew	A3146	CRD 372	18'9"
IS 229 N	Andrew	A1203	IS 29	16'8"
IS 229 S	Andrew	A3146	CRD 372	16'4"
IS 229 S	Andrew	A1161	RT K	16'5"
IS 229 S	Buchanan	A1162	CST COOK RD	17'5"
IS 229 S	Buchanan	A1163	CST HUNTOON RD	19'6"
IS 229 S	Buchanan	A2225	CST MCARTHUR DR, BNSF RR	16'3"
IS 229 S	Buchanan	A2225	IS 229	16'3"
IS 229 S	Buchanan	A2232	RP IS229S TO US36E	18'0"
IS 229 S	Buchanan	L0319	US 36	16'6"
IS 229 S	Buchanan	A2131	CST LAKE BLVD	16'5"
IS 229 S	Buchanan	A3147	MO 752	17'10"
IS 229 S	Buchanan	A1164	RT A	15'4"
IS 255 N	St. Louis	A1850	MISSISSIPPI RVR, UP RR	20'0"
IS 255 N	St. Louis	A7399	MO 231	16'6"
IS 255 N	St. Louis	A1316	US 50	15'11"
IS 255 N	St. Louis	A6812	US 61	16'3"
IS 255 N	St. Louis	A1271	IS 255	17'5"
IS 255 N	St. Louis	A4882	RP IS55S TO IS255S	17'2"
IS 255 N	St. Louis	A4881	RP IS55N TO IS270E	17'0"
IS 255 S	St. Louis	A4881	RP IS55N TO IS270E	18'0"
IS 255 S	St. Louis	A4882	RP IS55S TO IS255S	16'11"
IS 255 S	St. Louis	A1271	IS 255	19'7"
IS 255 S	St. Louis	A6812	US 61	16'4"
IS 255 S	St. Louis	A1316	US 50	16'0"
IS 255 S	St. Louis	A7399	MO 231	17'1"

\* = Clearance Not Available

Page 28

Selected County: All Counties

This report is to provide vertical clearance information to the public and to serve as a tool for planning your travel route. Vertical clearances are an approximation and may change due to various maintenance activities. Structures signed at a clearance less than reported above should be obeyed. For official vertical clearances, please contact the Motor Carrier Services Division, Missouri Department of Transportation at 1-800-877-8499.



# Vertical Clearances for Missouri Bridges

May 26, 2010

5:30:59am

Traveled Route	County	Bridge Number	Location Description	Permitted Clearance
IS 255 S	St. Louis	A4936	MISSISSIPPI RVR, UP RR	20'0"
IS 270 E	St. Louis	A4751	CRD THEISS RD	16'7"
IS 270 E	St. Louis	A1029	MO 21	16'1"
IS 270 E	St. Louis	A5517	CST SAPPINGTON RD	17'1"
IS 270 E	St. Louis	A1027	MO 30	16'7"
IS 270 E	St. Louis	A1027	MO 30	16'7"
IS 270 E	St. Louis	A5411	RP IS44W TO IS270W	17'5"
IS 270 E	St. Louis	A5412	RP IS44E TO IS270E	17'3"
IS 270 E	St. Louis	A5408	OR 44	17'2"
IS 270 E	St. Louis	A0966	IS 270	20'0"
IS 270 E	St. Louis	A0964	CST BIG BEND BLVD	20'0"
IS 270 E	St. Louis	A0963	IS 270	17'10"
IS 270 E	St. Louis	A7408	CST DOUGHERTY FERRY RD	19'6"
IS 270 E	St. Louis	A0960	MO 100	16'1"
IS 270 E	St. Louis	A5682	MO 100	19'7"
IS 270 E	St. Louis	A4840	CRD JJ KELLEY MEM DR	16'8"
IS 270 E	St. Louis	A4392	CST CLAYTON RD	17'4"
IS 270 E	St. Louis	A4653	RP IS64E TO IS270E	16'2"
IS 270 E	St. Louis	A4652	IS 64	17'3"
IS 270 E	St. Louis	A4650	IS 64	18'0"
IS 270 E	St. Louis	A4651	RP IS64W TO IS270W	18'0"
IS 270 E	St. Louis	A5930	MO 340	18'10"
IS 270 E	St. Louis	A1243	MO 364	16'11"
IS 270 E	St. Louis	A1243	MO 364	16'11"
IS 270 E	St. Louis	A3787	CST MCKELVEY RD	16'10"
IS 270 E	St. Louis	A3746	RP IS70W TO IS270W	17'5"
IS 270 E	St. Louis	A3766	RP IS270W TO IS70E	18'0"
IS 270 E	St. Louis	A0093	IS 70	17'3"
IS 270 E	St. Louis	A3743	RP IS70E TO IS270E	18'0"
IS 270 E	St. Louis	A3764	RP IS270E TO IS70W	18'0"
IS 270 E	St. Louis	A4297	CST WOODFORD WAY	20'0"
IS 270 E	St. Louis	A4298	CST GIST RD	20'0"
IS 270 E	St. Louis	A4889	MO 370	15'10"
IS 270 E	St. Louis	A4277	CST MISSOURI BOTTOM RD	16'7"
IS 270 E	St. Louis	A6350	CST JAMES S MCDONNELL BL	16'1"
IS 270 E	St. Louis	A0226	US 67	16'8"
IS 270 E	St. Louis	A0226	US 67	16'8"
IS 270 E	St. Louis	A6370	IS 170	18'4"
IS 270 E	St. Louis	A6371	RP IS270W TO IS170E	17'6"
IS 270 E	St. Louis	A6413	PED PO A6413	17'7"
IS 270 E	St. Louis	A0662	PED DUNN RD OVERPASS	16'10"
IS 270 E	St. Louis	A0212	CST WASHINGTON ST	16'2"
IS 270 E	St. Louis	A0222	CST WEST FLORISSANT AVE	16'8"

\* = Clearance Not Available

Page 29

Selected County: All Counties

This report is to provide vertical clearance information to the public and to serve as a tool for planning your travel route. Vertical clearances are an approximation and may change due to various maintenance activities. Structures signed at a clearance less than reported above should be obeyed. For official vertical clearances, please contact the Motor Carrier Services Division, Missouri Department of Transportation at 1-800-877-8499.



## Vertical Clearances for Missouri Bridges

May 26, 2010

5:30:59am

Traveled Route	County	Bridge Number	Location Description	Permitted Clearance
IS 270 E	St. Louis	A0240	CRD OLD HALLS FERRY RD	16'2"
IS 270 E	St. Louis	A0221	CST LILAC AVE	17'4"
IS 270 W	St. Louis	A0221	CST LILAC AVE	18'0"
IS 270 W	St. Louis	A0240	CRD OLD HALLS FERRY RD	16'4"
IS 270 W	St. Louis	A0222	CST WEST FLORISSANT AVE	16'0"
IS 270 W	St. Louis	A0212	CST WASHINGTON ST	17'0"
IS 270 W	St. Louis	A0662	PED DUNN RD OVERPASS	18'0"
IS 270 W	St. Louis	A6413	PED PO A6413	17'5"
IS 270 W	St. Louis	A6371	RP IS270W TO IS170E	29'7"
IS 270 W	St. Louis	A6370	IS 170	18'4"
IS 270 W	St. Louis	A0226	US 67	16'9"
IS 270 W	St. Louis	A0226	US 67	16'9"
IS 270 W	St. Louis	A6350	CST JAMES S MCDONNELL BL	16'0"
IS 270 W	St. Louis	A4277	CST MISSOURI BOTTOM RD	16'9"
IS 270 W	St. Louis	A4889	MO 370	16'9"
IS 270 W	St. Louis	A4298	CST GIST RD	20'0"
IS 270 W	St. Louis	A4297	CST WOODFORD WAY	20'0"
IS 270 W	St. Louis	A3764	RP IS270E TO IS70W	18'3"
IS 270 W	St. Louis	A0093	IS 70	17'10"
IS 270 W	St. Louis	A3766	RP IS270W TO IS70E	17'11"
IS 270 W	St. Louis	A3787	CST MCKELVEY RD	17'4"
IS 270 W	St. Louis	A1243	MO 364	16'10"
IS 270 W	St. Louis	A1243	MO 364	16'10"
IS 270 W	St. Louis	A5930	MO 340	18'2"
IS 270 W	St. Louis	A4651	RP IS64W TO IS270W	16'5"
IS 270 W	St. Louis	A4650	IS 64	18'0"
IS 270 W	St. Louis	A4652	IS 64	16'3"
IS 270 W	St. Louis	A4653	RP IS64E TO IS270E	16'8"
IS 270 W	St. Louis	A4392	CST CLAYTON RD	16'6"
IS 270 W	St. Louis	A4840	CRD JJ KELLEY MEM DR	17'0"
IS 270 W	St. Louis	A5682	MO 100	16'10"
IS 270 W	St. Louis	A0960	MO 100	16'2"
IS 270 W	St. Louis	A7408	CST DOUGHERTY FERRY RD	17'3"
IS 270 W	St. Louis	A0963	IS 270	17'0"
IS 270 W	St. Louis	A0964	CST BIG BEND BLVD	20'0"
IS 270 W	St. Louis	A0966	IS 270	20'0"
IS 270 W	St. Louis	A5408	OR 44	18'4"
IS 270 W	St. Louis	A5412	RP IS44E TO IS270E	18'0"
IS 270 W	St. Louis	A5411	RP IS44W TO IS270W	18'4"
IS 270 W	St. Louis	A1027	MO 30	15'8"
IS 270 W	St. Louis	A1027	MO 30	15'8"
IS 270 W	St. Louis	A5517	CST SAPPINGTON RD	19'4"
IS 270 W	St. Louis	A1029	MO 21	18'5"

\* = Clearance Not Available

Page 30

Selected County: All Counties

This report is to provide vertical clearance information to the public and to serve as a tool for planning your travel route. Vertical clearances are an approximation and may change due to various maintenance activities. Structures signed at a clearance less than reported above should be obeyed. For official vertical clearances, please contact the Motor Carrier Services Division, Missouri Department of Transportation at 1-800-877-8499.



# Vertical Clearances for Missouri Bridges

May 26, 2010

5:30:59am

Traveled Route	County	Bridge Number	Location Description	Permitted Clearance
IS 270 W	St. Louis	A4751	CRD THEISS RD	16'8"
IS 435 N	Jackson	A5249	CST GRANDVIEW RD	18'0"
IS 435 N	Jackson	A6249	IS 470	17'9"
IS 435 N	Jackson	A1643	RT W	17'4"
IS 435 N	Jackson	A1641	CST 83RD ST	18'0"
IS 435 N	Jackson	A1486	IS 435	20'0"
IS 435 N	Jackson	A1360	CST 67TH ST	17'6"
IS 435 N	Jackson	A6335	MO 350	18'0"
IS 435 N	Jackson	A6333	MO 350	16'6"
IS 435 N	Jackson	A6319	CST SNI A BAR RD	18'0"
IS 435 N	Jackson	A0994	CST STADIUM DR	20'0"
IS 435 N	Jackson	A2851	CST STADIUM DR	23'10"
IS 435 N	Jackson	A1714	US 40	18'0"
IS 435 N	Jackson	A7750	US 40	*
IS 435 N	Jackson	A1712	CST WILSON AVE	25'0"
IS 435 N	Clay	A1946	RP IS435N TO MO210W	16'0"
IS 435 N	Clay	A1666	CST 53RD TER	17'8"
IS 435 N	Clay	A1580	RP IS435N TO IS35S	16'7"
IS 435 N	Clay	A3324	CST PLEASANT VALLEY RD	18'1"
IS 435 N	Clay	A3323	CST SHOAL CREEK PKWY	17'5"
IS 435 N	Clay	A3448	CST SOCCER DR	16'8"
IS 435 N	Clay	A3315	CST BARRY RD	16'9"
IS 435 N	Clay	A3314	CST 96TH ST	16'6"
IS 435 N	Clay	A3303	CST 108TH ST	17'6"
IS 435 N	Clay	A3302	MO 291	17'11"
IS 435 N	Clay	A3279	CST AGNES AVE	16'7"
IS 435 N	Clay	A3293	CST WOODLAND AVE	17'7"
IS 435 N	Clay	A3333	US 169	17'9"
IS 435 N	Clay	A3334	US 169	16'7"
IS 435 N	Clay	A3332	US 169	18'0"
IS 435 N	Platte	A3287	CST COOKINGHAM DR	15'6"
IS 435 N	Platte	A3429	RT D	15'10"
IS 435 N	Platte	A3456	RP IS435N TO RTDW	19'3"
IS 435 N	Platte	A3309	CRD 136TH ST	23'7"
IS 435 N	Platte	A3310	RT D	17'9"
IS 435 N	Platte	A3311	CRD HAMPTON RD	18'0"
IS 435 N	Platte	A3318	MO 45	18'7"
IS 435 S	Platte	A3318	MO 45	18'9"
IS 435 S	Platte	A3311	CRD HAMPTON RD	17'8"
IS 435 S	Platte	A3310	RT D	17'11"
IS 435 S	Platte	A3309	CRD 136TH ST	19'4"
IS 435 S	Platte	A3456	RP IS435N TO RTDW	16'4"
IS 435 S	Platte	A3429	RT D	16'1"

\* = Clearance Not Available

Page 31

Selected County: All Counties

This report is to provide vertical clearance information to the public and to serve as a tool for planning your travel route. Vertical clearances are an approximation and may change due to various maintenance activities. Structures signed at a clearance less than reported above should be obeyed. For official vertical clearances, please contact the Motor Carrier Services Division, Missouri Department of Transportation at 1-800-877-8499.



## Vertical Clearances for Missouri Bridges

May 26, 2010

5:30:59am

Traveled Route	County	Bridge Number	Location Description	Permitted Clearance
IS 435 S	Platte	A3287	CST COOKINGHAM DR	18'0"
IS 435 S	Clay	A3332	US 169	17'10"
IS 435 S	Clay	A3333	US 169	16'10"
IS 435 S	Clay	A3334	US 169	17'5"
IS 435 S	Clay	A3293	CST WOODLAND AVE	17'9"
IS 435 S	Clay	A3279	CST AGNES AVE	16'7"
IS 435 S	Clay	A3302	MO 291	16'11"
IS 435 S	Clay	A3303	CST 108TH ST	17'5"
IS 435 S	Clay	A3314	CST 96TH ST	18'3"
IS 435 S	Clay	A3315	CST BARRY RD	18'0"
IS 435 S	Clay	A3448	CST SOCCER DR	16'7"
IS 435 S	Clay	A3323	CST SHOAL CREEK PKWY	17'0"
IS 435 S	Clay	A3324	CST PLEASANT VALLEY RD	16'10"
IS 435 S	Clay	A1580	RP IS435N TO IS35S	16'8"
IS 435 S	Clay	A1666	CST 53RD TER	16'1"
IS 435 S	Clay	A1946	RP IS435N TO MO210W	17'5"
IS 435 S	Jackson	A1712	CST WILSON AVE	19'4"
IS 435 S	Jackson	A1714	US 40	18'0"
IS 435 S	Jackson	A7750	US 40	*
IS 435 S	Jackson	A0994	CST STADIUM DR	20'0"
IS 435 S	Jackson	A2851	CST STADIUM DR	21'10"
IS 435 S	Jackson	A6319	CST SNI A BAR RD	16'7"
IS 435 S	Jackson	A6333	MO 350	18'0"
IS 435 S	Jackson	A6334	MO 350	18'0"
IS 435 S	Jackson	A1360	CST 67TH ST	16'5"
IS 435 S	Jackson	A1486	IS 435	16'3"
IS 435 S	Jackson	A1641	CST 83RD ST	17'2"
IS 435 S	Jackson	A1643	RT W	17'0"
IS 435 S	Jackson	A5249	CST GRANDVIEW RD	17'1"
IS 470 E	Jackson	A6254	RP IS470W TO RED BRIDGE	18'0"
IS 470 E	Jackson	A2199	CST HICKMAN MILLS DR	25'0"
IS 470 E	Jackson	A2148	CST RAYTOWN RD	16'8"
IS 470 E	Jackson	A7483	CST PRYOR RD	18'0"
IS 470 E	Jackson	A2513	CST NW BLUE PKWY	16'5"
IS 470 E	Jackson	A2514	CST NW BLUE PKWY	16'1"
IS 470 E	Jackson	A2117	CST DOUGLAS RD	18'9"
IS 470 E	Jackson	A2118	CST COLBERN RD	17'2"
IS 470 E	Jackson	A2120	MO 291	17'9"
IS 470 E	Jackson	A2121	CST WOODS CHAPEL RD	16'5"
IS 470 W	Jackson	A2121	CST WOODS CHAPEL RD	17'9"
IS 470 W	Jackson	A2118	CST COLBERN RD	16'9"
IS 470 W	Jackson	A2117	CST DOUGLAS RD	16'9"
IS 470 W	Jackson	A2513	CST NW BLUE PKWY	16'11"

\* = Clearance Not Available

Page 32

Selected County: All Counties

This report is to provide vertical clearance information to the public and to serve as a tool for planning your travel route. Vertical clearances are an approximation and may change due to various maintenance activities. Structures signed at a clearance less than reported above should be obeyed. For official vertical clearances, please contact the Motor Carrier Services Division, Missouri Department of Transportation at 1-800-877-8499.





## Vertical Clearances for Missouri Bridges

May 26, 2010

5:30:59am

Traveled Route	County	Bridge Number	Location Description	Permitted Clearance
IS 470 W	Jackson	A2514	CST NW BLUE PKWY	16'1"
IS 470 W	Jackson	A7483	CST PRYOR RD	17'1"
IS 470 W	Jackson	A2148	CST RAYTOWN RD	20'3"
IS 470 W	Jackson	A2199	CST HICKMAN MILLS DR	17'2"
IS 635 N	Platte	A2439	US 69	16'9"
IS 635 S	Platte	A2433	RP IS635N TO MO9N	16'3"
IS 670 E	Jackson	A3668	PED BELLEVIEW OVERPASS	26'0"
IS 670 E	Jackson	A3141	CST SUMMIT ST	53'6"
IS 670 E	Jackson	A1124	IS 35	18'0"
IS 670 E	Jackson	A1114	IS 35	14'9"
IS 670 E	Jackson	A1111	RP IS35N TO IS670W	17'5"
IS 670 E	Jackson	A1113	RP IS670W TO IS35S	14'9"
IS 670 E	Jackson	A1112	RP IS35S TO IS670E	14'7"
IS 670 E	Jackson	A1117	CST BROADWAY	18'0"
IS 670 E	Jackson	BH001	IS 670	17'10"
IS 670 E	Jackson	BH002	IS 670	*
IS 670 E	Jackson	A1121	CST WYANDOTTE ST	18'0"
IS 670 E	Jackson	A0817	CST BALTIMORE AVE	14'7"
IS 670 E	Jackson	A0818	CST MAIN ST	14'10"
IS 670 E	Jackson	A1158	IS 670	15'10"
IS 670 E	Jackson	A0819	CST WALNUT ST	14'10"
IS 670 E	Jackson	A0820	CST GRAND AVE	14'10"
IS 670 E	Jackson	A7709	PED SPRINT CENTER OVERPA	14'11"
IS 670 E	Jackson	A7243	CST OAK TRFY	15'7"
IS 670 E	Jackson	A7244	CST LOCUST ST	18'0"
IS 670 E	Jackson	A0825	CST HOLMES ST	14'9"
IS 670 E	Jackson	A0807	CST CHARLOTTE ST	15'6"
IS 670 E	Jackson	A5163	US 71	17'1"
IS 670 E	Jackson	A5162	US 71	15'11"
IS 670 W	Jackson	A5162	US 71	18'0"
IS 670 W	Jackson	A0805	RP IS670E TO IS70W	15'4"
IS 670 W	Jackson	A0247	IS 70	16'10"
IS 670 W	Jackson	A0248	RP 14TH ST TO IS70E	15'0"
IS 670 W	Jackson	A5163	US 71	16'10"
IS 670 W	Jackson	A0806	RP IS70E TO IS670W	15'6"
IS 670 W	Jackson	A0807	CST CHARLOTTE ST	17'5"
IS 670 W	Jackson	A0825	CST HOLMES ST	14'7"
IS 670 W	Jackson	A7244	CST LOCUST ST	17'9"
IS 670 W	Jackson	A7344	CST TRUMAN RD	*
IS 670 W	Jackson	A7243	CST OAK TRFY	16'2"
IS 670 W	Jackson	A7709	PED SPRINT CENTER OVERPA	14'11"
IS 670 W	Jackson	A0820	CST GRAND AVE	14'9"
IS 670 W	Jackson	A0819	CST WALNUT ST	15'0"

\* = Clearance Not Available

Page 33

Selected County: All Counties

This report is to provide vertical clearance information to the public and to serve as a tool for planning your travel route. Vertical clearances are an approximation and may change due to various maintenance activities. Structures signed at a clearance less than reported above should be obeyed. For official vertical clearances, please contact the Motor Carrier Services Division, Missouri Department of Transportation at 1-800-877-8499.



# Vertical Clearances for Missouri Bridges

May 26, 2010

5:30:59am

Traveled Route	County	Bridge Number	Location Description	Permitted Clearance
IS 670 W	Jackson	A1158	IS 670	*
IS 670 W	Jackson	A0818	CST MAIN ST	14'11"
IS 670 W	Jackson	A0817	CST BALTIMORE AVE	14'11"
IS 670 W	Jackson	A1121	CST WYANDOTTE ST	18'0"
IS 670 W	Jackson	BH002	IS 670	*
IS 670 W	Jackson	BH001	IS 670	17'10"
IS 670 W	Jackson	A1117	CST BROADWAY	18'0"
IS 670 W	Jackson	A1113	RP IS670W TO IS35S	14'9"
IS 670 W	Jackson	A1112	RP IS35S TO IS670E	14'11"
IS 670 W	Jackson	A1114	IS 35	14'9"
IS 670 W	Jackson	A1111	RP IS35N TO IS670W	14'9"
IS 670 W	Jackson	A1124	IS 35	18'0"
IS 670 W	Jackson	A3141	CST SUMMIT ST	53'6"
IS 670 W	Jackson	A3668	PED BELLEVIEW OVERPASS	26'0"
US 63C S	Boone	A4093	US 63	19'11"
US 63C S	Boone	A4094	US 63	17'0"
US 24 E	Jackson	RB04804	US 24	12'3"
US 24 E	Jackson	A1750	IS 435	15'8"
US 24 E	Jackson	A1750	IS 435	15'8"
US 24 E	Jackson	K0424	US 24	13'8"
US 24 E	Jackson	A2736	MO 7	16'6"
US 24 E	Lafayette	L0680	MO 13	16'11"
US 24 E	Chariton	H0520	MUSSEL FK RVR	16'2"
US 24 E	Randolph	A3154	RT C	17'6"
US 24 E	Randolph	K0523	US 24	17'3"
US 24 E	Randolph	A5804	US 63	17'1"
US 24 E	Randolph	A5803	US 63	17'0"
US 24 E	Monroe	A1699	US 24	15'5"
US 24 E	Marion	A0556	US 61	15'3"
US 24 E	Marion	A0555	BU 61	15'0"
US 24 E	Marion	A0552	MO 168	16'0"
US 24 E	Marion	A1631	US 24	19'11"
US 24 E	Marion	A2139	MO 6	14'10"
US 24 E	Marion	A3151	US 61	16'5"
US 24 E	Marion	A3149	RP US61S TO US24E	16'5"
US 24 E	Marion	L0099	MISSISSIPPI RVR	13'10"
US 24 W	Marion	A3149	RP US61S TO US24E	16'4"
US 24 W	Marion	A3151	US 61	17'1"
US 24 W	Marion	A2139	MO 6	15'2"
US 24 W	Marion	A1631	US 24	20'2"
US 24 W	Marion	A0552	MO 168	18'0"
US 24 W	Marion	A0555	BU 61	17'2"
US 24 W	Monroe	A1699	US 24	15'5"

\* = Clearance Not Available

Page 34

Selected County: All Counties

This report is to provide vertical clearance information to the public and to serve as a tool for planning your travel route. Vertical clearances are an approximation and may change due to various maintenance activities. Structures signed at a clearance less than reported above should be obeyed. For official vertical clearances, please contact the Motor Carrier Services Division, Missouri Department of Transportation at 1-800-877-8499.



# Vertical Clearances for Missouri Bridges

May 26, 2010

5:30:59am

Traveled Route	County	Bridge Number	Location Description	Permitted Clearance
US 24 W	Randolph	A5804	US 63	17'1"
US 24 W	Randolph	K0523	US 24	17'3"
US 24 W	Randolph	A3154	RT C	17'6"
US 24 W	Chariton	H0520	MUSSEL FK RVR	16'2"
US 24 W	Lafayette	L0680	MO 13	16'3"
US 24 W	Jackson	A2736	MO 7	17'0"
US 24 W	Jackson	K0424	US 24	13'8"
US 24 W	Jackson	A1750	IS 435	15'12"
US 24 W	Jackson	A1750	IS 435	15'12"
US 24 W	Jackson	RB04804	US 24	12'3"
US 36 E	Buchanan	A2232	RP IS229S TO US36E	16'9"
US 36 E	Buchanan	A0704	CST 22ND ST	16'4"
US 36 E	Buchanan	A0655	CST AGENCY RD	16'8"
US 36 E	Buchanan	A0657	CST 33RD ST	15'8"
US 36 E	Buchanan	A0179	IS 29	15'11"
US 36 E	Buchanan	A0179	IS 29	15'11"
US 36 E	Buchanan	A2822	RT AC	17'1"
US 36 E	Dekalb	A3043	US 69	16'1"
US 36 E	Caldwell	A0010	MO 13	14'7"
US 36 E	Livingston	A1181	US 65	15'1"
US 36 E	Livingston	A1181	US 65	15'1"
US 36 E	Livingston	A1273	US 36	15'1"
US 36 E	Livingston	A1045	US 36	14'8"
US 36 E	Linn	L0408	US 36	15'1"
US 36 E	Linn	A3844	MO 11	17'10"
US 36 E	Linn	A3590	RT U	16'9"
US 36 E	Linn	RB05801	US 36	14'9"
US 36 E	Macon	A6046	MO 149	21'6"
US 36 E	Macon	A6047	MO 3	20'0"
US 36 E	Macon	A0059	US 36	14'8"
US 36 E	Macon	A5511	CRD U S HWY 36 OLD	16'2"
US 36 E	Macon	A2043	US 63	15'3"
US 36 E	Shelby	A7156	MO 151	17'7"
US 36 E	Shelby	A5977	MO 15	15'2"
US 36 E	Marion	A3506	CRD 225	17'2"
US 36 E	Ralls	A3507	US 24	16'9"
US 36 E	Marion	A6133	US 24	18'0"
US 36 E	Marion	A5991	CO CRD 428 TO RTMM	17'8"
US 36 E	Marion	A5992	CST 437	15'11"
US 36 E	Marion	A5993	CRD VETERANS RD	16'6"
US 36 W	Marion	A5993	CRD VETERANS RD	16'11"
US 36 W	Marion	A5992	CST 437	17'5"
US 36 W	Marion	A5991	CO CRD 428 TO RTMM	15'8"

\* = Clearance Not Available

Page 35

Selected County: All Counties

This report is to provide vertical clearance information to the public and to serve as a tool for planning your travel route. Vertical clearances are an approximation and may change due to various maintenance activities. Structures signed at a clearance less than reported above should be obeyed. For official vertical clearances, please contact the Motor Carrier Services Division, Missouri Department of Transportation at 1-800-877-8499.



## Vertical Clearances for Missouri Bridges

May 26, 2010

5:30:59am

Traveled Route	County	Bridge Number	Location Description	Permitted Clearance
US 36 W	Marion	A6133	US 24	18'0"
US 36 W	Ralls	A3507	US 24	17'7"
US 36 W	Marion	A3506	CRD 225	17'2"
US 36 W	Shelby	A5977	MO 15	15'2"
US 36 W	Shelby	A7156	MO 151	17'7"
US 36 W	Macon	A2043	US 63	15'5"
US 36 W	Macon	A5511	CRD U S HWY 36 OLD	16'10"
US 36 W	Macon	A6047	MO 3	19'3"
US 36 W	Macon	A6046	MO 149	16'1"
US 36 W	Linn	A3590	RT U	16'9"
US 36 W	Linn	A3844	MO 11	17'3"
US 36 W	Linn	L0408	US 36	14'6"
US 36 W	Livingston	A1045	US 36	17'10"
US 36 W	Livingston	A1273	US 36	15'3"
US 36 W	Livingston	A1181	US 65	15'1"
US 36 W	Livingston	A1181	US 65	15'1"
US 36 W	Caldwell	A0010	MO 13	14'9"
US 36 W	Dekalb	A3043	US 69	16'0"
US 36 W	Buchanan	A2822	RT AC	16'9"
US 36 W	Buchanan	A0179	IS 29	15'2"
US 36 W	Buchanan	A0179	IS 29	15'2"
US 36 W	Buchanan	A0657	CST 33RD ST	15'11"
US 36 W	Buchanan	A0655	CST AGENCY RD	16'5"
US 36 W	Buchanan	A0704	CST 22ND ST	15'5"
US 36 W	Buchanan	A2232	RP IS229S TO US36E	16'10"
US 40 E	Jackson	L0966	IS 70	15'5"
US 40 E	Jackson	L0966	IS 70	15'5"
US 40 E	Jackson	J0526	BLUE RVR	15'3"
US 40 E	Jackson	L0973	IS 70	14'7"
US 40 E	Jackson	L0973	IS 70	14'7"
US 40 E	Jackson	A6406	CST BLUE RIDGE BLVD	16'8"
US 40 E	Jackson	A1347	IS 470	16'0"
US 40 E	Jackson	A1347	IS 470	16'0"
US 40 E	Jackson	L0143	US 40	16'11"
US 40 E	St. Charles	A6755	CST PROSPECT RD	16'9"
US 40 E	St. Charles	A5395	CST LAKE ST LOUIS BLVD	19'0"
US 40 E	St. Charles	A7132	CRD RONALD REAGAN DR	16'8"
US 40 E	St. Charles	A6120	RT N	17'9"
US 40 E	St. Charles	A7323	CST OLD HWY N	18'0"
US 40 E	St. Charles	A5962	RT DD	18'0"
US 40 E	St. Charles	A6320	RT K	16'11"
US 40 E	St. Charles	A6235	MO 94	18'0"
US 40 E	St. Charles	A5958	CRD MISSOURI RESEARCH PA	18'0"

\* = Clearance Not Available

Page 36

Selected County: All Counties

This report is to provide vertical clearance information to the public and to serve as a tool for planning your travel route. Vertical clearances are an approximation and may change due to various maintenance activities. Structures signed at a clearance less than reported above should be obeyed. For official vertical clearances, please contact the Motor Carrier Services Division, Missouri Department of Transportation at 1-800-877-8499.



# Vertical Clearances for Missouri Bridges

May 26, 2010

5:30:59am

Traveled Route	County	Bridge Number	Location Description	Permitted Clearance
US 40 E	St. Charles	A4017	MISSOURI RVR, KATY TRAIL	16'10"
US 40 E	St. Louis	A2168	RP CHESTERFIELD AIRPORT	15'3"
US 40 E	St. Louis	A2169	CST SPIRIT OF ST LOUIS B	14'9"
US 40 E	St. Louis	A2170	RP US40W TO LONG RD	15'4"
US 40 E	St. Louis	A5999	CST BOONES CROSSING ST	18'0"
US 40 E	St. Louis	A4155	CST W CHESTERFIELD PKWY	15'5"
US 40 E	St. Louis	A4703	CST CHESTERFIELD PKWY EA	16'7"
US 40 E	St. Louis	A4704	CST TIMBERLAKE MANOR DR	17'0"
US 40 E	St. Louis	A4705	CST OLD WOODS MILL RD	17'2"
US 40 E	St. Louis	A4375	CST MARYVILLE CENTRE DR	16'7"
US 40 E	St. Louis	A4339	CST MASON RD	17'4"
US 40 W	St. Louis	A4339	CST MASON RD	16'7"
US 40 W	St. Louis	A4375	CST MARYVILLE CENTRE DR	16'7"
US 40 W	St. Louis	A4705	CST OLD WOODS MILL RD	17'6"
US 40 W	St. Louis	A4704	CST TIMBERLAKE MANOR DR	16'10"
US 40 W	St. Louis	A4703	CST CHESTERFIELD PKWY EA	16'6"
US 40 W	St. Louis	A4155	CST W CHESTERFIELD PKWY	18'0"
US 40 W	St. Louis	A5999	CST BOONES CROSSING ST	18'0"
US 40 W	St. Louis	A2170	RP US40W TO LONG RD	15'4"
US 40 W	St. Louis	A2169	CST SPIRIT OF ST LOUIS B	14'10"
US 40 W	St. Louis	A2168	RP CHESTERFIELD AIRPORT	15'7"
US 40 W	St. Louis	J1000	MISSOURI RVR, KATY TRAIL	17'10"
US 40 W	St. Charles	A5958	CRD MISSOURI RESEARCH PA	17'8"
US 40 W	St. Charles	A6235	MO 94	17'1"
US 40 W	St. Charles	A6320	RT K	17'1"
US 40 W	St. Charles	A5962	RT DD	17'0"
US 40 W	St. Charles	A7323	CST OLD HWY N	18'4"
US 40 W	St. Charles	A6120	RT N	18'5"
US 40 W	St. Charles	A7132	CRD RONALD REAGAN DR	17'5"
US 40 W	St. Charles	A5395	CST LAKE ST LOUIS BLVD	19'0"
US 40 W	St. Charles	A6755	CST PROSPECT RD	17'0"
US 40 W	St. Charles	A2543	RP US40E TO IS70E	16'8"
US 40 W	St. Charles	A2031	US 61	16'10"
US 40 W	Jackson	L0984	IS 70	14'10"
US 40 W	Jackson	L0984	IS 70	14'10"
US 40 W	Jackson	L0143	US 40	16'11"
US 40 W	Jackson	A1347	IS 470	15'3"
US 40 W	Jackson	A1347	IS 470	15'3"
US 40 W	Jackson	A6406	CST BLUE RIDGE BLVD	16'8"
US 40 W	Jackson	L0973	IS 70	14'7"
US 40 W	Jackson	L0973	IS 70	14'6"
US 40 W	Jackson	J0526	BLUE RVR	15'3"
US 50 E	Jackson	A7483	CST PRYOR RD	19'7"

\* = Clearance Not Available

Page 37

Selected County: All Counties

This report is to provide vertical clearance information to the public and to serve as a tool for planning your travel route. Vertical clearances are an approximation and may change due to various maintenance activities. Structures signed at a clearance less than reported above should be obeyed. For official vertical clearances, please contact the Motor Carrier Services Division, Missouri Department of Transportation at 1-800-877-8499.



# Vertical Clearances for Missouri Bridges

May 26, 2010

5:30:59am

Traveled Route	County	Bridge Number	Location Description	Permitted Clearance
US 50 E	Jackson	A7487	IS 470	*
US 50 E	Jackson	A2446	CST O BRIEN RD	17'2"
US 50 E	Jackson	A1483	CST JEFFERSON DR	15'4"
US 50 E	Jackson	A1483	MO 291	15'4"
US 50 E	Jackson	A1484	US 50	15'4"
US 50 E	Jackson	A1748	MO 291	14'11"
US 50 E	Jackson	A1748	MO 291	14'11"
US 50 E	Jackson	A5981	RT RA	19'8"
US 50 E	Jackson	A1279	MO 150	15'10"
US 50 E	Jackson	A7783	MO 150	*
US 50 E	Johnson	A0321	CST HOLDEN ST	18'2"
US 50 E	Johnson	A0143	MO 13	15'8"
US 50 E	Johnson	A4300	BU 50	20'5"
US 50 E	Johnson	A5040	MO 23	17'4"
US 50 E	Pettis	K0440	US 50	13'9"
US 50 E	Pettis	K0527	US 50	14'0"
US 50 E	Cole	A4154	RT D	18'7"
US 50 E	Cole	A3979	RP BUSINESS 50 WEST TO U	17'7"
US 50 E	Cole	A3978	CST W TRUMAN BLVD	17'2"
US 50 E	Cole	A1187	CST DIX RD	20'10"
US 50 E	Cole	A4828	US 63	18'7"
US 50 E	Cole	A1418	PVT OVERPASS	16'4"
US 50 E	Cole	A1417	US 54	29'10"
US 50 E	Cole	A1419	RP US50E TO US54E	15'10"
US 50 E	Cole	A1420	CST BOLIVAR ST	19'11"
US 50 E	Cole	A0566	CST JACKSON ST	23'1"
US 50 E	Cole	A0568	CST CHESTNUT ST	18'1"
US 50 E	Cole	A0569	CST CLARK AVE	15'10"
US 50 E	Cole	A7123	CST E MCCARTY ST	17'11"
US 50 E	Cole	A5684	CST MILITIA DR	16'8"
US 50 E	Cole	A3200	RT J	16'8"
US 50 E	Franklin	L0930	IS 44	15'4"
US 50 E	Franklin	L0931	IS 44	14'5"
US 50 E	St. Louis	A3028	MO 366	17'3"
US 50 W	St. Louis	A3028	MO 366	17'3"
US 50 W	St. Louis	A1715	IS 44	*
US 50 W	St. Louis	A1715	IS 44	14'10"
US 50 W	St. Louis	A1715	IS 44	*
US 50 W	St. Louis	A1715	IS 44	14'10"
US 50 W	Cole	A3200	RT J	17'8"
US 50 W	Cole	A5684	CST MILITIA DR	16'6"
US 50 W	Cole	A7123	CST E MCCARTY ST	18'7"
US 50 W	Cole	A0569	CST CLARK AVE	16'2"

\* = Clearance Not Available

Page 38

Selected County: All Counties

This report is to provide vertical clearance information to the public and to serve as a tool for planning your travel route. Vertical clearances are an approximation and may change due to various maintenance activities. Structures signed at a clearance less than reported above should be obeyed. For official vertical clearances, please contact the Motor Carrier Services Division, Missouri Department of Transportation at 1-800-877-8499.



# Vertical Clearances for Missouri Bridges

May 26, 2010  
5:30:59am

Traveled Route	County	Bridge Number	Location Description	Permitted Clearance
US 50 W	Cole	A0568	CST CHESTNUT ST	16'6"
US 50 W	Cole	A0566	CST JACKSON ST	15'7"
US 50 W	Cole	A1420	CST BOLIVAR ST	19'2"
US 50 W	Cole	A1419	RP US50E TO US54E	15'10"
US 50 W	Cole	A1417	US 54	29'10"
US 50 W	Cole	A1418	PVT OVERPASS	15'10"
US 50 W	Cole	A4828	US 63	18'6"
US 50 W	Cole	A1187	CST DIX RD	17'11"
US 50 W	Cole	A3978	CST W TRUMAN BLVD	16'8"
US 50 W	Cole	A3979	RP BUSINESS 50 WEST TO U	18'10"
US 50 W	Cole	A4154	RT D	16'11"
US 50 W	Pettis	K0527	US 50	14'0"
US 50 W	Pettis	K0440	US 50	13'9"
US 50 W	Johnson	A5040	MO 23	18'1"
US 50 W	Johnson	A4300	BU 50	21'1"
US 50 W	Johnson	A0143	MO 13	14'10"
US 50 W	Johnson	A0321	CST HOLDEN ST	15'7"
US 50 W	Jackson	A7783	MO 150	*
US 50 W	Jackson	A5981	RT RA	17'4"
US 50 W	Jackson	A1748	MO 291	14'11"
US 50 W	Jackson	A1748	MO 291	14'11"
US 50 W	Jackson	A1484	US 50	15'3"
US 50 W	Jackson	A1483	CST JEFFERSON DR	16'9"
US 50 W	Jackson	A1483	MO 291	16'9"
US 50 W	Jackson	A2446	CST O BRIEN RD	19'2"
US 50 W	Jackson	A2444	IS 470	16'7"
US 50 W	Jackson	A2444	IS 470	16'7"
US 50 W	Jackson	A7487	IS 470	25'0"
US 54 E	Vernon	A1774	US 71	21'11"
US 54 E	Vernon	A1774	US 71	21'11"
US 54 E	St. Clair	A6567	MO 13	18'7"
US 54 E	St. Clair	A6566	MO 13	18'7"
US 54 E	Camden	A5247	RT Y	16'1"
US 54 E	Miller	A2810	MO 52	18'5"
US 54 E	Cole	A2868	MO 17	16'2"
US 54 E	Cole	A6051	CST IDLEWOOD RD	22'6"
US 54 E	Cole	A6742	MO 179	20'10"
US 54 E	Cole	A1310	RT C	14'8"
US 54 E	Cole	A1309	RP MADISON ST TO US54E	15'6"
US 54 E	Cole	A7631	CST JEFFERSON ST	17'10"
US 54 E	Cole	A4825	CST W HIGH ST	16'10"
US 54 E	Cole	A4662	CST W MAIN ST	16'3"
US 54 E	Cole	A4497	MISSOURI RVR, UP RR, CS	16'2"

\* = Clearance Not Available

Page 39

Selected County: All Counties

This report is to provide vertical clearance information to the public and to serve as a tool for planning your travel route. Vertical clearances are an approximation and may change due to various maintenance activities. Structures signed at a clearance less than reported above should be obeyed. For official vertical clearances, please contact the Motor Carrier Services Division, Missouri Department of Transportation at 1-800-877-8499.



## Vertical Clearances for Missouri Bridges

May 26, 2010

5:30:59am

Traveled Route	County	Bridge Number	Location Description	Permitted Clearance
US 54 E	Callaway	A4635	RT W	16'11"
US 54 E	Callaway	A3539	MO 94	16'6"
US 54 E	Callaway	A3539	US 63	16'6"
US 54 E	Callaway	A3521	CRD S SUMMIT DR	16'9"
US 54 E	Callaway	A3520	CST CENTER ST	17'4"
US 54 E	Callaway	A3452	RT AA	17'4"
US 54 E	Callaway	A3451	RT AE	17'7"
US 54 E	Callaway	A3508	RT H	16'11"
US 54 E	Callaway	A2296	RT F	15'1"
US 54 E	Callaway	A6156	RT HH	18'6"
US 54 E	Callaway	A4777	RT B	16'6"
US 54 E	Audrain	A4709	MO 15	18'6"
US 54 E	Audrain	A4849	CRD 815	17'7"
US 54 E	Pike	A1477	PED SCHOOL OVERPASS	14'6"
US 54 E	Pike	K0932	MISSISSIPPI RVR, KCS RR	15'6"
US 54 W	Pike	K0932	MISSISSIPPI RVR, KCS RR	15'6"
US 54 W	Pike	A1477	PED SCHOOL OVERPASS	14'6"
US 54 W	Audrain	A4849	CRD 815	17'7"
US 54 W	Audrain	A4709	MO 15	17'4"
US 54 W	Callaway	A4777	RT B	17'11"
US 54 W	Callaway	A6156	RT HH	18'2"
US 54 W	Callaway	A2296	RT F	17'2"
US 54 W	Callaway	A3508	RT H	17'9"
US 54 W	Callaway	A3451	RT AE	16'10"
US 54 W	Callaway	A3452	RT AA	17'1"
US 54 W	Callaway	A3520	CST CENTER ST	16'8"
US 54 W	Callaway	A3521	CRD S SUMMIT DR	21'8"
US 54 W	Callaway	A3539	US 63	17'11"
US 54 W	Callaway	A3539	MO 94	17'11"
US 54 W	Callaway	A4635	RT W	16'0"
US 54 W	Callaway	L0550	MISSOURI RVR	14'9"
US 54 W	Cole	A4662	CST W MAIN ST	17'7"
US 54 W	Cole	A4825	CST W HIGH ST	16'3"
US 54 W	Cole	A7631	CST JEFFERSON ST	18'8"
US 54 W	Cole	A1309	RP MADISON ST TO US54E	15'3"
US 54 W	Cole	A1310	RT C	19'7"
US 54 W	Cole	A6742	MO 179	26'2"
US 54 W	Cole	A6051	CST IDLEWOOD RD	27'8"
US 54 W	Cole	A2868	MO 17	17'7"
US 54 W	Miller	A2810	MO 52	16'9"
US 54 W	Camden	A5247	RT Y	16'5"
US 54 W	St. Clair	A6566	MO 13	18'7"
US 54 W	St. Clair	A6567	MO 13	18'7"

\* = Clearance Not Available

Page 40

Selected County: All Counties

This report is to provide vertical clearance information to the public and to serve as a tool for planning your travel route. Vertical clearances are an approximation and may change due to various maintenance activities. Structures signed at a clearance less than reported above should be obeyed. For official vertical clearances, please contact the Motor Carrier Services Division, Missouri Department of Transportation at 1-800-877-8499.





# Vertical Clearances for Missouri Bridges

May 26, 2010

5:30:59am

Traveled Route	County	Bridge Number	Location Description	Permitted Clearance
US 54 W	Vernon	A1774	US 71	21'11"
US 54 W	Vernon	A1774	US 71	21'11"
US 59 N	Buchanan	K0697	MISSOURI RVR, BNSF RR	14'10"
US 59 N	Buchanan	A3032	IS 229	14'9"
US 59 N	Buchanan	A3032	IS 229	14'9"
US 59 N	Buchanan	A3032	IS 229	15'4"
US 59 N	Andrew	A3198	CRD 369	17'1"
US 59 N	Andrew	A3189	US 71	15'8"
US 59 N	Andrew	A3190	US 71	19'4"
US 59 N	Holt	A1393	IS 29	14'6"
US 59 N	Holt	A1393	IS 29	14'6"
US 59 N	Holt	H0457	LITTLE TARKIO CR	16'3"
US 59 N	Holt	A1907	IS 29	15'5"
US 59 N	Holt	A1907	IS 29	15'5"
US 59 N	Atchison	PO1	PED PO1 ON US59	15'5"
US 59 N	Atchison	G0355	TARKIO RVR	14'10"
US 59 S	Atchison	G0355	TARKIO RVR	14'10"
US 59 S	Atchison	PO1	PED PO1 ON US59	15'5"
US 59 S	Holt	A1907	IS 29	15'5"
US 59 S	Holt	A1907	IS 29	15'5"
US 59 S	Holt	H0457	LITTLE TARKIO CR	16'3"
US 59 S	Holt	A1393	IS 29	14'6"
US 59 S	Holt	A1393	IS 29	14'6"
US 59 S	Andrew	A3198	CRD 369	16'8"
US 59 S	Andrew	A1200	IS 29	15'8"
US 59 S	Buchanan	A2847	IS 229	22'9"
US 59 S	Buchanan	A2224	IS 229	16'5"
US 59 S	Buchanan	K0697	MISSOURI RVR, BNSF RR	14'10"
US 60 E	Newton	A5546	US 71	18'8"
US 60 E	Newton	A5547	US 71	16'8"
US 60 E	Greene	RB03901	US 60	16'3"
US 60 E	Greene	A4139	CRD 115	17'5"
US 60 E	Greene	A4146	US 160	18'0"
US 60 E	Greene	A4140	CST SCENIC AVE	17'0"
US 60 E	Greene	A4185	MO 13	16'10"
US 60 E	Greene	A4184	CST REPUBLIC RD	16'9"
US 60 E	Greene	A4181	CST REPUBLIC RD	17'7"
US 60 E	Greene	A4177	CST NATIONAL AVE	18'8"
US 60 E	Greene	A4176	CST FREMONT AVE	18'1"
US 60 E	Greene	A4175	BU 65	16'7"
US 60 E	Greene	A2072	US 65	15'2"
US 60 E	Greene	A7541	US 60	*
US 60 E	Greene	A0647	US 65	15'2"

\* = Clearance Not Available

Page 41

Selected County: All Counties

This report is to provide vertical clearance information to the public and to serve as a tool for planning your travel route. Vertical clearances are an approximation and may change due to various maintenance activities. Structures signed at a clearance less than reported above should be obeyed. For official vertical clearances, please contact the Motor Carrier Services Division, Missouri Department of Transportation at 1-800-877-8499.



## Vertical Clearances for Missouri Bridges

May 26, 2010

5:30:59am

Traveled Route	County	Bridge Number	Location Description	Permitted Clearance
US 60 E	Greene	A7543	US 65	*
US 60 E	Greene	A7542	US 60	*
US 60 E	Wright	A3834	MO 5	15'11"
US 60 E	Wright	A3835	MO 5	16'3"
US 60 E	Wright	A3612	RT K	16'9"
US 60 E	Wright	A3517	RT C	17'0"
US 60 E	Wright	A2968	BU 60	17'2"
US 60 E	Wright	A2966	MO 95	16'3"
US 60 E	Texas	A2967	RT MM	16'8"
US 60 E	Texas	A2651	MO 181	19'8"
US 60 E	Howell	A6410	BU 63	18'0"
US 60 E	Howell	A5996	CST PINE GROVE RD	17'4"
US 60 E	Howell	A5997	MO 76	17'1"
US 60 E	Butler	A3722	US 60	19'6"
US 60 E	Butler	A3721	US 67	17'8"
US 60 E	Butler	A3723	CST MAIN ST	16'7"
US 60 E	Butler	A3718	RT NN	16'9"
US 60 E	Butler	A3724	BU 60	17'3"
US 60 E	Butler	A3681	RT T	16'7"
US 60 E	Butler	A3680	RT Z	16'5"
US 60 E	Stoddard	A7029	MO 51	17'9"
US 60 E	Stoddard	A5270	RT TT	16'6"
US 60 E	Stoddard	A4015	RT AD	16'10"
US 60 E	Stoddard	A4016	CST ONE MILE RD	17'8"
US 60 E	Stoddard	A6456	MO 25	15'5"
US 60 E	Scott	R0142	RT AA	15'2"
US 60 E	Mississippi	K0950	MISSISSIPPI RVR	17'6"
US 60 W	Mississippi	K0950	MISSISSIPPI RVR	17'6"
US 60 W	Scott	R0142	RT AA	15'2"
US 60 W	Stoddard	A6456	MO 25	18'11"
US 60 W	Stoddard	A4016	CST ONE MILE RD	17'6"
US 60 W	Stoddard	A4015	RT AD	17'5"
US 60 W	Stoddard	A5270	RT TT	16'6"
US 60 W	Stoddard	A7029	MO 51	17'8"
US 60 W	Butler	A3680	RT Z	16'5"
US 60 W	Butler	A3681	RT T	16'5"
US 60 W	Butler	A3724	BU 60	17'1"
US 60 W	Butler	A3718	RT NN	16'7"
US 60 W	Butler	A3723	CST MAIN ST	17'10"
US 60 W	Howell	A5997	MO 76	17'0"
US 60 W	Howell	A5996	CST PINE GROVE RD	20'2"
US 60 W	Howell	A6410	BU 63	17'10"
US 60 W	Texas	A2651	MO 181	16'3"

\* = Clearance Not Available

Page 42

Selected County: All Counties

This report is to provide vertical clearance information to the public and to serve as a tool for planning your travel route. Vertical clearances are an approximation and may change due to various maintenance activities. Structures signed at a clearance less than reported above should be obeyed. For official vertical clearances, please contact the Motor Carrier Services Division, Missouri Department of Transportation at 1-800-877-8499.



# Vertical Clearances for Missouri Bridges

May 26, 2010  
5:30:59am

Traveled Route	County	Bridge Number	Location Description	Permitted Clearance
US 60 W	Texas	A2967	RT MM	19'1"
US 60 W	Wright	A2966	MO 95	16'3"
US 60 W	Wright	A2968	BU 60	16'11"
US 60 W	Wright	A3517	RT C	16'11"
US 60 W	Wright	A3612	RT K	16'11"
US 60 W	Wright	A3835	MO 5	16'8"
US 60 W	Wright	A3834	MO 5	18'1"
US 60 W	Greene	A7542	US 60	*
US 60 W	Greene	A0647	US 65	14'10"
US 60 W	Greene	A7543	US 65	*
US 60 W	Greene	A2072	US 65	14'10"
US 60 W	Greene	A7541	US 60	*
US 60 W	Greene	A4175	BU 65	18'0"
US 60 W	Greene	A4176	CST FREMONT AVE	17'1"
US 60 W	Greene	A4177	CST NATIONAL AVE	17'5"
US 60 W	Greene	A4181	CST REPUBLIC RD	20'7"
US 60 W	Greene	A4184	CST REPUBLIC RD	18'3"
US 60 W	Greene	A4185	MO 13	17'0"
US 60 W	Greene	A4140	CST SCENIC AVE	16'9"
US 60 W	Greene	A4146	US 160	17'10"
US 60 W	Greene	A4139	CRD 115	16'10"
US 60 W	Greene	A4141	MO 360	16'11"
US 60 W	Greene	A4142	MO 360	17'2"
US 60 W	Greene	RB03901	US 60	15'11"
US 60 W	Newton	A3955	MO 59	16'8"
US 60 W	Newton	A5547	US 71	16'8"
US 60 W	Newton	A5546	US 71	18'8"
US 60 W	Newton	A1450	US 60	*
US 61 N	New Madrid	A5085	US 60	16'8"
US 61 N	New Madrid	A5086	US 60	16'7"
US 61 N	Scott	A1021	IS 55	*
US 61 N	Scott	A1021	IS 55	19'10"
US 61 N	Scott	A1021	IS 55	*
US 61 N	Scott	A1021	IS 55	19'10"
US 61 N	Cape Girardeau	A0338	IS 55	18'6"
US 61 N	Cape Girardeau	A0338	IS 55	15'2"
US 61 N	Cape Girardeau	A6018	IS 55	16'8"
US 61 N	Cape Girardeau	A6017	IS 55	16'4"
US 61 N	Jefferson	A2223	IS 55	16'1"
US 61 N	Jefferson	A2223	IS 55	16'1"
US 61 N	Jefferson	L0613	US 61	30'0"
US 61 N	Jefferson	K0294	JOACHIM CR	15'2"
US 61 N	Jefferson	RB05001	US 61	18'7"

\* = Clearance Not Available

Page 43

Selected County: All Counties

This report is to provide vertical clearance information to the public and to serve as a tool for planning your travel route. Vertical clearances are an approximation and may change due to various maintenance activities. Structures signed at a clearance less than reported above should be obeyed. For official vertical clearances, please contact the Motor Carrier Services Division, Missouri Department of Transportation at 1-800-877-8499.



# Vertical Clearances for Missouri Bridges

May 26, 2010

5:30:59am

Traveled Route	County	Bridge Number	Location Description	Permitted Clearance
US 61 N	St. Louis	A5063	US 61	20'0"
US 61 N	St. Louis	A8002	IS 64	18'6"
US 61 N	St. Charles	A2766	RT A	16'10"
US 61 N	Lincoln	A6806	RT C	18'0"
US 61 N	Lincoln	A2606	CST OLD CAP AU GRIS RD	16'2"
US 61 N	Lincoln	A2605	CST EAST CHERRY ST	17'6"
US 61 N	Lincoln	A2604	MO 47	17'3"
US 61 N	Lincoln	A3446	RT KK	16'7"
US 61 N	Pike	A3574	RT D	18'1"
US 61 N	Pike	A3502	MO 161	16'5"
US 61 N	Pike	A3494	US 54	17'0"
US 61 N	Pike	A5341	RT UU	17'0"
US 61 N	Ralls	A4547	MO 19	16'1"
US 61 N	Marion	A5957	IS 72	18'7"
US 61 N	Lewis	A3423	RT C	16'5"
US 61 N	Lewis	A3383	CRD SUNFLOWER ST	17'0"
US 61 N	Lewis	A3382	RT P	16'3"
US 61 N	Lewis	A3381	MO 16	18'3"
US 61 S	Lewis	A3381	MO 16	18'3"
US 61 S	Lewis	A3382	RT P	16'3"
US 61 S	Lewis	A3383	CRD SUNFLOWER ST	17'0"
US 61 S	Lewis	A3423	RT C	16'5"
US 61 S	Marion	A5957	IS 72	18'7"
US 61 S	Ralls	A4547	MO 19	16'1"
US 61 S	Pike	A5341	RT UU	17'0"
US 61 S	Pike	A3494	US 54	17'0"
US 61 S	Pike	A3502	MO 161	16'5"
US 61 S	Pike	A3574	RT D	16'11"
US 61 S	Lincoln	A3446	RT KK	17'3"
US 61 S	Lincoln	A2604	MO 47	16'2"
US 61 S	Lincoln	A2605	CST EAST CHERRY ST	16'3"
US 61 S	Lincoln	A2606	CST OLD CAP AU GRIS RD	16'10"
US 61 S	Lincoln	A6806	RT C	16'9"
US 61 S	St. Charles	A2766	RT A	15'10"
US 61 S	St. Louis	A1715	IS 44	14'10"
US 61 S	St. Louis	A1715	IS 44	14'10"
US 61 S	St. Louis	A5063	US 61	20'0"
US 61 S	Jefferson	RB05001	US 61	18'9"
US 61 S	Jefferson	K0294	JOACHIM CR	15'2"
US 61 S	Jefferson	L0613	US 61	30'0"
US 61 S	Jefferson	A2223	IS 55	16'1"
US 61 S	Jefferson	A2223	IS 55	16'1"
US 61 S	Cape Girardeau	A6017	IS 55	16'4"

\* = Clearance Not Available

Page 44

Selected County: All Counties

This report is to provide vertical clearance information to the public and to serve as a tool for planning your travel route. Vertical clearances are an approximation and may change due to various maintenance activities. Structures signed at a clearance less than reported above should be obeyed. For official vertical clearances, please contact the Motor Carrier Services Division, Missouri Department of Transportation at 1-800-877-8499.



# Vertical Clearances for Missouri Bridges

May 26, 2010

5:30:59am

Traveled Route	County	Bridge Number	Location Description	Permitted Clearance
US 61 S	Cape Girardeau	A6018	IS 55	16'8"
US 61 S	Cape Girardeau	A0338	IS 55	18'6"
US 61 S	Cape Girardeau	A0338	IS 55	19'2"
US 61 S	Scott	J0356	US 61	19'6"
US 61 S	New Madrid	A5086	US 60	16'7"
US 61 S	New Madrid	A5085	US 60	16'8"
US 62 E	Scott	A0938	IS 55	22'7"
US 62 E	Scott	A0938	IS 55	22'10"
US 62 W	Scott	A0938	IS 55	22'10"
US 62 W	Scott	A0938	IS 55	22'7"
US 63 N	Howell	A6479	RP US60 TO US63S	17'3"
US 63 N	Howell	A6477	US 60	17'1"
US 63 N	Phelps	A2449	US 63	14'11"
US 63 N	Osage	A5554	RP US50W TO US63S	17'4"
US 63 N	Osage	A5553	US 50	17'0"
US 63 N	Cole	A1420	CST BOLIVAR ST	16'3"
US 63 N	Boone	A3083	RT M	16'4"
US 63 N	Boone	A7588	CST DISCOVERY PKWY	16'6"
US 63 N	Boone	A2393	RT AC	14'11"
US 63 N	Boone	A3433	RT WW	16'8"
US 63 N	Boone	A4089	US 63C	17'4"
US 63 N	Boone	A6290	CST VANDIVER DR	17'6"
US 63 N	Boone	A4088	CST MEXICO GRAVEL RD	17'5"
US 63 N	Boone	RR01002	US 63	*
US 63 N	Boone	A4031	CRD OAKLAND GRAVEL RD	16'7"
US 63 N	Boone	A4032	CRD PRATHERSVILLE RD	17'4"
US 63 N	Boone	A4033	CRD WAGON TRAIL RD	16'5"
US 63 N	Boone	A6048	MO 22	18'6"
US 63 N	Randolph	A5918	US 63	16'9"
US 63 N	Randolph	A5891	RT M	17'1"
US 63 N	Randolph	A5885	CST MCKINSEY ST	17'5"
US 63 N	Randolph	A5863	RT EE	16'6"
US 63 N	Randolph	A5807	CST SINNOCK AVE	16'9"
US 63 N	Randolph	A6747	BU 63	16'0"
US 63 S	Randolph	A6747	BU 63	16'3"
US 63 S	Randolph	A5807	CST SINNOCK AVE	17'0"
US 63 S	Randolph	A5863	RT EE	16'8"
US 63 S	Randolph	A5885	CST MCKINSEY ST	17'5"
US 63 S	Randolph	A5891	RT M	17'1"
US 63 S	Randolph	A5918	US 63	17'11"
US 63 S	Boone	A6048	MO 22	18'3"
US 63 S	Boone	A4033	CRD WAGON TRAIL RD	18'5"
US 63 S	Boone	A4032	CRD PRATHERSVILLE RD	17'0"

\* = Clearance Not Available

Page 45

Selected County: All Counties

This report is to provide vertical clearance information to the public and to serve as a tool for planning your travel route. Vertical clearances are an approximation and may change due to various maintenance activities. Structures signed at a clearance less than reported above should be obeyed. For official vertical clearances, please contact the Motor Carrier Services Division, Missouri Department of Transportation at 1-800-877-8499.



# Vertical Clearances for Missouri Bridges

May 26, 2010

5:30:59am

Traveled Route	County	Bridge Number	Location Description	Permitted Clearance
US 63 S	Boone	A4031	CRD OAKLAND GRAVEL RD	16'11"
US 63 S	Boone	RR01002	US 63	*
US 63 S	Boone	A4088	CST MEXICO GRAVEL RD	19'6"
US 63 S	Boone	A6290	CST VANDIVER DR	17'6"
US 63 S	Boone	A4089	US 63C	20'4"
US 63 S	Boone	A3433	RT WW	16'8"
US 63 S	Boone	A2393	RT AC	14'11"
US 63 S	Boone	A7588	CST DISCOVERY PKWY	16'7"
US 63 S	Boone	A3083	RT M	16'2"
US 63 S	Cole	A4825	CST W HIGH ST	17'0"
US 63 S	Cole	A1417	US 54	16'1"
US 63 S	Cole	A1420	CST BOLIVAR ST	16'8"
US 63 S	Phelps	A2449	US 63	14'11"
US 63 S	Texas	A2648	US 60	20'10"
US 63 S	Texas	A2647	US 60	17'4"
US 65 N	Taney	A7002	BU 65	17'11"
US 65 N	Taney	A3068	CST CLIFF DR	26'0"
US 65 N	Taney	A3067	MO 76	27'0"
US 65 N	Taney	A3064	MO 248	16'8"
US 65 N	Taney	A5380	CRD BEE CREEK RD	16'9"
US 65 N	Taney	A5652	OR 65	26'0"
US 65 N	Christian	A5866	CAMP CR, ACCESS RD	27'0"
US 65 N	Christian	A3805	RT EE	16'9"
US 65 N	Christian	A3804	CO WOR65 TO SELMORE RD	16'11"
US 65 N	Christian	A3802	RT F	18'0"
US 65 N	Christian	A3109	MO 14	16'4"
US 65 N	Christian	A3860	RT J	18'0"
US 65 N	Greene	A3107	CRD EVANS RD	16'4"
US 65 N	Greene	A7541	US 65	*
US 65 N	Greene	A7542	US 65	*
US 65 N	Greene	A2040	CST GASCONADE ST	15'8"
US 65 N	Greene	A1656	CST BATTLEFIELD ST	15'3"
US 65 N	Greene	A1652	CST CHERRY ST	16'1"
US 65 N	Greene	A1650	RT YY	15'6"
US 65 N	Greene	A1648	MO 744	15'9"
US 65 N	Greene	A7024	RP US65N TO IS44W	17'4"
US 65 N	Greene	A3362	CRD 102	25'10"
US 65 N	Greene	A5806	MO 125	16'5"
US 65 N	Benton	A3022	MO 83	17'4"
US 65 N	Benton	A3019	MO 7	17'11"
US 65 N	Benton	A5551	MO 52	17'2"
US 65 N	Pettis	A1695	US 65	15'1"
US 65 N	Saline	A0203	IS 70	15'2"

\* = Clearance Not Available

Page 46

Selected County: All Counties

This report is to provide vertical clearance information to the public and to serve as a tool for planning your travel route. Vertical clearances are an approximation and may change due to various maintenance activities. Structures signed at a clearance less than reported above should be obeyed. For official vertical clearances, please contact the Motor Carrier Services Division, Missouri Department of Transportation at 1-800-877-8499.



# Vertical Clearances for Missouri Bridges

May 26, 2010

5:30:59am

Traveled Route	County	Bridge Number	Location Description	Permitted Clearance
US 65 N	Saline	A0203	IS 70	15'2"
US 65 N	Carroll	A2904	US 24	16'3"
US 65 N	Mercer	L0164	US 65	18'0"
US 65 S	Mercer	L0164	US 65	18'0"
US 65 S	Carroll	A2904	US 24	19'0"
US 65 S	Saline	A0203	IS 70	15'6"
US 65 S	Saline	A0203	IS 70	15'6"
US 65 S	Pettis	A1695	US 65	15'1"
US 65 S	Benton	A5551	MO 52	18'3"
US 65 S	Benton	A3019	MO 7	17'11"
US 65 S	Benton	A3020	CRD MAIN ST	16'7"
US 65 S	Benton	A3022	MO 83	17'4"
US 65 S	Greene	A5806	MO 125	16'4"
US 65 S	Greene	A3362	CRD 102	26'1"
US 65 S	Greene	A7024	RP US65N TO IS44W	19'7"
US 65 S	Greene	A1648	MO 744	17'6"
US 65 S	Greene	A1650	RT YY	15'4"
US 65 S	Greene	A1652	CST CHERRY ST	15'8"
US 65 S	Greene	A1656	CST BATTLEFIELD ST	16'10"
US 65 S	Greene	A2040	CST GASCONADE ST	16'0"
US 65 S	Greene	A7542	US 65	*
US 65 S	Greene	A7541	US 65	*
US 65 S	Greene	A3107	CRD EVANS RD	16'5"
US 65 S	Christian	A3860	RT J	17'5"
US 65 S	Christian	A3109	MO 14	17'10"
US 65 S	Christian	A3802	RT F	16'8"
US 65 S	Christian	A3804	CO WOR65 TO SELMORE RD	19'3"
US 65 S	Christian	A3805	RT EE	16'10"
US 65 S	Christian	A0897	CAMP CR	27'0"
US 65 S	Taney	A5652	OR 65	24'10"
US 65 S	Taney	A5380	CRD BEE CREEK RD	17'3"
US 65 S	Taney	A3064	MO 248	15'7"
US 65 S	Taney	A3067	MO 76	27'0"
US 65 S	Taney	A3068	CST CLIFF DR	26'0"
US 65 S	Taney	A7002	BU 65	16'10"
US 67 N	Butler	A5521	CST OAK GROVE RD	21'0"
US 67 N	Butler	A2572	RP US60E TO US67N	16'6"
US 67 N	Butler	A6646	US 60	16'6"
US 67 N	Wayne	J0021	ST FRANCIS RVR	14'9"
US 67 N	Madison	A5783	CRD 500	17'6"
US 67 N	Madison	A0694	MO 72	14'7"
US 67 N	St. Francois	A0281	MO 221	15'4"
US 67 N	St. Francois	A6725	CST MAPLE ST	17'8"

\* = Clearance Not Available

Page 47

Selected County: All Counties

This report is to provide vertical clearance information to the public and to serve as a tool for planning your travel route. Vertical clearances are an approximation and may change due to various maintenance activities. Structures signed at a clearance less than reported above should be obeyed. For official vertical clearances, please contact the Motor Carrier Services Division, Missouri Department of Transportation at 1-800-877-8499.



## Vertical Clearances for Missouri Bridges

May 26, 2010

5:30:59am

Traveled Route	County	Bridge Number	Location Description	Permitted Clearance
US 67 N	St. Francois	A6065	RP MO32W TO US67S	20'4"
US 67 N	St. Francois	A7144	CRD FAIRGROUND RD	18'1"
US 67 N	St. Francois	A0144	MO 32	15'11"
US 67 N	St. Francois	A6355	CST PARKWAY DR	17'10"
US 67 N	Jefferson	A6756	RT V	19'7"
US 67 N	Jefferson	A2593	MO 110	18'1"
US 67 N	Jefferson	A0799	IS 55	15'0"
US 67 N	Jefferson	A0799	IS 55	20'5"
US 67 N	St. Louis	A8002	IS 64	16'1"
US 67 N	St. Louis	A1644	PVT MONSANTO ACCESS DR	14'7"
US 67 N	St. Louis	A6648	MO 340	15'0"
US 67 N	St. Louis	A0651	US 67	17'0"
US 67 N	St. Louis	A0650	RT D	14'9"
US 67 N	St. Louis	A3509	CST DORSETT RD	16'5"
US 67 N	St. Louis	A7422	RT B	16'9"
US 67 N	St. Louis	A7419	US 67	18'0"
US 67 N	St. Louis	RB09613	US 67	14'1"
US 67 N	St. Louis	A7088	MO 367	*
US 67 N	St. Louis	A4536	MO 367	16'6"
US 67 S	St. Louis	A7088	MO 367	*
US 67 S	St. Louis	RB09613	US 67	14'1"
US 67 S	St. Louis	A7419	US 67	18'0"
US 67 S	St. Louis	A7422	RT B	25'0"
US 67 S	St. Louis	A3509	CST DORSETT RD	16'5"
US 67 S	St. Louis	A0650	RT D	14'9"
US 67 S	St. Louis	A0651	US 67	15'9"
US 67 S	St. Louis	A6648	MO 340	15'0"
US 67 S	St. Louis	A1644	PVT MONSANTO ACCESS DR	14'6"
US 67 S	St. Louis	A8002	IS 64	16'11"
US 67 S	Jefferson	A0799	IS 55	22'10"
US 67 S	Jefferson	A0799	IS 55	17'2"
US 67 S	Jefferson	A2593	MO 110	16'11"
US 67 S	Jefferson	A6756	RT V	18'3"
US 67 S	St. Francois	A6355	CST PARKWAY DR	17'5"
US 67 S	St. Francois	A0144	MO 32	15'6"
US 67 S	St. Francois	A7144	CRD FAIRGROUND RD	19'0"
US 67 S	St. Francois	A6065	RP MO32W TO US67S	28'10"
US 67 S	St. Francois	A6725	CST MAPLE ST	17'1"
US 67 S	St. Francois	A0281	MO 221	15'11"
US 67 S	Madison	A0694	MO 72	15'3"
US 67 S	Madison	A5783	CRD 500	20'7"
US 67 S	Wayne	J0021	ST FRANCIS RVR	14'9"
US 67 S	Butler	A6646	US 60	17'0"

\* = Clearance Not Available

Page 48

Selected County: All Counties

This report is to provide vertical clearance information to the public and to serve as a tool for planning your travel route. Vertical clearances are an approximation and may change due to various maintenance activities. Structures signed at a clearance less than reported above should be obeyed. For official vertical clearances, please contact the Motor Carrier Services Division, Missouri Department of Transportation at 1-800-877-8499.





## Vertical Clearances for Missouri Bridges

May 26, 2010

5:30:59am

Traveled Route	County	Bridge Number	Location Description	Permitted Clearance
US 67 S	Butler	A2572	RP US60E TO US67N	17'0"
US 67 S	Butler	A5521	CST OAK GROVE RD	18'0"
US 69 N	Platte	A0450	MISSOURI RVR, OR 69, UP	15'4"
US 69 N	Platte	A2019	MO 9	15'5"
US 69 N	Clay	A1599	RP IS29S TO US169S	18'0"
US 69 N	Clay	A1600	US 169	18'0"
US 69 N	Clay	A1601	RP US169N TO IS29N	18'0"
US 69 N	Clay	A1602	US 169	18'0"
US 69 N	Clay	L0720	IS 29	15'6"
US 69 N	Clay	L0721	IS 29	15'6"
US 69 N	Clay	K0742	US 69	13'8"
US 69 N	Clay	A1582	RP IS35N TO IS435S	15'4"
US 69 N	Clay	A3416	IS 435	15'9"
US 69 N	Clay	A3376	IS 435	17'3"
US 69 N	Clay	A1583	RP IS435N TO IS35N	15'8"
US 69 N	Clay	L0571	IS 35	15'11"
US 69 N	Clay	RB02404	US 69	14'11"
US 69 N	Clay	L0535	MO 10	16'5"
US 69 N	Harrison	A2739	IS 35	16'0"
US 69 N	Harrison	A2739	IS 35	14'6"
US 69 S	Harrison	A2739	IS 35	14'6"
US 69 S	Harrison	A2739	IS 35	16'0"
US 69 S	Clay	L0509	US 69	14'11"
US 69 S	Clay	A0677	IS 35	14'4"
US 69 S	Clay	A0677	IS 35	14'4"
US 69 S	Clay	L0571	IS 35	17'8"
US 69 S	Clay	A1583	RP IS435N TO IS35N	15'7"
US 69 S	Clay	A3376	IS 435	17'1"
US 69 S	Clay	A3416	IS 435	15'8"
US 69 S	Clay	A1582	RP IS35N TO IS435S	15'4"
US 69 S	Clay	K0742	US 69	13'8"
US 69 S	Clay	L0721	IS 29	14'7"
US 69 S	Clay	L0720	IS 29	15'4"
US 69 S	Clay	A1602	US 169	18'0"
US 69 S	Clay	A1601	RP US169N TO IS29N	18'0"
US 69 S	Clay	A1600	US 169	18'0"
US 69 S	Clay	A1599	RP IS29S TO US169S	18'0"
US 69 S	Platte	A2435	IS 635	16'7"
US 69 S	Platte	A2433	RP IS635N TO MO9N	18'0"
US 69 S	Platte	K0456	MISSOURI RVR, OR 69, UP,	16'0"
US 71 N	McDonald	A6584	RT EE	22'3"
US 71 N	McDonald	A6188	BU 71	17'11"
US 71 N	McDonald	A5814	MO 76	17'2"

\* = Clearance Not Available

Page 49

Selected County: All Counties

This report is to provide vertical clearance information to the public and to serve as a tool for planning your travel route. Vertical clearances are an approximation and may change due to various maintenance activities. Structures signed at a clearance less than reported above should be obeyed. For official vertical clearances, please contact the Motor Carrier Services Division, Missouri Department of Transportation at 1-800-877-8499.



## Vertical Clearances for Missouri Bridges

May 26, 2010

5:30:59am

Traveled Route	County	Bridge Number	Location Description	Permitted Clearance
US 71 N	Newton	A5559	CRD SORREL RD	17'5"
US 71 N	Newton	A5557	RT AA	16'1"
US 71 N	Newton	A5545	CRD NORWAY RD	16'6"
US 71 N	Newton	A5221	CRD DAVID LN	19'0"
US 71 N	Jasper	A5154	RT FF	16'6"
US 71 N	Jasper	A0630	IS 44	14'12"
US 71 N	Jasper	A0630	IS 44	14'12"
US 71 N	Jasper	A5514	CRD CEDAR RD	16'7"
US 71 N	Jasper	A3568	MO 571	16'11"
US 71 N	Jasper	A3567	RT HH	18'0"
US 71 N	Jasper	A3564	CRD W FAIRVIEW AVE	16'3"
US 71 N	Jasper	A3561	CST OAK ST	16'9"
US 71 N	Jasper	A4820	CST NUTMEG RD	17'6"
US 71 N	Jasper	A4819	RT M	16'6"
US 71 N	Jasper	A3402	RT H	16'5"
US 71 N	Barton	A7723	MO 126	*
US 71 N	Barton	A7701	RT DD	*
US 71 N	Barton	A7688	RT V	*
US 71 N	Vernon	A2820	RT B	16'5"
US 71 N	Vernon	A3156	CST HIGHLAND AVE	18'1"
US 71 N	Vernon	A2632	CRD 148	16'4"
US 71 N	Bates	A2620	RT A	16'4"
US 71 N	Bates	A7671	MO 52	*
US 71 N	Bates	A2158	MO 52	15'10"
US 71 N	Bates	A7671	MO 52	*
US 71 N	Bates	A2157	RT TT	17'8"
US 71 N	Bates	A2156	RT D	16'3"
US 71 N	Bates	A2611	MO 18	16'0"
US 71 N	Cass	A3222	RT A	16'3"
US 71 N	Cass	A1496	MO 7	15'8"
US 71 N	Cass	A1495	CST COMMERCIAL	15'8"
US 71 N	Cass	A1621	MO 291	16'10"
US 71 N	Cass	A2292	CRD OVERPASS RD	20'0"
US 71 N	Cass	A2330	RT C	15'0"
US 71 N	Cass	A2094	MO 58	15'1"
US 71 N	Jackson	A0479	CST 155TH ST	16'3"
US 71 N	Jackson	A0119	CST 140TH ST	17'7"
US 71 N	Jackson	L0950	CST MAIN ST	16'9"
US 71 N	Jackson	A5101	CO WOR71 TO EOR71	17'6"
US 71 N	Jackson	A5692	CO WOR71 TO EOR71	16'7"
US 71 N	Jackson	L0929	CST BLUE RIDGE BLVD	16'5"
US 71 N	Jackson	A6260	US 71	17'11"
US 71 N	Jackson	A6259	CST LONGVIEW RD	*

\* = Clearance Not Available

Page 50

Selected County: All Counties

This report is to provide vertical clearance information to the public and to serve as a tool for planning your travel route. Vertical clearances are an approximation and may change due to various maintenance activities. Structures signed at a clearance less than reported above should be obeyed. For official vertical clearances, please contact the Motor Carrier Services Division, Missouri Department of Transportation at 1-800-877-8499.



# Vertical Clearances for Missouri Bridges

May 26, 2010

5:30:59am

Traveled Route	County	Bridge Number	Location Description	Permitted Clearance
US 71 N	Jackson	A6254	RP IS470W TO RED BRIDGE	20'0"
US 71 N	Jackson	A6252	IS 470	18'0"
US 71 N	Jackson	A6249	IS 470	24'10"
US 71 N	Jackson	A6248	IS 435	17'10"
US 71 N	Jackson	A6246	IS 435	20'0"
US 71 N	Jackson	A6236	RP IS435S TO IS470E	20'0"
US 71 N	Jackson	A7069	US 71	18'1"
US 71 N	Jackson	A4738	CST 77TH ST	18'8"
US 71 N	Jackson	A4861	CST MEYER BLVD	17'2"
US 71 N	Jackson	A4862	CST MEYER BLVD	16'7"
US 71 N	Jackson	A4863	CST 63RD ST	17'0"
US 71 N	Jackson	A4864	CST 51ST ST	16'6"
US 71 N	Jackson	A5184	CST 43RD ST	16'7"
US 71 N	Jackson	A5183	CST 39TH ST	16'8"
US 71 N	Jackson	A5182	CST 35TH ST	18'2"
US 71 N	Jackson	A5181	CST LINWOOD BLVD	17'1"
US 71 N	Jackson	A5180	CST 31ST ST	16'9"
US 71 N	Jackson	A5173	CST THE PASEO	17'6"
US 71 N	Jackson	A5172	CO 23RD ST TO 24TH ST	18'0"
US 71 N	Jackson	A5572	CST TROOST AVE	16'4"
US 71 N	Jackson	A5171	CST 22ND ST	18'1"
US 71 S	Jackson	A5171	CST 22ND ST	16'5"
US 71 S	Jackson	A5572	CST TROOST AVE	16'4"
US 71 S	Jackson	A5172	CO 23RD ST TO 24TH ST	16'3"
US 71 S	Jackson	A5173	CST THE PASEO	20'10"
US 71 S	Jackson	A5180	CST 31ST ST	20'8"
US 71 S	Jackson	A5181	CST LINWOOD BLVD	19'11"
US 71 S	Jackson	A5182	CST 35TH ST	16'3"
US 71 S	Jackson	A5183	CST 39TH ST	16'7"
US 71 S	Jackson	A5184	CST 43RD ST	19'3"
US 71 S	Jackson	A4864	CST 51ST ST	17'0"
US 71 S	Jackson	A4863	CST 63RD ST	16'9"
US 71 S	Jackson	A4862	CST MEYER BLVD	16'7"
US 71 S	Jackson	A4861	CST MEYER BLVD	17'2"
US 71 S	Jackson	A4738	CST 77TH ST	16'7"
US 71 S	Jackson	A7069	US 71	18'1"
US 71 S	Jackson	A6236	RP IS435S TO IS470E	20'0"
US 71 S	Jackson	A6246	IS 435	20'0"
US 71 S	Jackson	A6248	IS 435	20'0"
US 71 S	Jackson	A6249	IS 470	18'0"
US 71 S	Jackson	A6252	IS 470	18'0"
US 71 S	Jackson	A6254	RP IS470W TO RED BRIDGE	18'0"
US 71 S	Jackson	A6259	CST LONGVIEW RD	*

\* = Clearance Not Available

Page 51

Selected County: All Counties

This report is to provide vertical clearance information to the public and to serve as a tool for planning your travel route. Vertical clearances are an approximation and may change due to various maintenance activities. Structures signed at a clearance less than reported above should be obeyed. For official vertical clearances, please contact the Motor Carrier Services Division, Missouri Department of Transportation at 1-800-877-8499.



## Vertical Clearances for Missouri Bridges

May 26, 2010

5:30:59am

Traveled Route	County	Bridge Number	Location Description	Permitted Clearance
US 71 S	Jackson	A6260	US 71	17'1"
US 71 S	Jackson	L0929	CST BLUE RIDGE BLVD	17'6"
US 71 S	Jackson	A5692	CO WOR71 TO EOR71	18'4"
US 71 S	Jackson	A5101	CO WOR71 TO EOR71	17'8"
US 71 S	Jackson	L0950	CST MAIN ST	16'8"
US 71 S	Jackson	A0119	CST 140TH ST	18'0"
US 71 S	Jackson	A0479	CST 155TH ST	17'3"
US 71 S	Cass	A2094	MO 58	16'7"
US 71 S	Cass	A2330	RT C	15'1"
US 71 S	Cass	A2292	CRD OVERPASS RD	16'0"
US 71 S	Cass	A1621	MO 291	18'9"
US 71 S	Cass	A1495	CST COMMERCIAL	18'8"
US 71 S	Cass	A1496	MO 7	16'10"
US 71 S	Cass	A3222	RT A	16'3"
US 71 S	Bates	A2611	MO 18	15'11"
US 71 S	Bates	A2156	RT D	16'3"
US 71 S	Bates	A2157	RT TT	16'1"
US 71 S	Bates	A2158	MO 52	15'11"
US 71 S	Bates	A7671	MO 52	*
US 71 S	Bates	A7671	MO 52	*
US 71 S	Bates	A2620	RT A	16'1"
US 71 S	Vernon	A2632	CRD 148	16'4"
US 71 S	Vernon	A3156	CST HIGHLAND AVE	16'5"
US 71 S	Vernon	A2820	RT B	16'5"
US 71 S	Barton	A7688	RT V	*
US 71 S	Barton	A7701	RT DD	*
US 71 S	Barton	A7723	MO 126	*
US 71 S	Jasper	A3402	RT H	16'5"
US 71 S	Jasper	A4819	RT M	16'6"
US 71 S	Jasper	A4820	CST NUTMEG RD	17'0"
US 71 S	Jasper	A3561	CST OAK ST	17'8"
US 71 S	Jasper	A3564	CRD W FAIRVIEW AVE	16'1"
US 71 S	Jasper	A3567	RT HH	17'3"
US 71 S	Jasper	A3568	MO 571	17'10"
US 71 S	Jasper	A5514	CRD CEDAR RD	16'7"
US 71 S	Jasper	A5151	MO 249	17'8"
US 71 S	Jasper	A5152	MO 249	17'8"
US 71 S	Jasper	A5154	RT FF	17'5"
US 71 S	Newton	A5221	CRD DAVID LN	16'5"
US 71 S	Newton	A5545	CRD NORWAY RD	16'4"
US 71 S	Newton	A5557	RT AA	16'2"
US 71 S	Newton	A5559	CRD SORREL RD	16'3"
US 71 S	Mcdonald	A5814	MO 76	16'10"

\* = Clearance Not Available

Page 52

Selected County: All Counties

This report is to provide vertical clearance information to the public and to serve as a tool for planning your travel route. Vertical clearances are an approximation and may change due to various maintenance activities. Structures signed at a clearance less than reported above should be obeyed. For official vertical clearances, please contact the Motor Carrier Services Division, Missouri Department of Transportation at 1-800-877-8499.



# Vertical Clearances for Missouri Bridges

May 26, 2010

5:30:59am

Traveled Route	County	Bridge Number	Location Description	Permitted Clearance
US 71 S	McDonald	A6188	BU 71	18'2"
US 71 S	McDonald	A6584	RT EE	19'3"
US 136 E	Atchison	L0098	MISSOURI RVR, ABANDONED	15'6"
US 136 E	Clark	A6397	MO 27	19'3"
US 136 E	Clark	A6396	MO 27	19'3"
US 136 W	Clark	A6396	MO 27	17'4"
US 136 W	Clark	A6397	MO 27	17'4"
US 136 W	Atchison	L0098	MISSOURI RVR, ABANDONED	15'6"
US 159 N	Holt	L0097	MISSOURI RVR @ RUL	14'11"
US 159 S	Holt	L0097	MISSOURI RVR @ RUL	14'11"
US 160 E	Barton	A2700	US 71	16'5"
US 160 E	Barton	A2700	US 71	16'5"
US 160 E	Greene	A6224	US 160	16'2"
US 160 E	Taney	A5653	US 65	19'5"
US 160 E	Taney	A5654	US 65	19'5"
US 160 E	Taney	J0952	SWAN CR	16'6"
US 160 E	Taney	L0382	BEAVER CR	15'4"
US 160 E	Ozark	A5653	US 65	*
US 160 E	Ozark	A5654	US 65	*
US 160 E	Ozark	K0817	LIT N FK WHITE RVR, OVER	13'6"
US 160 E	Oregon	K0272	ELEVEN POINT RVR	16'3"
US 160 W	Oregon	K0272	ELEVEN POINT RVR	16'3"
US 160 W	Ozark	K0817	LIT N FK WHITE RVR, OVER	13'6"
US 160 W	Taney	A5653	US 65	*
US 160 W	Taney	A5654	US 65	*
US 160 W	Taney	L0382	BEAVER CR	15'4"
US 160 W	Taney	J0952	SWAN CR	16'6"
US 160 W	Taney	A5654	US 65	19'11"
US 160 W	Taney	A5653	US 65	19'11"
US 160 W	Greene	A4183	US 60	16'7"
US 160 W	Greene	A4182	US 60	16'7"
US 160 W	Greene	A6224	US 160	16'2"
US 160 W	Barton	A2700	US 71	16'5"
US 160 W	Barton	A2700	US 71	16'5"
US 166 E	Newton	L0854	IS 44	15'2"
US 166 E	Newton	L0855	IS 44	15'2"
US 169 N	Jackson	A1130	IS 35	18'0"
US 169 N	Jackson	A1131	IS 35	16'5"
US 169 N	Jackson	A4649	MISSOURI RVR, CST FOURTH	14'6"
US 169 N	Clay	A1613	IS 29	18'0"
US 169 N	Clay	L0873	CST BARRY RD	14'7"
US 169 N	Buchanan	A0005	IS 29	14'10"
US 169 N	Buchanan	A0005	IS 29	14'11"

\* = Clearance Not Available

Page 53

Selected County: All Counties

This report is to provide vertical clearance information to the public and to serve as a tool for planning your travel route. Vertical clearances are an approximation and may change due to various maintenance activities. Structures signed at a clearance less than reported above should be obeyed. For official vertical clearances, please contact the Motor Carrier Services Division, Missouri Department of Transportation at 1-800-877-8499.



# Vertical Clearances for Missouri Bridges

May 26, 2010  
5:30:59am

Traveled Route	County	Bridge Number	Location Description	Permitted Clearance
US 169 N	Buchanan	A0658	US 36	20'11"
US 169 S	Buchanan	A0658	US 36	20'11"
US 169 S	Buchanan	A0005	IS 29	14'11"
US 169 S	Buchanan	A0005	IS 29	14'10"
US 169 S	Clay	L0873	CST BARRY RD	14'7"
US 169 S	Clay	L0719	IS 29	16'7"
US 169 S	Clay	A1615	RP US169N TO IS29N	16'8"
US 169 S	Clay	A4649	MISSOURI RVR, CST FOURTH	14'6"
US 412 E	Pemiscot	A3795	RT J	16'6"
US 412 W	Pemiscot	A3795	RT J	16'7"
MO 1 N	Clay	L0653	IS 35	15'1"
MO 1 N	Clay	L0654	IS 35	14'11"
MO 1 N	Clay	A3111	MO 152	19'6"
MO 1 N	Clay	A5491	MO 152	18'6"
MO 1 S	Clay	A5491	MO 152	16'9"
MO 1 S	Clay	A3111	MO 152	18'1"
MO 1 S	Clay	L0654	IS 35	14'11"
MO 1 S	Clay	L0653	IS 35	15'1"
MO 2 W	Cass	A1624	US 71	15'1"
MO 2 W	Cass	A1624	US 71	15'1"
MO 5 N	Camden	A6461	MO 5	*
MO 5 N	Camden	A6392	US 54	17'10"
MO 5 N	Camden	A6391	CRD LAKE RD 5-92	17'2"
MO 5 N	Camden	A6390	CRD LAKE RD 5-89	16'10"
MO 5 N	Camden	A6996	CRD LAKE RD 5-72	19'8"
MO 5 N	Morgan	H0112	MO 5	13'9"
MO 5 N	Howard	RB04502	MO 5	15'1"
MO 5 N	Chariton	RB021	MO 5	14'1"
MO 5 N	Linn	K0427	MO 5	14'0"
MO 5 N	Sullivan	A0975	RT OO	14'10"
MO 5 S	Sullivan	A0975	RT OO	14'10"
MO 5 S	Linn	K0427	MO 5	14'0"
MO 5 S	Chariton	RB021	MO 5	14'1"
MO 5 S	Howard	RB04502	MO 5	15'1"
MO 5 S	Morgan	H0112	MO 5	13'9"
MO 5 S	Camden	A6996	CRD LAKE RD 5-72	19'8"
MO 5 S	Camden	A6390	CRD LAKE RD 5-89	19'2"
MO 5 S	Camden	A6391	CRD LAKE RD 5-92	16'10"
MO 5 S	Camden	A6392	US 54	17'4"
MO 5 S	Camden	A6461	MO 5	*
MO 6 E	Grundy	A2570	US 65	16'8"
MO 6 W	Grundy	A2570	US 65	16'8"
MO 7 N	Benton	A2965	CST JACKSON ST	29'10"

\* = Clearance Not Available

Page 54

Selected County: All Counties

This report is to provide vertical clearance information to the public and to serve as a tool for planning your travel route. Vertical clearances are an approximation and may change due to various maintenance activities. Structures signed at a clearance less than reported above should be obeyed. For official vertical clearances, please contact the Motor Carrier Services Division, Missouri Department of Transportation at 1-800-877-8499.



# Vertical Clearances for Missouri Bridges

May 26, 2010

5:30:59am

Traveled Route	County	Bridge Number	Location Description	Permitted Clearance
MO 7 N	Cass	A4151	RT B	18'6"
MO 7 N	Cass	A4153	RT F	16'8"
MO 7 N	Cass	L0023	BIG CR, MOC RR	13'9"
MO 7 N	Jackson	A6310	US 50	19'9"
MO 7 N	Jackson	A6309	US 50	17'6"
MO 7 N	Jackson	A3672	MO 7	16'9"
MO 7 N	Jackson	L0983	IS 70	15'0"
MO 7 N	Jackson	L0983	IS 70	15'0"
MO 7 S	Jackson	L0983	IS 70	15'0"
MO 7 S	Jackson	L0983	IS 70	15'0"
MO 7 S	Jackson	A3672	MO 7	16'11"
MO 7 S	Jackson	A6309	US 50	17'4"
MO 7 S	Jackson	A6310	US 50	19'9"
MO 7 S	Cass	L0023	BIG CR, MOC RR	13'9"
MO 7 S	Cass	A4153	RT F	17'4"
MO 7 S	Cass	A4151	RT B	16'5"
MO 7 S	Benton	A2965	CST JACKSON ST	29'10"
MO 8 E	St. Francois	A0654	US 67	15'0"
MO 8 E	St. Francois	A0654	US 67	15'9"
MO 8 W	St. Francois	A0654	US 67	15'0"
MO 9 N	Clay	RB02402	MO 9	19'6"
MO 9 N	Clay	A1605	US 169	15'0"
MO 9 N	Clay	A1605	US 169	15'0"
MO 9 N	Clay	A1604	RP US169S TO MO9S	16'8"
MO 9 N	Platte	A2437	IS 635	18'0"
MO 9 N	Platte	A2438	IS 635	16'1"
MO 9 S	Platte	A2433	RP IS635N TO MO9N	20'0"
MO 9 S	Platte	A2436	IS 635	16'6"
MO 9 S	Platte	A2435	IS 635	16'7"
MO 9 S	Platte	A2434	US 69	17'4"
MO 9 S	Platte	A2019	MO 9	15'5"
MO 9 S	Clay	A1606	US 169	16'2"
MO 9 S	Clay	A1606	US 169	16'2"
MO 9 S	Clay	A1607	RP US169N TO MO9N	15'0"
MO 9 S	Clay	RB02402	MO 9	19'6"
MO 10 E	Clay	K0438	MO 10	13'7"
MO 10 E	Ray	A3073	RT T	16'6"
MO 10 E	Ray	A3076	CRD WELLINGTON ST	17'2"
MO 10 E	Ray	A3079	BU 13	17'6"
MO 10 E	Carroll	A2907	US 24	18'0"
MO 10 W	Ray	A3079	BU 13	17'6"
MO 10 W	Ray	A3076	CRD WELLINGTON ST	17'2"
MO 10 W	Ray	A3073	RT T	16'6"

\* = Clearance Not Available

Page 55

Selected County: All Counties

This report is to provide vertical clearance information to the public and to serve as a tool for planning your travel route. Vertical clearances are an approximation and may change due to various maintenance activities. Structures signed at a clearance less than reported above should be obeyed. For official vertical clearances, please contact the Motor Carrier Services Division, Missouri Department of Transportation at 1-800-877-8499.



# Vertical Clearances for Missouri Bridges

May 26, 2010

5:30:59am

Traveled Route	County	Bridge Number	Location Description	Permitted Clearance
MO 10 W	Clay	K0438	MO 10	13'7"
MO 11 N	Linn	K0738	MO 11	14'0"
MO 11 S	Linn	K0738	MO 11	14'0"
MO 12 E	Jackson	A1713	IS 435	15'5"
MO 12 E	Jackson	A1713	IS 435	15'6"
MO 12 E	Jackson	0427001	MO 12	18'0"
MO 12 E	Jackson	CS001	CST BLUE RIDGE BLVD	18'0"
MO 12 E	Jackson	RB04801	MO 12	13'11"
MO 12 W	Jackson	RB04801	MO 12	13'5"
MO 12 W	Jackson	0427001	MO 12	18'0"
MO 12 W	Jackson	CS001	CST BLUE RIDGE BLVD	18'0"
MO 12 W	Jackson	A1713	IS 435	15'6"
MO 12 W	Jackson	A1713	IS 435	15'5"
MO 13 N	Stone	A0585	TABLE ROCK LK	15'8"
MO 13 N	Greene	PO20	PED CHURCH OVERPASS	17'2"
MO 13 N	Greene	RB03902	MO 13	13'11"
MO 13 N	Polk	A6217	MO 83	16'8"
MO 13 N	Polk	A6214	MO 32	15'11"
MO 13 N	Henry	A5389	MO 52	17'6"
MO 13 N	Johnson	A5639	PED CMSU OVERPASS	16'11"
MO 13 N	Lafayette	H0723	MO 13	13'10"
MO 13 N	Lafayette	A6102	US 24	16'7"
MO 13 N	Lafayette	A6101	MO 224	16'11"
MO 13 N	Ray	A3077	MO 10	17'9"
MO 13 N	Caldwell	J0147	MO 13	13'8"
MO 13 N	Caldwell	J0340	LOG CR	17'3"
MO 13 S	Caldwell	J0340	LOG CR	17'3"
MO 13 S	Caldwell	J0147	MO 13	13'8"
MO 13 S	Ray	A3077	MO 10	17'9"
MO 13 S	Lafayette	A6101	MO 224	17'11"
MO 13 S	Lafayette	A6102	US 24	16'11"
MO 13 S	Lafayette	H0723	MO 13	13'10"
MO 13 S	Johnson	A5639	PED CMSU OVERPASS	16'11"
MO 13 S	Henry	A5389	MO 52	17'2"
MO 13 S	Polk	A6214	MO 32	16'7"
MO 13 S	Polk	A6217	MO 83	17'11"
MO 13 S	Greene	RB03902	MO 13	14'0"
MO 13 S	Greene	PO20	PED CHURCH OVERPASS	17'2"
MO 13 S	Stone	A0585	TABLE ROCK LK	15'8"
MO 14 E	Lawrence	RB05501	MO 14	12'8"
MO 14 W	Lawrence	RB05501	MO 14	12'8"
MO 15 N	Audrain	RB00402	MO 15	15'2"
MO 15 N	Audrain	RB00401	MO 15	15'10"

\* = Clearance Not Available

Page 56

Selected County: All Counties

This report is to provide vertical clearance information to the public and to serve as a tool for planning your travel route. Vertical clearances are an approximation and may change due to various maintenance activities. Structures signed at a clearance less than reported above should be obeyed. For official vertical clearances, please contact the Motor Carrier Services Division, Missouri Department of Transportation at 1-800-877-8499.





# Vertical Clearances for Missouri Bridges

May 26, 2010

5:30:59am

Traveled Route	County	Bridge Number	Location Description	Permitted Clearance
MO 15 N	Knox	G0453	N FK FABIVS RVR	15'11"
MO 15 S	Knox	G0453	N FK FABIVS RVR	15'11"
MO 15 S	Audrain	RB00401	MO 15	15'9"
MO 15 S	Audrain	RB00402	MO 15	15'2"
MO 16 E	Lewis	J0359	N FABIVS RVR	15'4"
MO 16 W	Lewis	J0359	N FABIVS RVR	15'4"
MO 17 N	Texas	J0617	BIG CR	16'3"
MO 17 N	Miller	J0719	OSAGE RVR	15'2"
MO 17 N	Miller	H0119	SALINE CR	15'10"
MO 17 S	Miller	H0119	SALINE CR	15'10"
MO 17 S	Miller	J0719	OSAGE RVR	15'2"
MO 17 S	Texas	J0617	BIG CR	16'3"
MO 19 N	Oregon	H0289	BNSF RR, TWO MILE CR	15'4"
MO 19 N	Dent	G0537	GLADDEN CR	16'0"
MO 19 N	Crawford	K0439	MO 19	13'9"
MO 19 N	Montgomery	J0953	MO 19	13'12"
MO 19 S	Montgomery	J0953	MO 19	13'12"
MO 19 S	Crawford	K0439	MO 19	13'9"
MO 19 S	Dent	G0537	GLADDEN CR	16'0"
MO 19 S	Oregon	H0289	BNSF RR, TWO MILE CR	15'4"
MO 21 N	Iron	J0197	MO 72	24'1"
MO 21 N	Jefferson	A6486	RT A	18'11"
MO 21 N	Jefferson	A6486	RT A	18'8"
MO 21 N	Jefferson	A6482	CRD GLADE CHAPEL RD	20'1"
MO 21 N	Jefferson	A6058	CRD OLD HWY 21	39'2"
MO 21 N	Jefferson	A2977	CRD OLD HWY 21	16'10"
MO 21 N	Jefferson	A2943	CRD WEST FOUR RIDGE RD	30'0"
MO 21 N	Jefferson	A3101	CRD ROCK CREEK RD	16'5"
MO 21 N	Jefferson	A3100	CRD OLD HWY 21	17'0"
MO 21 N	Jefferson	A2672	MO 141	16'9"
MO 21 N	Jefferson	K0637	MERAMEC RVR	13'9"
MO 21 S	St. Louis	K0637	MERAMEC RVR	13'9"
MO 21 S	Jefferson	A2672	MO 141	16'8"
MO 21 S	Jefferson	A3100	CRD OLD HWY 21	17'10"
MO 21 S	Jefferson	A3101	CRD ROCK CREEK RD	16'5"
MO 21 S	Jefferson	A2943	CRD WEST FOUR RIDGE RD	30'0"
MO 21 S	Jefferson	A2977	CRD OLD HWY 21	16'7"
MO 21 S	Jefferson	A6058	CRD OLD HWY 21	40'2"
MO 21 S	Jefferson	A6482	CRD GLADE CHAPEL RD	23'1"
MO 21 S	Jefferson	A6486	RT A	18'8"
MO 21 S	Jefferson	A6486	RT A	18'11"
MO 21 S	Iron	J0197	MO 72	24'1"
MO 21 S	Ripley	A2942	MO 21	*

\* = Clearance Not Available

Page 57

Selected County: All Counties

This report is to provide vertical clearance information to the public and to serve as a tool for planning your travel route. Vertical clearances are an approximation and may change due to various maintenance activities. Structures signed at a clearance less than reported above should be obeyed. For official vertical clearances, please contact the Motor Carrier Services Division, Missouri Department of Transportation at 1-800-877-8499.



## Vertical Clearances for Missouri Bridges

May 26, 2010

5:30:59am

Traveled Route	County	Bridge Number	Location Description	Permitted Clearance
MO 23 N	Lafayette	A0110	IS 70	16'7"
MO 23 N	Lafayette	A0110	IS 70	17'0"
MO 23 N	Lafayette	K0620	MO 23	14'9"
MO 23 S	Lafayette	K0620	MO 23	14'9"
MO 23 S	Lafayette	A0110	IS 70	17'0"
MO 23 S	Lafayette	A0110	IS 70	16'7"
MO 25 N	Stoddard	A0985	MO 25	15'1"
MO 25 S	Stoddard	A0985	MO 25	15'2"
MO 27 N	Clark	A6790	US 61	21'0"
MO 27 S	Clark	A6790	US 61	21'0"
MO 28 E	Pulaski	RB08501	MO 28	13'9"
MO 28 W	Pulaski	RB08501	MO 28	13'9"
MO 30 E	St. Louis	K0587	MO 30	13'11"
MO 30 E	St. Louis City	CS003	CST BINGHAM AVE	14'11"
MO 30 E	St. Louis City	RB11501	MO 30	15'6"
MO 30 E	St. Louis City	CS004	CST BINGHAM AVE	17'5"
MO 30 W	St. Louis City	CS004	CST BINGHAM AVE	17'6"
MO 30 W	St. Louis City	RB11501	MO 30	16'0"
MO 30 W	St. Louis City	CS003	CST BINGHAM AVE	14'11"
MO 30 W	St. Louis	K0587	MO 30	13'11"
MO 32 E	Cedar	H0623	CEDAR CR	16'6"
MO 32 E	Polk	K0922	MO 32	13'11"
MO 32 E	Laclede	S0326	OSAGE FK	16'4"
MO 32 E	Laclede	S0327	GASCONADE RVR	16'5"
MO 32 E	Washington	J0987	CEDAR CR	16'2"
MO 32 E	St. Francois	A4774	BU 32	18'4"
MO 32 E	St. Francois	A0614	US 67	15'1"
MO 32 E	St. Francois	A6065	RP MO32W TO US67S	23'2"
MO 32 W	St. Francois	A4774	BU 32	16'11"
MO 32 W	Washington	J0987	CEDAR CR	16'2"
MO 32 W	Laclede	S0327	GASCONADE RVR	16'5"
MO 32 W	Laclede	S0326	OSAGE FK	16'4"
MO 32 W	Polk	K0922	MO 32	13'11"
MO 32 W	Cedar	H0623	CEDAR CR	16'6"
MO 33 N	Clay	A1367	IS 35	21'10"
MO 33 N	Clay	A1367	IS 35	21'10"
MO 33 S	Clay	A1367	IS 35	21'10"
MO 33 S	Clay	A1367	IS 35	21'10"
MO 34 E	Wayne	J0935	BLACK RVR	16'3"
MO 34 E	Cape Girardeau	PO26	PED S ELLIS ST OVERPASS	20'6"
MO 34 W	Cape Girardeau	PO26	PED S ELLIS ST OVERPASS	19'1"
MO 34 W	Wayne	J0935	BLACK RVR	16'3"
MO 37 N	Barry	A1100	MO 37	14'8"

\* = Clearance Not Available

Page 58

Selected County: All Counties

This report is to provide vertical clearance information to the public and to serve as a tool for planning your travel route. Vertical clearances are an approximation and may change due to various maintenance activities. Structures signed at a clearance less than reported above should be obeyed. For official vertical clearances, please contact the Motor Carrier Services Division, Missouri Department of Transportation at 1-800-877-8499.



# Vertical Clearances for Missouri Bridges

May 26, 2010

5:30:59am

Traveled Route	County	Bridge Number	Location Description	Permitted Clearance
MO 37 N	Jasper	A0862	IS 44	15'4"
MO 37 N	Jasper	A0862	IS 44	15'4"
MO 37 S	Jasper	A0862	IS 44	15'4"
MO 37 S	Jasper	A0862	IS 44	15'4"
MO 37 S	Barry	A1100	MO 37	14'8"
MO 39 N	Barry	A0260	TABLE ROCK LK	15'9"
MO 39 N	Barry	K0770	FLAT CR	14'11"
MO 39 S	Barry	K0770	FLAT CR	14'11"
MO 39 S	Barry	A0260	TABLE ROCK LK	15'9"
MO 41 N	Cooper	K0236	LAMINE RVR	16'2"
MO 41 S	Cooper	K0236	LAMINE RVR	16'2"
MO 43 N	Newton	L0858	IS 44	15'10"
MO 43 N	Newton	L0857	IS 44	15'10"
MO 45 N	Platte	A1159	IS 29	15'0"
MO 45 N	Platte	A1159	IS 29	15'4"
MO 45 N	Platte	K0266	PLATTE RVR	16'4"
MO 45 N	Platte	K0754	MO 92	14'2"
MO 45 S	Platte	K0754	MO 92	14'2"
MO 45 S	Platte	K0266	PLATTE RVR	16'4"
MO 45 S	Platte	A1159	IS 29	15'4"
MO 45 S	Platte	A1159	IS 29	15'0"
MO 46 E	Nodaway	S0918	NODAWAY RVR	16'3"
MO 46 W	Nodaway	S0918	NODAWAY RVR	16'3"
MO 47 N	St. Francois	A0653	US 67	15'1"
MO 47 N	St. Francois	A0653	US 67	15'1"
MO 47 N	Franklin	A0498	MO 47	14'0"
MO 47 N	Franklin	PO12	PED ST JOHN MERCY HOSPIT	18'0"
MO 47 N	Franklin	K0969	MISSOURI RVR, UP RR	16'6"
MO 47 S	Warren	K0969	MISSOURI RVR, UP RR	16'6"
MO 47 S	Franklin	PO12	PED ST JOHN MERCY HOSPIT	17'11"
MO 47 S	Franklin	A0498	MO 47	14'0"
MO 47 S	St. Francois	A0653	US 67	15'1"
MO 47 S	St. Francois	A0653	US 67	15'1"
MO 48 E	Andrew	K0084	PLATTE RVR	16'3"
MO 48 W	Andrew	K0084	PLATTE RVR	16'3"
MO 49 N	Wayne	RB11101	MO 49	14'11"
MO 49 N	Iron	RB04703	MO 49	15'2"
MO 49 N	Iron	G0879	BIG CR	16'6"
MO 49 S	Iron	G0879	BIG CR	16'6"
MO 49 S	Iron	RB04703	MO 49	15'2"
MO 49 S	Wayne	RB11101	MO 49	14'11"
MO 51 N	Bollinger	J0103	CASTOR RVR	16'4"
MO 51 N	Perry	L0135	MISSISSIPPI RVR, UP RR	19'8"

\* = Clearance Not Available

Page 59

Selected County: All Counties

This report is to provide vertical clearance information to the public and to serve as a tool for planning your travel route. Vertical clearances are an approximation and may change due to various maintenance activities. Structures signed at a clearance less than reported above should be obeyed. For official vertical clearances, please contact the Motor Carrier Services Division, Missouri Department of Transportation at 1-800-877-8499.



# Vertical Clearances for Missouri Bridges

May 26, 2010  
5:30:59am

Traveled Route	County	Bridge Number	Location Description	Permitted Clearance
MO 51 S	Perry	L0135	MISSISSIPPI RVR, UP RR	19'8"
MO 51 S	Bollinger	J0103	CASTOR RVR	16'4"
MO 52 E	Bates	G0864	MIAMI CR	16'2"
MO 52 E	Bates	RB00701	MO 52	14'2"
MO 52 E	Bates	A1995	US 71	27'0"
MO 52 E	Bates	A1995	US 71	*
MO 52 E	Bates	A1995	US 71	27'0"
MO 52 W	Henry	A0629	MO 7	18'0"
MO 52 W	Bates	RB00701	MO 52	14'2"
MO 52 W	Bates	A1995	US 71	*
MO 52 W	Bates	G0864	MIAMI CR	16'2"
MO 53 N	Dunklin	G0433	ST FRANCIS RVR	14'10"
MO 53 S	Butler	G0433	ST FRANCIS RVR	14'10"
MO 58 E	Cass	A5881	MO 7	27'4"
MO 58 W	Cass	A5881	MO 7	27'4"
MO 59 N	Mcdonald	RO05502	MO 59	13'9"
MO 59 N	Mcdonald	RO05501	MO 59	13'1"
MO 59 N	Mcdonald	RB06001	MO 59	13'11"
MO 59 N	Mcdonald	L0034	MO 59	14'6"
MO 59 N	Mcdonald	A5561	US 71	17'3"
MO 59 N	Mcdonald	A5560	US 71	17'3"
MO 59 S	Jasper	A0630	IS 44	14'11"
MO 59 S	Jasper	A0630	IS 44	14'11"
MO 59 S	Mcdonald	A5560	US 71	17'3"
MO 59 S	Mcdonald	A5561	US 71	17'3"
MO 59 S	Mcdonald	L0034	MO 59	14'6"
MO 59 S	Mcdonald	RB06001	MO 59	13'11"
MO 59 S	Mcdonald	RO05501	MO 59	13'1"
MO 59 S	Mcdonald	RO05502	MO 59	13'9"
MO 74 E	Cape Girardeau	L0279	IS 55	14'5"
MO 74 E	Cape Girardeau	A0513	IS 55	16'0"
MO 76 E	Stone	A5436	MO 465	17'5"
MO 76 E	Taney	F0364	WHITE RVR, OVER BULLSHOA	16'7"
MO 76 W	Taney	F0364	WHITE RVR, OVER BULLSHOA	16'7"
MO 76 W	Stone	A5436	MO 465	17'5"
MO 76 W	Mcdonald	A5814	MO 76	17'2"
MO 77 N	Scott	G0438	NORTH CUT DTCH	16'2"
MO 77 S	Scott	G0438	NORTH CUT DTCH	16'2"
MO 78 E	Jackson	A1698	IS 435	17'1"
MO 78 E	Jackson	A1698	IS 435	17'1"
MO 78 E	Jackson	L0102	CST BLUE RIDGE BLVD	15'9"
MO 78 E	Jackson	A1646	MO 78	14'7"
MO 78 W	Jackson	A1646	MO 78	14'10"

\* = Clearance Not Available

Page 60

Selected County: All Counties

This report is to provide vertical clearance information to the public and to serve as a tool for planning your travel route. Vertical clearances are an approximation and may change due to various maintenance activities. Structures signed at a clearance less than reported above should be obeyed. For official vertical clearances, please contact the Motor Carrier Services Division, Missouri Department of Transportation at 1-800-877-8499.



# Vertical Clearances for Missouri Bridges

May 26, 2010

5:30:59am

Traveled Route	County	Bridge Number	Location Description	Permitted Clearance
MO 78 W	Jackson	L0102	CST BLUE RIDGE BLVD	15'3"
MO 78 W	Jackson	A1698	IS 435	15'6"
MO 78 W	Jackson	A1698	IS 435	15'6"
MO 79 N	St. Charles	A4729	CST SALT RIVER RD	16'2"
MO 79 N	Lincoln	A4171	RT C	19'3"
MO 79 N	Lincoln	K0341	MCLEANS BR	15'10"
MO 79 N	Lincoln	K0340	SANDY CR	15'6"
MO 79 N	Lincoln	K0334	LOST CR	16'1"
MO 79 N	Pike	OH002	MO 79	25'1"
MO 79 N	Pike	OH001	MO 79	26'0"
MO 79 N	Pike	OH005	MO 79	16'10"
MO 79 N	Pike	OH004	MO 79	15'11"
MO 79 N	Ralls	OH003	MO 79	22'10"
MO 79 N	Marion	L0848	CST RESERVOIR ST	23'3"
MO 79 N	Marion	A5475	IS 72	18'3"
MO 79 N	Marion	A5476	IS 72	16'3"
MO 79 S	Marion	L0848	CST RESERVOIR ST	23'3"
MO 79 S	Ralls	OH003	MO 79	22'10"
MO 79 S	Pike	OH004	MO 79	15'11"
MO 79 S	Pike	OH005	MO 79	16'10"
MO 79 S	Pike	OH001	MO 79	26'0"
MO 79 S	Pike	OH002	MO 79	25'1"
MO 79 S	Lincoln	K0334	LOST CR	16'1"
MO 79 S	Lincoln	K0340	SANDY CR	15'6"
MO 79 S	Lincoln	K0341	MCLEANS BR	15'10"
MO 79 S	Lincoln	A4171	RT C	19'3"
MO 79 S	St. Charles	A4729	CST SALT RIVER RD	17'7"
MO 83 N	Benton	A3023	US 65	19'7"
MO 83 S	Benton	A3023	US 65	19'7"
MO 84 E	Dunklin	AW035	MO 84	*
MO 84 W	Dunklin	AW035	MO 84	*
MO 86 E	Newton	L0857	IS 44	16'2"
MO 86 E	Newton	L0858	IS 44	16'2"
MO 86 E	Newton	A5334	US 71	17'4"
MO 86 E	Newton	A5333	US 71	17'4"
MO 86 E	Newton	A4586	MO 86	16'8"
MO 86 E	Taney	A0590	TABLE ROCK LK	15'9"
MO 86 W	Taney	A0590	TABLE ROCK LK	15'9"
MO 86 W	Newton	A4586	MO 86	16'8"
MO 86 W	Newton	A5333	US 71	17'4"
MO 86 W	Newton	A5334	US 71	17'4"
MO 87 N	Miller	A5792	US 54	18'7"
MO 87 N	Miller	A5793	US 54	18'0"

\* = Clearance Not Available

Page 61

Selected County: All Counties

This report is to provide vertical clearance information to the public and to serve as a tool for planning your travel route. Vertical clearances are an approximation and may change due to various maintenance activities. Structures signed at a clearance less than reported above should be obeyed. For official vertical clearances, please contact the Motor Carrier Services Division, Missouri Department of Transportation at 1-800-877-8499.



# Vertical Clearances for Missouri Bridges

May 26, 2010  
5:30:59am

Traveled Route	County	Bridge Number	Location Description	Permitted Clearance
MO 87 S	Miller	A5793	US 54	18'0"
MO 87 S	Miller	A5792	US 54	18'7"
MO 92 E	Platte	K0941	MISSOURI RVR, UP RR	18'0"
MO 92 E	Clay	A1331	IS 35	14'7"
MO 92 E	Clay	A1331	IS 35	14'7"
MO 92 W	Clay	A1331	IS 35	14'7"
MO 92 W	Clay	A1331	IS 35	14'7"
MO 92 W	Platte	K0941	MISSOURI RVR, UP RR	18'0"
MO 94 E	St. Charles	A6210	CRD CENTRAL SCHOOL RD	*
MO 94 E	St. Charles	A7189	CST HARVESTER RD	*
MO 94 E	St. Charles	A5940	CST HERITAGE CROSSING	18'0"
MO 94 E	St. Charles	A6054	RP MO94W TO MO364E	17'10"
MO 94 E	St. Charles	A6055	RP MO364W TO MUEGGE RD	17'10"
MO 94 E	St. Charles	RB09204	MO 94	41'4"
MO 94 E	St. Charles	A4999	MO 370	16'8"
MO 94 E	St. Charles	A5109	MO 370	16'8"
MO 94 E	St. Charles	RB09205	MO 94	12'9"
MO 94 W	St. Charles	RB09205	MO 94	12'9"
MO 94 W	St. Charles	A5109	MO 370	16'10"
MO 94 W	St. Charles	A4999	MO 370	16'8"
MO 94 W	St. Charles	RB09204	MO 94	41'4"
MO 94 W	St. Charles	A6055	RP MO364W TO MUEGGE RD	17'10"
MO 94 W	St. Charles	A6054	RP MO94W TO MO364E	18'0"
MO 94 W	St. Charles	A5940	CST HERITAGE CROSSING	19'5"
MO 94 W	St. Charles	A7189	CST HARVESTER RD	*
MO 94 W	St. Charles	A6210	CRD CENTRAL SCHOOL RD	*
MO 96 E	Jasper	A3228	CRD 162	16'9"
MO 96 E	Jasper	A3559	US 71	16'6"
MO 96 E	Jasper	A3559	US 71	16'6"
MO 96 E	Jasper	L0421	MO 96	13'9"
MO 96 E	Lawrence	A0620	IS 44	15'0"
MO 96 E	Lawrence	A0620	IS 44	15'0"
MO 96 W	Jasper	L0421	MO 96	13'9"
MO 96 W	Jasper	A3559	US 71	16'6"
MO 96 W	Jasper	A3559	US 71	16'6"
MO 96 W	Jasper	A3228	CRD 162	17'7"
MO 100 E	St. Louis	A2738	MO 109	16'10"
MO 100 E	St. Louis	PO28	MO 100	23'6"
MO 100 E	St. Louis	A5818	MO 141	16'7"
MO 100 E	St. Louis	A7100	MO 100	19'11"
MO 100 E	St. Louis City	0100.06	MO 100	16'2"
MO 100 E	St. Louis City	PO25	PED PETCARE OVERPASS	16'3"
MO 100 E	St. Louis City	A3162	IS 55	17'8"

\* = Clearance Not Available

Page 62

Selected County: All Counties

This report is to provide vertical clearance information to the public and to serve as a tool for planning your travel route. Vertical clearances are an approximation and may change due to various maintenance activities. Structures signed at a clearance less than reported above should be obeyed. For official vertical clearances, please contact the Motor Carrier Services Division, Missouri Department of Transportation at 1-800-877-8499.



# Vertical Clearances for Missouri Bridges

May 26, 2010  
5:30:59am

Traveled Route	County	Bridge Number	Location Description	Permitted Clearance
MO 100 E	St. Louis City	L0361	IS 55	18'0"
MO 100 W	St. Louis City	L0361	IS 55	18'0"
MO 100 W	St. Louis City	A3162	IS 55	17'8"
MO 100 W	St. Louis City	PO25	PED PETCARE OVERPASS	16'3"
MO 100 W	St. Louis City	0100.06	MO 100	16'5"
MO 100 W	St. Louis	A7100	MO 100	19'11"
MO 100 W	St. Louis	A5818	MO 141	16'7"
MO 100 W	St. Louis	PO28	MO 100	25'5"
MO 100 W	St. Louis	A2738	MO 109	17'3"
MO 109 N	St. Louis	A4285	IS 44	16'10"
MO 109 N	St. Louis	A4285	IS 44	16'10"
MO 109 S	St. Louis	A4285	IS 44	16'10"
MO 109 S	St. Louis	A4285	IS 44	16'10"
MO 113 N	Nodaway	S0511	NODAWAY RVR	16'0"
MO 113 S	Nodaway	S0511	NODAWAY RVR	16'0"
MO 115 N	St. Louis	A3009	IS 170	17'4"
MO 115 N	St. Louis	A3009	IS 170	17'4"
MO 115 S	St. Louis	A3009	IS 170	16'1"
MO 115 S	St. Louis	A3009	IS 170	17'2"
MO 141 N	St. Louis	A2217	MO 30	15'1"
MO 141 N	St. Louis	A2217	MO 30	15'1"
MO 141 N	St. Louis	A0775	IS 44	16'4"
MO 141 N	St. Louis	A4019	MO 141	16'6"
MO 141 N	St. Louis	A5857	CST CRESCENT AVE	18'10"
MO 141 N	St. Louis	A5856	CST BIG BEND BLVD	17'10"
MO 141 N	St. Louis	A4064	RT HH	17'10"
MO 141 N	St. Louis	A4067	CST OLD WOODS MILL RD	16'9"
MO 141 N	St. Louis	A4350	US 40	16'7"
MO 141 N	St. Louis	A4066	US 40	16'7"
MO 141 N	St. Louis	A4344	RP NO FORTY DR TO US40W	16'7"
MO 141 N	St. Louis	A7808	RT AB	*
MO 141 N	St. Louis	A7809	RT AB	*
MO 141 N	St. Louis	A7815	MO 340	*
MO 141 S	St. Louis	A7815	MO 340	*
MO 141 S	St. Louis	A7808	RT AB	*
MO 141 S	St. Louis	A7809	RT AB	*
MO 141 S	St. Louis	A4344	RP NO FORTY DR TO US40W	16'8"
MO 141 S	St. Louis	A4066	US 40	16'8"
MO 141 S	St. Louis	A4350	US 40	16'8"
MO 141 S	St. Louis	A4067	CST OLD WOODS MILL RD	17'11"
MO 141 S	St. Louis	A4064	RT HH	17'2"
MO 141 S	St. Louis	A5856	CST BIG BEND BLVD	17'4"
MO 141 S	St. Louis	A5857	CST CRESCENT AVE	17'10"

\* = Clearance Not Available

Page 63

Selected County: All Counties

This report is to provide vertical clearance information to the public and to serve as a tool for planning your travel route. Vertical clearances are an approximation and may change due to various maintenance activities. Structures signed at a clearance less than reported above should be obeyed. For official vertical clearances, please contact the Motor Carrier Services Division, Missouri Department of Transportation at 1-800-877-8499.



# Vertical Clearances for Missouri Bridges

May 26, 2010  
5:30:59am

Traveled Route	County	Bridge Number	Location Description	Permitted Clearance
MO 141 S	St. Louis	A4019	MO 141	16'8"
MO 141 S	St. Louis	A0775	IS 44	16'5"
MO 141 S	St. Louis	A2217	MO 30	15'1"
MO 141 S	St. Louis	A2217	MO 30	15'1"
MO 150 E	Jackson	A6681	MO 150	16'4"
MO 150 E	Jackson	A7329	OR 71	*
MO 150 E	Jackson	A7327	US 71	*
MO 150 E	Jackson	A7328	US 71	*
MO 150 E	Jackson	A7330	OR 71	*
MO 150 E	Jackson	A5893	MO 291	17'7"
MO 150 E	Jackson	A5892	MO 291	17'7"
MO 150 W	Jackson	A5892	MO 291	17'7"
MO 150 W	Jackson	A5893	MO 291	17'7"
MO 150 W	Jackson	A7330	OR 71	*
MO 150 W	Jackson	A7328	US 71	*
MO 150 W	Jackson	A7327	US 71	*
MO 150 W	Jackson	A7329	OR 71	*
MO 150 W	Jackson	A6681	MO 150	16'3"
MO 152 E	Platte	A3458	IS 435	20'0"
MO 152 E	Platte	A3342	IS 435	17'2"
MO 152 E	Platte	A4714	CST CHILDRESS AVE	22'8"
MO 152 E	Platte	A6472	CST GREEN HILLS RD	15'10"
MO 152 E	Platte	A3526	CST PLATTE PURCHASE DR	17'4"
MO 152 E	Platte	A4714	CST CHILDRESS AVE	18'2"
MO 152 E	Clay	A3528	US 169	19'10"
MO 152 E	Clay	A3527	US 169	19'10"
MO 152 E	Clay	A3530	CST OAK TRFY	16'7"
MO 152 E	Clay	A3531	CST BARRY RD	18'6"
MO 152 E	Clay	A3373	IS 435	16'6"
MO 152 E	Clay	A3407	IS 435	18'2"
MO 152 W	Clay	A3407	IS 435	18'10"
MO 152 W	Clay	A3373	IS 435	17'10"
MO 152 W	Clay	A3531	CST BARRY RD	19'7"
MO 152 W	Clay	A3530	CST OAK TRFY	18'2"
MO 152 W	Clay	A3527	US 169	17'10"
MO 152 W	Clay	A3528	US 169	17'11"
MO 152 W	Platte	A3526	CST PLATTE PURCHASE DR	17'4"
MO 152 W	Platte	A4714	CST CHILDRESS AVE	18'2"
MO 152 W	Platte	A6472	CST GREEN HILLS RD	17'2"
MO 152 W	Platte	A3342	IS 435	17'7"
MO 152 W	Platte	A3458	IS 435	20'0"
MO 163 N	Boone	PO9	PED MIZZOU COMPLEX OVERP	16'0"
MO 163 N	Boone	PO21	PED SCHOOL CROSSING OVER	16'8"

\* = Clearance Not Available

Page 64

Selected County: All Counties

This report is to provide vertical clearance information to the public and to serve as a tool for planning your travel route. Vertical clearances are an approximation and may change due to various maintenance activities. Structures signed at a clearance less than reported above should be obeyed. For official vertical clearances, please contact the Motor Carrier Services Division, Missouri Department of Transportation at 1-800-877-8499.





## Vertical Clearances for Missouri Bridges

May 26, 2010

5:30:59am

Traveled Route	County	Bridge Number	Location Description	Permitted Clearance
MO 163 S	Boone	PO21	PED SCHOOL CROSSING OVER	16'8"
MO 163 S	Boone	PO9	PED MIZZOU COMPLEX OVERP	16'0"
MO 168 E	Marion	K0073	NORTH RVR	17'11"
MO 168 E	Marion	RB064	MO 168	14'9"
MO 168 W	Marion	RB064	MO 168	14'9"
MO 168 W	Marion	K0073	NORTH RVR	17'11"
MO 171 N	Jasper	A3227	MO 96	17'1"
MO 171 N	Jasper	A3477	CRD OLD 66 BLVD	17'0"
MO 171 N	Jasper	A3471	RT HH	16'11"
MO 171 S	Jasper	A6149	RP MO249N TO MO171S	27'0"
MO 171 S	Jasper	A6165	MO 249	25'6"
MO 171 S	Jasper	A3471	RT HH	18'11"
MO 171 S	Jasper	A3477	CRD OLD 66 BLVD	16'5"
MO 171 S	Jasper	A3227	MO 96	17'1"
MO 174 E	Greene	K0894	MO 174	13'10"
MO 174 W	Greene	K0894	MO 174	13'10"
MO 175 N	Newton	A5226	US 71	17'2"
MO 175 N	Newton	A5227	US 71	17'2"
MO 175 S	Newton	A5227	US 71	17'2"
MO 175 S	Newton	A5226	US 71	17'2"
MO 179 N	Cole	A6741	CST IDLEWOOD RD	44'4"
MO 179 N	Cole	A6135	RT C	16'6"
MO 179 N	Cole	A7816	BU 50	*
MO 179 N	Cole	A4006	US 50	17'6"
MO 179 N	Cole	A4005	US 50	17'1"
MO 179 S	Cole	A4005	US 50	18'4"
MO 179 S	Cole	A4006	US 50	18'8"
MO 179 S	Cole	A7816	BU 50	*
MO 179 S	Cole	A6135	RT C	16'6"
MO 179 S	Cole	A6741	CST IDLEWOOD RD	44'4"
MO 180 E	St. Louis	A3745	RP IS270W TO IS70E	15'3"
MO 180 E	St. Louis	A0180	IS 270	15'2"
MO 180 E	St. Louis	A0180	IS 270	15'7"
MO 180 E	St. Louis	J0845	US 67	14'7"
MO 180 E	St. Louis	A3172	IS 170	16'8"
MO 180 E	St. Louis	A3171	IS 170	19'0"
MO 180 W	St. Louis	A3171	IS 170	18'0"
MO 180 W	St. Louis	A3172	IS 170	17'0"
MO 180 W	St. Louis	J0845	US 67	14'7"
MO 180 W	St. Louis	A0180	IS 270	15'7"
MO 180 W	St. Louis	A0180	IS 270	14'4"
MO 180 W	St. Louis	A3745	RP IS270W TO IS70E	14'9"
MO 190 E	Daviess	RB031	MO 190	14'2"

\* = Clearance Not Available

Page 65

Selected County: All Counties

This report is to provide vertical clearance information to the public and to serve as a tool for planning your travel route. Vertical clearances are an approximation and may change due to various maintenance activities. Structures signed at a clearance less than reported above should be obeyed. For official vertical clearances, please contact the Motor Carrier Services Division, Missouri Department of Transportation at 1-800-877-8499.



## Vertical Clearances for Missouri Bridges

May 26, 2010

5:30:59am

Traveled Route	County	Bridge Number	Location Description	Permitted Clearance
MO 190 W	Daviess	RB031	MO 190	14'2"
MO 210 E	Clay	L0791	IS 29	14'6"
MO 210 E	Clay	A7654	IS 29	*
MO 210 E	Clay	A1944	RP IS435N TO MO210W	15'7"
MO 210 E	Clay	A2004	IS 435	15'4"
MO 210 E	Clay	A1945	IS 435	15'4"
MO 210 E	Jackson	A2506	MO 291	15'8"
MO 210 E	Jackson	A2506	MO 291	15'9"
MO 210 W	Jackson	A2506	MO 291	15'11"
MO 210 W	Jackson	A2506	MO 291	15'9"
MO 210 W	Clay	A1945	IS 435	16'9"
MO 210 W	Clay	A2004	IS 435	16'9"
MO 210 W	Clay	A7654	IS 29	*
MO 210 W	Clay	L0791	IS 29	14'6"
MO 221 N	Iron	RB04702	MO 221	16'4"
MO 221 S	Iron	RB04702	MO 221	16'4"
MO 224 E	Lafayette	J0025	SNI-A-BAR CR	16'4"
MO 224 W	Lafayette	J0025	SNI-A-BAR CR	16'4"
MO 248 E	Barry	J0382	FLAT CR	16'4"
MO 248 E	Stone	RB10403	MO 248	15'0"
MO 248 E	Stone	RB10402	MO 248	22'4"
MO 248 E	Stone	G0447	RAILEY CR	16'0"
MO 248 E	Stone	RB10404	MO 248	14'7"
MO 248 W	Stone	RB10404	MO 248	14'7"
MO 248 W	Stone	G0447	RAILEY CR	16'0"
MO 248 W	Stone	RB10402	MO 248	22'4"
MO 248 W	Stone	RB10403	MO 248	15'0"
MO 248 W	Barry	J0382	FLAT CR	16'4"
MO 249 N	Jasper	A6147	MO 66	16'6"
MO 249 S	Jasper	A6149	RP MO249N TO MO171S	17'6"
MO 249 S	Jasper	A6147	MO 66	16'7"
MO 265 N	Stone	A3770	MO 265	18'0"
MO 265 S	Stone	A3770	MO 265	18'0"
MO 269 N	Clay	A2175	MO 210	16'0"
MO 269 N	Clay	A2176	MO 210	17'0"
MO 269 N	Clay	L0642	IS 35	15'10"
MO 269 N	Clay	L0641	IS 35	16'8"
MO 269 S	Clay	L0641	IS 35	16'8"
MO 269 S	Clay	L0642	IS 35	15'10"
MO 269 S	Clay	A2176	MO 210	16'3"
MO 269 S	Clay	A2175	MO 210	15'2"
MO 283 N	Clay	L0702	IS 29	15'5"
MO 283 N	Clay	L0701	IS 29	15'5"

\* = Clearance Not Available

Page 66

Selected County: All Counties

This report is to provide vertical clearance information to the public and to serve as a tool for planning your travel route. Vertical clearances are an approximation and may change due to various maintenance activities. Structures signed at a clearance less than reported above should be obeyed. For official vertical clearances, please contact the Motor Carrier Services Division, Missouri Department of Transportation at 1-800-877-8499.



# Vertical Clearances for Missouri Bridges

May 26, 2010

5:30:59am

Traveled Route	County	Bridge Number	Location Description	Permitted Clearance
MO 283 S	Clay	L0701	IS 29	15'2"
MO 283 S	Clay	L0702	IS 29	15'2"
MO 291 N	Jackson	A2119	CST COLBERN RD	17'1"
MO 291 N	Jackson	A4845	US 24	17'0"
MO 291 N	Jackson	L0568	MISSOURI RVR	17'9"
MO 291 N	Clay	K0425	MO 291	15'0"
MO 291 S	Clay	K0425	MO 291	15'0"
MO 291 S	Jackson	A4757	MISSOURI RVR	18'0"
MO 291 S	Jackson	A4845	US 24	18'0"
MO 291 S	Jackson	A2119	CST COLBERN RD	16'8"
MO 340 E	St. Louis	A1681	US 40	15'9"
MO 340 E	St. Louis	A1681	US 40	16'5"
MO 340 E	St. Louis	A6724	IS 170	16'6"
MO 340 E	St. Louis	A6723	IS 170	16'6"
MO 340 W	St. Louis	A6723	IS 170	16'6"
MO 340 W	St. Louis	A6724	IS 170	*
MO 340 W	St. Louis	A6723	IS 170	*
MO 340 W	St. Louis	A6724	IS 170	16'6"
MO 340 W	St. Louis	A1681	US 40	16'5"
MO 340 W	St. Louis	A1681	US 40	15'9"
MO 350 E	Jackson	H0153	CST 67TH ST	13'9"
MO 350 E	Jackson	L0126	CST BLUE RIDGE BLVD	15'1"
MO 350 E	Jackson	K0444	MO 350	16'4"
MO 350 E	Jackson	A2445	CST COLBERN RD	16'0"
MO 350 E	Jackson	A7486	IS 470	21'11"
MO 350 E	Jackson	A2444	IS 470	16'3"
MO 350 E	Jackson	A2444	IS 470	16'3"
MO 350 E	Jackson	A7487	IS 470	25'0"
MO 350 W	Jackson	A7486	IS 470	22'4"
MO 350 W	Jackson	A2445	CST COLBERN RD	16'6"
MO 350 W	Jackson	K0444	MO 350	16'4"
MO 350 W	Jackson	L0126	CST BLUE RIDGE BLVD	14'2"
MO 350 W	Jackson	H0153	CST 67TH ST	14'2"
MO 360 E	Greene	A5907	RT MM	16'8"
MO 360 W	Greene	A5907	RT MM	16'10"
MO 364 E	St. Charles	A5941	MO 94	21'5"
MO 364 E	St. Charles	A6015	RP MO94W TO MO364E	22'1"
MO 364 E	St. Charles	A5585	MISSOURI RVR	17'11"
MO 364 E	St. Louis	A6082	CST RIVER VALLEY DR	17'10"
MO 364 E	St. Louis	A5744	CRD SEVEN PINES DR	17'8"
MO 364 E	St. Louis	A5745	CRD AMIOT DR	18'0"
MO 364 E	St. Louis	A5746	CST BENNINGTON PL	17'9"
MO 364 W	St. Louis	A5746	CST BENNINGTON PL	18'0"

\* = Clearance Not Available

Page 67

Selected County: All Counties

This report is to provide vertical clearance information to the public and to serve as a tool for planning your travel route. Vertical clearances are an approximation and may change due to various maintenance activities. Structures signed at a clearance less than reported above should be obeyed. For official vertical clearances, please contact the Motor Carrier Services Division, Missouri Department of Transportation at 1-800-877-8499.



## Vertical Clearances for Missouri Bridges

May 26, 2010

5:30:59am

Traveled Route	County	Bridge Number	Location Description	Permitted Clearance
MO 364 W	St. Louis	A5745	CRD AMIOT DR	18'0"
MO 364 W	St. Louis	A5744	CRD SEVEN PINES DR	18'0"
MO 364 W	St. Louis	A6082	CST RIVER VALLEY DR	17'10"
MO 364 W	St. Louis	A5585	MISSOURI RVR	17'11"
MO 364 W	St. Charles	A6015	RP MO94W TO MO364E	19'1"
MO 364 W	St. Charles	A5941	MO 94	18'0"
MO 366 E	St. Louis	A5412	RP IS44E TO IS270E	18'0"
MO 366 E	St. Louis	A1006	IS 270	15'10"
MO 366 E	St. Louis	RB09603	MO 366	20'0"
MO 366 E	St. Louis City	CS002	CST RIVER DES PERES BLVD	17'0"
MO 366 E	St. Louis City	K0773	MO 366	15'5"
MO 366 W	St. Louis City	K0773	MO 366	15'5"
MO 366 W	St. Louis City	CS002	CST RIVER DES PERES BLVD	17'0"
MO 366 W	St. Louis	RB09603	MO 366	20'0"
MO 367 N	St. Louis	J0847	IS 270	15'0"
MO 367 N	St. Louis	A6910	RP EOR367 TO MO367S	17'2"
MO 367 N	St. Louis	A6909	CST NEW JAMESTOWN RD	16'10"
MO 367 S	St. Louis	A6909	CST NEW JAMESTOWN RD	16'8"
MO 367 S	St. Louis	A6910	RP EOR367 TO MO367S	17'0"
MO 367 S	St. Louis	J0847	IS 270	15'5"
MO 367 S	St. Louis City	A5859	IS 70	14'0"
MO 370 E	St. Charles	A5091	IS 70	17'1"
MO 370 E	St. Charles	A5092	IS 70	18'0"
MO 370 E	St. Charles	A5093	RP MO370W TO IS70E	20'0"
MO 370 E	St. Charles	A5094	OR 70	20'0"
MO 370 E	St. Charles	A5321	CST SPENCER RD	16'10"
MO 370 E	St. Charles	A7566	CST 5TH ST	17'5"
MO 370 E	St. Charles	A4557	MISSOURI RVR, CST MAIN S	18'0"
MO 370 E	St. Louis	A4919	CST MISSOURI BOTTOM RD	16'10"
MO 370 E	St. Louis	A7015	CST WEST ST LOUIS MILLS	*
MO 370 E	St. Louis	A4920	CST EAST ST LOUIS MILLS	16'8"
MO 370 E	St. Louis	A4939	MO 370	16'6"
MO 370 W	St. Louis	A4899	RP MISSOURI BOTTOM RD TO	17'4"
MO 370 W	St. Louis	A4939	MO 370	16'6"
MO 370 W	St. Louis	A4920	CST EAST ST LOUIS MILLS	16'9"
MO 370 W	St. Louis	A7015	CST WEST ST LOUIS MILLS	*
MO 370 W	St. Louis	A4919	CST MISSOURI BOTTOM RD	16'8"
MO 370 W	St. Louis	A4557	MISSOURI RVR, CST MAIN S	18'0"
MO 370 W	St. Charles	A7566	CST 5TH ST	17'1"
MO 370 W	St. Charles	A5321	CST SPENCER RD	17'0"
MO 370 W	St. Charles	A5094	OR 70	20'0"
MO 370 W	St. Charles	A5093	RP MO370W TO IS70E	20'0"
MO 371 N	Buchanan	A2366	MO 752	17'2"

\* = Clearance Not Available

Page 68

Selected County: All Counties

This report is to provide vertical clearance information to the public and to serve as a tool for planning your travel route. Vertical clearances are an approximation and may change due to various maintenance activities. Structures signed at a clearance less than reported above should be obeyed. For official vertical clearances, please contact the Motor Carrier Services Division, Missouri Department of Transportation at 1-800-877-8499.



# Vertical Clearances for Missouri Bridges

May 26, 2010

5:30:59am

Traveled Route	County	Bridge Number	Location Description	Permitted Clearance
MO 371 S	Buchanan	A2366	MO 752	17'2"
MO 413 N	Greene	A4142	MO 360	17'11"
MO 413 N	Greene	A4141	MO 360	17'7"
MO 465 N	Taney	A5431	MO 248	23'6"
MO 465 N	Taney	A5428	CRD VICTOR CHURCH RD	18'7"
MO 465 N	Taney	A5536	US 65	16'6"
MO 465 N	Taney	A5515	US 65	16'6"
MO 465 S	Taney	A5515	US 65	16'6"
MO 465 S	Taney	A5536	US 65	16'6"
MO 465 S	Taney	A5428	CRD VICTOR CHURCH RD	24'1"
MO 465 S	Taney	A5431	MO 248	22'9"
MO 740 E	Boone	A3438	US 63	18'4"
MO 740 E	Boone	A3437	US 63	17'4"
MO 740 W	Boone	A3437	US 63	18'8"
MO 740 W	Boone	A3438	US 63	18'4"
MO 744 E	Greene	A0714	IS 44	25'0"
MO 744 E	Greene	A0715	IS 44	25'0"
MO 744 E	Greene	PO17	PED ELEMENTARY SCHOOL OV	17'2"
MO 744 E	Greene	PO18	PED HOWARD AVE OVERPASS	16'5"
MO 744 W	Greene	PO18	PED HOWARD AVE OVERPASS	16'5"
MO 744 W	Greene	PO17	PED ELEMENTARY SCHOOL OV	17'2"
MO 744 W	Greene	A0715	IS 44	24'10"
MO 744 W	Greene	A0714	IS 44	24'10"
MO 759 N	Buchanan	A3849	RP US36E TO IS229N	18'0"
MO 759 N	Buchanan	A3666	US 36	25'0"
MO 759 N	Buchanan	A3665	US 36	25'0"
MO 759 N	Buchanan	A3850	RP IS229N TO MO759N	16'10"
MO 759 S	Buchanan	A3850	RP IS229N TO MO759N	16'10"
MO 759 S	Buchanan	A3665	US 36	25'0"
MO 759 S	Buchanan	A3666	US 36	25'0"
MO 759 S	Buchanan	A3849	RP US36E TO IS229N	25'0"
MO 763 N	Boone	PO24	PED PLAZA 900 OVERPASS	18'6"
MO 763 N	Boone	PO10	PED COLLEGE OVERPASS	16'2"
MO 763 N	Boone	L0284	IS 70	15'2"
MO 763 N	Boone	L0284	IS 70	15'2"
MO 763 N	Boone	A4034	US 63	17'2"
MO 763 N	Boone	A4035	US 63	17'8"
MO 763 S	Boone	L0284	IS 70	16'2"
MO 763 S	Boone	L0284	IS 70	16'2"
MO 763 S	Boone	PO10	PED COLLEGE OVERPASS	16'2"
MO 763 S	Boone	PO24	PED PLAZA 900 OVERPASS	17'11"
MO 765 N	Pettis	A1040	US 65	19'7"
MO 765 S	Pettis	A1040	US 65	19'7"

\* = Clearance Not Available

Page 69

Selected County: All Counties

This report is to provide vertical clearance information to the public and to serve as a tool for planning your travel route. Vertical clearances are an approximation and may change due to various maintenance activities. Structures signed at a clearance less than reported above should be obeyed. For official vertical clearances, please contact the Motor Carrier Services Division, Missouri Department of Transportation at 1-800-877-8499.



## Vertical Clearances for Missouri Bridges

May 26, 2010

5:30:59am

Traveled Route	County	Bridge Number	Location Description	Permitted Clearance
MO 799 N	St. Louis City	L0815	IS 70	14'0"
MO 799 N	St. Louis City	L0815	IS 70	14'0"
MO 799 N	St. Louis City	A4856	MISSISSIPPI RVR, CST S L	17'7"
MO 799 S	St. Louis City	A4856	MISSISSIPPI RVR, CST S L	17'7"
MO 799 S	St. Louis City	L0815	IS 70	14'0"
MO 799 S	St. Louis City	L0815	IS 70	14'0"
RT B E	Butler	A3679	BU 60	16'9"
RT B E	Pike	A5350	US 61	17'11"
RT B E	Pike	A5344	US 61	17'2"
RT K E	Vernon	A1775	US 71	15'0"
RT K E	Vernon	A1775	US 71	15'0"
RT O E	Franklin	L0866	IS 44	15'4"
RT O E	Franklin	L0866	IS 44	15'4"
RT M E	Jefferson	A5530	MO 21	20'0"
RT M E	Jefferson	A5529	MO 21	18'6"
RT V E	Newton	A5219	US 71	16'8"
RT V E	Newton	A5218	US 71	16'8"
RT D E	Clay	RB02401	RT D	14'7"
RT M E	Jefferson	A5503	CRD OLD HWY 21	20'0"
RT W E	Laclede	RB05301	RT W	14'6"
RT D E	Platte	A2282	IS 29	15'5"
RT D E	Platte	A2282	IS 29	15'5"
RT D E	Platte	A2281	RP IS29N TO RTDW	25'0"
RT D E	St. Louis	A3547	CST MARINE AVE	17'2"
RT H E	Clay	K0567	RT H	14'4"
RT H E	Clay	RB02403	RT H	24'10"
RT D E	Ray	A1067	RT D	13'7"
RT D E	Newton	RB07304	RT D	13'8"
RT O E	St. Francois	A2538	US 67	23'2"
RT O E	St. Francois	L0666	US 67	20'5"
RT D E	Platte	A3441	RP IS435N TO RTDW	17'1"
RT D E	Greene	A6178	US 65	17'3"
RT D E	Greene	A6178	US 65	17'3"
RT Y E	Stoddard	PO27	PED Factory Overpass	18'1"
RT D E	Jasper	T0425	CENTER CR	15'0"
RT C E	Scotland	T0074	S WYACONDA RVR	13'9"
RT B E	St. Louis	A5214	RP IS70W TO RTB	17'5"
RT B E	St. Louis	A6108	IS 70	16'11"
RT T E	Franklin	A6880	RT T	16'9"
RT W E	Jackson	A2353	CST GRANDVIEW RD	15'1"
RT A E	St. Charles	A4237	IS 70	18'0"
RT A E	St. Charles	A4236	IS 70	18'0"
RT W E	Jackson	L0842	US 71	16'10"

\* = Clearance Not Available

Page 70

Selected County: All Counties

This report is to provide vertical clearance information to the public and to serve as a tool for planning your travel route. Vertical clearances are an approximation and may change due to various maintenance activities. Structures signed at a clearance less than reported above should be obeyed. For official vertical clearances, please contact the Motor Carrier Services Division, Missouri Department of Transportation at 1-800-877-8499.



# Vertical Clearances for Missouri Bridges

May 26, 2010

5:30:59am

Traveled Route	County	Bridge Number	Location Description	Permitted Clearance
RT W E	Jackson	L0842	US 71	16'10"
RT D E	Vernon	RB108	RT D	11'0"
RT K E	Newton	RB07303	RT K	10'10"
RT U E	Scott	A0913	IS 55	19'10"
RT U E	Scott	A0913	IS 55	19'10"
RT Z E	Jefferson	T0713	RT Z	14'1"
RT Z E	Jefferson	A0951	IS 55	14'5"
RT Z E	Jefferson	A0951	IS 55	14'3"
RT D E	St. Louis	A3176	IS 170	16'4"
RT T E	Andrew	A1292	IS 29	14'11"
RT T E	Andrew	A1292	IS 29	14'8"
RT H E	McDonald	A6377	US 71	25'0"
RT H E	McDonald	A6376	US 71	25'0"
RT M E	Jefferson	A0512	IS 55	15'3"
RT M E	Jefferson	A7825	IS 55	*
RT M E	Jefferson	A0512	IS 55	15'3"
RT M E	Jefferson	A7824	IS 55	*
RT M E	Jefferson	RB05002	RT M	20'4"
RT T E	Andrew	A3194	US 59	16'6"
RT T E	Andrew	A3193	US 59	16'6"
RT M E	Butler	A5523	US 67	20'8"
RT M E	Butler	A5522	US 67	18'8"
RT M E	Carroll	RB01701	RT M	14'7"
RT T E	Polk	A6215	MO 13	16'6"
RT T E	Polk	A6216	MO 13	16'6"
RT B E	McDonald	A5568	US 71	16'7"
RT B E	McDonald	A5567	US 71	16'7"
RT C E	Madison	J0521	ST FRANCOIS RVR	14'4"
RT J E	Macon	X0943	CHARITON RVR	16'1"
RT N E	Polk	A7006	MO 13	19'5"
RT N E	Polk	A7005	MO 13	17'11"
RT B E	Linn	X0480	LOCUST CR	18'1"
RT D E	Jasper	A3551	US 71	23'7"
RT D E	Jasper	A3552	US 71	25'0"
RT E E	Madison	T0071	ST FRANCOIS RVR	15'11"
RT E E	Madison	A5699	US 67	19'5"
RT E E	Madison	A5698	US 67	19'5"
RT J N	Boone	A4444	IS 70	16'11"
RT J N	Boone	A4449	IS 70	15'0"
RT B N	Henry	A4207	MO 7	15'11"
RT C N	Platte	A3281	IS 435	18'0"
RT J N	Callaway	A3449	US 54	17'0"
RT B N	Henry	A4195	MO 7	16'0"

\* = Clearance Not Available

Page 71

Selected County: All Counties

This report is to provide vertical clearance information to the public and to serve as a tool for planning your travel route. Vertical clearances are an approximation and may change due to various maintenance activities. Structures signed at a clearance less than reported above should be obeyed. For official vertical clearances, please contact the Motor Carrier Services Division, Missouri Department of Transportation at 1-800-877-8499.



# Vertical Clearances for Missouri Bridges

May 26, 2010

5:30:59am

Traveled Route	County	Bridge Number	Location Description	Permitted Clearance
RT C N	Platte	A3282	IS 435	16'3"
RT J N	Callaway	A3450	US 54	16'8"
RT W N	Butler	A3717	US 60	16'2"
RT W N	Butler	A3716	US 60	16'2"
RT V N	Cooper	W0304	PETITE SALINE CR	14'1"
RT O N	Ray	RB089	RT O	15'7"
RT N N	St. Louis	RB09607	RT	18'0"
RT E N	Holt	A1770	IS 29	17'8"
RT E N	Holt	A1770	IS 29	17'8"
RT N N	St. Louis	A6153	IS 70	18'0"
RT N N	St. Louis	A6154	IS 70	18'0"
RT N N	St. Louis	A6155	RP BERMUDA RD TO IS70W	18'0"
RT H N	Jackson	Y0148	SNI-A-BAR CR	14'1"
RT O N	Jasper	T0426	SPRING RVR	15'1"
RT K N	Platte	A3481	MO 152	16'11"
RT K N	Platte	A3482	MO 152	22'5"
RT B N	Boone	A4087	US 63	17'8"
RT B N	Boone	A4086	US 63	17'8"
RT N N	St. Louis	K0616	RT N	13'8"
RT J N	Ray	A6025	MO 13	16'3"
RT J N	Ray	A6026	MO 13	17'0"
RT E N	Marion	Z0586	RT E	13'1"
RT B N	Lewis	J0982	WYACONDA RVR	16'5"
RT D N	Cole	P0969	MOREAU RVR	14'10"
RT V N	Jackson	L0241	RT V	13'8"
RT E N	Washington	RB110	RT E	13'4"
RT N N	St. Louis	L0745	IS 270	15'2"
RT N N	St. Louis	L0745	IS 270	15'2"
RT D N	Franklin	A7278	MO 185	18'6"
RT O N	Ste. Genevieve	A2271	IS 55	14'7"
RT O N	Ste. Genevieve	A2271	IS 55	14'7"
RT M N	Cooper	G0366	LAMINE RVR	15'1"
RT K N	St. Charles	L0710	IS 70	16'5"
RT Z N	St. Charles	A4320	IS 70	19'10"
RT Z N	St. Charles	A4323	IS 70	17'8"
RT E N	Knox	N0456	S FABIUS RVR	14'6"
RT H N	St. Louis City	A1024	IS 270	16'1"
RT H N	St. Louis City	A1025	IS 270	14'8"
RT H N	St. Louis City	A1025	IS 270	14'9"
RT J N	Camden	0620022	NIANGUA RVR	14'10"
RT U N	Livingston	A6798	CLEAR CR, UP RR, TRIB OF	21'0"
RT K N	Dallas	X0195	NIANGUA RVR	14'10"
RT H N	Lawrence	A0978	IS 44	15'4"

\* = Clearance Not Available

Page 72

Selected County: All Counties

This report is to provide vertical clearance information to the public and to serve as a tool for planning your travel route. Vertical clearances are an approximation and may change due to various maintenance activities. Structures signed at a clearance less than reported above should be obeyed. For official vertical clearances, please contact the Motor Carrier Services Division, Missouri Department of Transportation at 1-800-877-8499.





# Vertical Clearances for Missouri Bridges

May 26, 2010  
5:30:59am

Traveled Route	County	Bridge Number	Location Description	Permitted Clearance
RT H N	Lawrence	A0978	IS 44	15'4"
RT C N	Macon	A5512	US 36	15'10"
RT C N	Macon	A5513	US 36	15'3"
RT D N	Jackson	A5987	MO 150	17'6"
RT D N	Jackson	A5988	MO 150	17'1"
RT B S	Clark	K091800	DES MOINES RVR	13'10"
RT A S	Platte	A1687	RP IS29N TO IS635S	16'1"
RT N S	St. Louis	L0745	IS 270	15'2"
RT H S	St. Louis City	A1025	IS 270	14'9"
RT N S	St. Louis	L0745	IS 270	15'2"
RT H S	Lawrence	A0978	IS 44	15'4"
RT K S	Platte	A3482	MO 152	21'2"
RT Z S	St. Charles	A4323	IS 70	17'8"
RT H S	St. Louis City	A1024	IS 270	16'9"
RT C S	Macon	A5513	US 36	15'3"
RT Z S	St. Charles	A4320	IS 70	19'10"
RT D S	Jackson	A5988	MO 150	17'1"
RT H S	Lawrence	A0978	IS 44	15'4"
RT K S	Platte	A3481	MO 152	16'11"
RT C S	Macon	A5512	US 36	15'10"
RT D S	Jackson	A5987	MO 150	17'6"
RT K S	St. Charles	L0710	IS 70	16'5"
RT O S	Ste. Genevieve	A2271	IS 55	14'7"
RT O S	Ste. Genevieve	A2271	IS 55	14'7"
RT D S	Franklin	A7278	MO 185	18'6"
RT V S	Jackson	L0241	RT V	13'8"
RT U S	Livingston	A6798	CLEAR CR, UP RR, TRIB OF	21'0"
RT V S	Cooper	W0304	PETITE SALINE CR	14'1"
RT V S	Cooper	W0304	PETITE SALINE CR	14'1"
RT N S	St. Louis	K0616	RT N	13'8"
RT M S	Cooper	G0366	LAMINE RVR	15'1"
RT E S	Holt	A1770	IS 29	17'8"
RT E S	Holt	A1770	IS 29	17'8"
RT J S	Camden	0620022	NIANGUA RVR	14'10"
RT N S	St. Louis	A6155	RP BERMUDA RD TO IS70W	17'10"
RT N S	St. Louis	A6154	IS 70	18'0"
RT N S	St. Louis	A6153	IS 70	18'0"
RT E S	Marion	Z0586	RT E	13'1"
RT N S	St. Louis	RB09607	RT	16'8"
RT C S	Platte	A3282	IS 435	16'8"
RT C S	Platte	A3281	IS 435	18'0"
RT J S	Ray	A6026	MO 13	17'0"
RT J S	Ray	A6025	MO 13	16'3"

\* = Clearance Not Available

Page 73

Selected County: All Counties

This report is to provide vertical clearance information to the public and to serve as a tool for planning your travel route. Vertical clearances are an approximation and may change due to various maintenance activities. Structures signed at a clearance less than reported above should be obeyed. For official vertical clearances, please contact the Motor Carrier Services Division, Missouri Department of Transportation at 1-800-877-8499.



# Vertical Clearances for Missouri Bridges

May 26, 2010

5:30:59am

Traveled Route	County	Bridge Number	Location Description	Permitted Clearance
RT K S	Dallas	X0195	NIANGUA RVR	14'10"
RT H S	Jackson	Y0148	SNI-A-BAR CR	14'1"
RT E S	Washington	RB110	RT E	13'4"
RT B S	Lewis	J0982	WYACONDA RVR	16'5"
RT O S	Jasper	T0426	SPRING RVR	15'1"
RT D S	Cole	P0969	MOREAU RVR	14'10"
RT B S	Boone	A4086	US 63	17'8"
RT B S	Boone	A4087	US 63	17'8"
RT O S	Ray	RB089	RT O	15'7"
RT B S	Henry	A4195	MO 7	16'0"
RT B S	Henry	A4207	MO 7	15'11"
RT B S	Lewis	A3427	US 61	18'10"
RT B S	Lewis	A3426	US 61	16'3"
RT E S	Knox	N0456	S FABIUS RVR	14'6"
RT J S	Boone	A4449	IS 70	15'0"
RT J S	Boone	A4444	IS 70	16'11"
RT W S	Butler	A3716	US 60	16'2"
RT W S	Butler	A3717	US 60	16'2"
RT O S	Saline	A2875	MO 41	25'0"
RT J S	Callaway	A3450	US 54	16'8"
RT J S	Callaway	A3449	US 54	17'0"
RT D W	Platte	A3441	RP IS435N TO RTDW	16'6"
RT B W	St. Louis	A6108	IS 70	16'11"
RT N W	Polk	A7005	MO 13	17'11"
RT M W	Butler	A5522	US 67	18'8"
RT A W	St. Charles	A4236	IS 70	18'0"
RT E W	Madison	A5698	US 67	19'5"
RT A W	St. Charles	A4237	IS 70	18'0"
RT B W	St. Louis	A5214	RP IS70W TO RTB	17'5"
RT M W	Butler	A5523	US 67	20'8"
RT N W	Polk	A7006	MO 13	19'5"
RT E W	Madison	A5699	US 67	19'5"
RT T W	Polk	A6215	MO 13	16'6"
RT T W	Polk	A6216	MO 13	16'6"
RT B W	Mcdonald	A5567	US 71	16'7"
RT Z W	Jefferson	A0951	IS 55	14'3"
RT U W	Scott	A0913	IS 55	19'10"
RT B W	Mcdonald	A5568	US 71	16'7"
RT Z W	Jefferson	A0951	IS 55	15'3"
RT U W	Scott	A0913	IS 55	19'10"
RT M W	Jefferson	RB05002	RT M	20'4"
RT W W	Jackson	L0842	US 71	15'3"
RT W W	Jackson	L0842	US 71	15'3"

\* = Clearance Not Available

Page 74

Selected County: All Counties

This report is to provide vertical clearance information to the public and to serve as a tool for planning your travel route. Vertical clearances are an approximation and may change due to various maintenance activities. Structures signed at a clearance less than reported above should be obeyed. For official vertical clearances, please contact the Motor Carrier Services Division, Missouri Department of Transportation at 1-800-877-8499.



# Vertical Clearances for Missouri Bridges

May 26, 2010

5:30:59am

Traveled Route	County	Bridge Number	Location Description	Permitted Clearance
RT M W	Jefferson	A0512	IS 55	15'7"
RT M W	Jefferson	A7824	IS 55	*
RT M W	Jefferson	A0512	IS 55	15'7"
RT M W	Jefferson	A7825	IS 55	*
RT H W	McDonald	A6376	US 71	25'0"
RT H W	McDonald	A6377	US 71	25'0"
RT Z W	Jefferson	T0713	RT Z	14'1"
RT D W	Platte	A2281	RP IS29N TO RTDW	25'0"
RT D W	Platte	A2282	IS 29	15'5"
RT D W	Platte	A2282	IS 29	15'5"
RT W W	Jackson	A2353	CST GRANDVIEW RD	16'1"
RT B W	Linn	X0480	LOCUST CR	18'1"
RT C W	Scotland	T0074	S WYACONDA RVR	13'9"
RT K W	Newton	RB07303	RT K	10'10"
RT T W	Andrew	A3193	US 59	16'6"
RT T W	Andrew	A3194	US 59	16'6"
RT O W	St. Francois	L0666	US 67	20'5"
RT O W	St. Francois	A2538	US 67	23'2"
RT K W	Scott	A1021	IS 55	19'10"
RT T W	Andrew	A1292	IS 29	14'8"
RT T W	Andrew	A1292	IS 29	14'11"
RT B W	Pike	A5344	US 61	17'2"
RT B W	Pike	A5350	US 61	17'11"
RT V W	Newton	A5218	US 71	16'8"
RT V W	Newton	A5219	US 71	16'8"
RT M W	Jefferson	A5503	CRD OLD HWY 21	20'0"
RT M W	Jefferson	A5529	MO 21	16'6"
RT M W	Jefferson	A5530	MO 21	18'9"
RT E W	Madison	T0071	ST FRANCOIS RVR	15'11"
RT W W	Laclede	RB05301	RT W	14'6"
RT D W	St. Louis	A3176	IS 170	16'4"
RT D W	Vernon	RB108	RT D	11'0"
RT D W	Ray	A1067	RT D	13'7"
RT D W	Clay	RB02401	RT D	14'7"
RT D W	Greene	A6178	US 65	17'3"
RT J W	Macon	X0943	CHARITON RVR	16'1"
RT T W	Franklin	A6880	RT T	16'6"
RT O W	Franklin	L0866	IS 44	15'4"
RT O W	Franklin	L0866	IS 44	15'4"
RT H W	Clay	RB02403	RT H	18'0"
RT H W	Clay	K0567	RT H	14'4"
RT D W	Jasper	T0425	CENTER CR	15'0"
RT D W	Newton	RB07304	RT D	13'9"

\* = Clearance Not Available

Page 75

Selected County: All Counties

This report is to provide vertical clearance information to the public and to serve as a tool for planning your travel route. Vertical clearances are an approximation and may change due to various maintenance activities. Structures signed at a clearance less than reported above should be obeyed. For official vertical clearances, please contact the Motor Carrier Services Division, Missouri Department of Transportation at 1-800-877-8499.



# Vertical Clearances for Missouri Bridges

May 26, 2010

5:30:59am

Traveled Route	County	Bridge Number	Location Description	Permitted Clearance
RT D W	St. Louis	A3547	CST MARINE AVE	16'2"
RT K W	Vernon	A1775	US 71	15'0"
RT K W	Vernon	A1775	US 71	15'0"
RT C W	Madison	J0521	ST FRANCOIS RVR	14'4"
RT M W	Carroll	RB01701	RT M	14'7"
RT Y W	Stoddard	PO27	PED Factory Overpass	18'1"
RT MM E	Warren	RB109	RT MM	24'10"
RT NN E	Mcdonald	A5811	US 71	27'0"
RT NN E	Mcdonald	A5810	US 71	27'0"
RT DD E	Stoddard	P0056	SPRING CR	16'4"
RT AB E	St. Louis	A1051	IS 270	14'10"
RT AB E	St. Louis	A1051	IS 270	14'10"
RT FF E	Callaway	L0141	RT FF	13'0"
RT WW E	Franklin	A7278	MO 185	16'6"
RT BB E	Iron	RB04701	RT BB	36'8"
RT PP E	Webster	A2627	US 60	26'0"
RT PP E	Webster	A2627	US 60	26'0"
RT MM E	Camden	A5676	BU 54	24'3"
RT MM E	Camden	TOLLB	RT MM	16'4"
RT EE E	Mcdonald	H0792	INDIAN CR	16'6"
RT NN E	Nodaway	P0981	PLATTE RVR	16'2"
RT PP E	Butler	A5525	US 67	16'5"
RT PP E	Butler	A5524	US 67	18'10"
RT FF N	Webster	RB11201	RT FF	13'9"
RT MM N	Daviess	A2207	MO 6	30'1"
RT AA N	Platte	L0690	IS 29	15'5"
RT BB N	Jefferson	A6487	MO 21	28'10"
RT BB N	Jefferson	A6488	MO 21	27'2"
RT JJ N	St. Louis	A4581	RP IS270E TO IS64E	17'1"
RT JJ N	St. Louis	A4580	IS 64	16'5"
RT JJ N	St. Louis	A4580	IS 64	16'5"
RT DD N	Andrew	A1294	IS 29	24'10"
RT DD N	Andrew	A1294	IS 29	28'1"
RT MM N	Franklin	RB03601	RT MM	29'10"
RT AC N	St. Louis	A0223	IS 270	14'0"
RT AC N	St. Louis	A0223	IS 270	14'0"
RT CC N	Newton	RB07302	RT CC	9'7"
RT JJ N	Ray	RB01702	RT JJ	15'3"
RT AA S	Platte	L0690	IS 29	15'5"
RT JJ S	St. Louis	A4580	IS 64	17'2"
RT JJ S	St. Louis	A4580	IS 64	17'2"
RT JJ S	St. Louis	A4581	RP IS270E TO IS64E	17'7"
RT CC S	Newton	RB07302	RT CC	9'7"

\* = Clearance Not Available

Page 76

Selected County: All Counties

This report is to provide vertical clearance information to the public and to serve as a tool for planning your travel route. Vertical clearances are an approximation and may change due to various maintenance activities. Structures signed at a clearance less than reported above should be obeyed. For official vertical clearances, please contact the Motor Carrier Services Division, Missouri Department of Transportation at 1-800-877-8499.



# Vertical Clearances for Missouri Bridges

May 26, 2010

5:30:59am

Traveled Route	County	Bridge Number	Location Description	Permitted Clearance
RT MM S	Franklin	RB03601	RT MM	29'10"
RT MM S	Daviess	A2207	MO 6	30'1"
RT FF S	Shelby	A7451	US 36	17'1"
RT OO S	Franklin	A6907	IS 44	17'5"
RT OO S	Franklin	A6906	IS 44	17'5"
RT DD S	Andrew	A1294	IS 29	28'1"
RT DD S	Andrew	A1294	IS 29	24'10"
RT JJ S	Ray	RB01702	RT JJ	15'3"
RT AC S	St. Louis	A0223	IS 270	15'0"
RT AC S	St. Louis	A0223	IS 270	15'0"
RT FF S	Webster	RB11201	RT FF	13'9"
RT BB S	Jefferson	A6488	MO 21	27'2"
RT BB S	Jefferson	A6487	MO 21	28'10"
RT AB W	St. Louis	A1051	IS 270	14'10"
RT AB W	St. Louis	A1051	IS 270	14'10"
RT BB W	Iron	RB04701	RT BB	36'8"
RT FF W	Callaway	L0141	RT FF	13'0"
RT MM W	Camden	TOLLB	RT MM	16'4"
RT MM W	Camden	A5676	BU 54	24'3"
RT WW W	Franklin	A7278	MO 185	16'6"
RT PP W	Webster	A2627	US 60	26'0"
RT PP W	Webster	A2627	US 60	26'0"
RT NN W	Nodaway	P0981	PLATTE RVR	16'2"
RT MM W	Warren	RB109	RT MM	24'10"
RT PP W	Butler	A5524	US 67	18'10"
RT PP W	Butler	A5525	US 67	16'5"
RT DD W	Stoddard	P0056	SPRING CR	16'4"
RT NN W	McDonald	A5810	US 71	27'0"
RT NN W	McDonald	A5811	US 71	27'0"
RT EE W	McDonald	H0792	INDIAN CR	16'6"
LP 29 N	Buchanan	A5718	US 36	15'10"
LP 29 N	Buchanan	A5719	US 36	17'10"
LP 29 S	Buchanan	L0320	US 36	21'9"
LP 44 E	Greene	A1344	LP 44	15'7"
LP 44 E	Greene	RB442	LP 44	14'9"
LP 44 E	Greene	A0335	LP 44	14'4"
LP 44 W	St. Louis	A6241	IS 44	15'11"
LP 44 W	St. Louis	A6240	IS 44	15'11"
LP 44 W	Greene	A0335	LP 44	14'4"
LP 44 W	Greene	RB442	LP 44	14'9"
LP 44 W	Greene	A1344	LP 44	15'8"
LP 70 E	Boone	L0845	IS 70	14'6"
LP 70 E	Boone	RB01001	LP 70	15'6"

\* = Clearance Not Available

Page 77

Selected County: All Counties

This report is to provide vertical clearance information to the public and to serve as a tool for planning your travel route. Vertical clearances are an approximation and may change due to various maintenance activities. Structures signed at a clearance less than reported above should be obeyed. For official vertical clearances, please contact the Motor Carrier Services Division, Missouri Department of Transportation at 1-800-877-8499.



# Vertical Clearances for Missouri Bridges

May 26, 2010  
5:30:59am

Traveled Route	County	Bridge Number	Location Description	Permitted Clearance
LP 70 E	Boone	A0087	RT B	14'0"
LP 70 E	Boone	PO22	PED PARIS RD OVERPASS	14'4"
LP 70 E	St. Charles	A3583	IS 70	15'2"
LP 70 E	St. Charles	A3582	IS 70	14'9"
LP 70 W	St. Charles	A3582	IS 70	14'9"
LP 70 W	St. Charles	A3583	IS 70	15'2"
LP 70 W	Boone	PO22	PED PARIS RD OVERPASS	14'4"
LP 70 W	Boone	A0087	RT B	14'0"
LP 70 W	Boone	RB01001	LP 70	15'6"
LP 70 W	Boone	L0845	IS 70	14'6"
BU 10 E	Ray	L0397	BU 10	15'7"
BU 10 W	Ray	L0397	BU 10	15'7"
BU 36 E	Livingston	G0607	BU 36	14'3"
BU 36 W	Livingston	G0607	BU 36	14'3"
BU 50 E	Cole	A1305	US 54	15'4"
BU 50 E	Cole	A1305	US 54	15'4"
BU 50 E	Cole	PO11	PED ST. MARY'S HEALTH CE	16'4"
BU 50 W	Cole	PO11	PED ST. MARY'S HEALTH CE	16'4"
BU 50 W	Cole	A1305	US 54	16'5"
BU 50 W	Cole	A1305	US 54	16'5"
BU 54 E	Miller	L1003	BAGNELL DAM	14'11"
BU 54 E	Audrain	A0941	BU 54	18'1"
BU 54 E	Audrain	A0940	BU 54	14'11"
BU 54 E	Audrain	J0787	BU 54	14'7"
BU 54 E	Miller	A2750	US 54	16'6"
BU 54 E	Miller	A2749	US 54	16'6"
BU 54 W	Callaway	A2110	US 54	15'0"
BU 54 W	Miller	L1003	BAGNELL DAM	14'11"
BU 54 W	Audrain	J0787	BU 54	14'7"
BU 54 W	Audrain	A0940	BU 54	14'11"
BU 54 W	Audrain	A0941	BU 54	18'1"
BU 60 E	Howell	A6226	US 60	17'7"
BU 60 E	Howell	A6227	US 60	17'6"
BU 60 E	Texas	A2644	US 60	*
BU 60 E	Texas	A2644	US 60	18'7"
BU 60 E	Texas	A3739	US 60	*
BU 60 E	Texas	A3739	US 60	19'7"
BU 60 E	Newton	A3955	MO 59	16'8"
BU 60 W	Howell	A6227	US 60	17'6"
BU 60 W	Howell	A6226	US 60	17'7"
BU 61 N	Pike	A3483	US 54	17'2"
BU 61 S	Pike	A3483	US 54	17'2"
BU 63 N	Howell	A5533	US 63	16'7"

\* = Clearance Not Available

Page 78

Selected County: All Counties

This report is to provide vertical clearance information to the public and to serve as a tool for planning your travel route. Vertical clearances are an approximation and may change due to various maintenance activities. Structures signed at a clearance less than reported above should be obeyed. For official vertical clearances, please contact the Motor Carrier Services Division, Missouri Department of Transportation at 1-800-877-8499.



# Vertical Clearances for Missouri Bridges

May 26, 2010  
5:30:59am

Traveled Route	County	Bridge Number	Location Description	Permitted Clearance
BU 63 N	Randolph	L0325	BU 63	14'5"
BU 63 S	Howell	A5533	US 63	16'7"
BU 63 S	Randolph	L0325	BU 63	13'10"
BU 65 N	Greene	A1651	US 65	15'1"
BU 65 N	Greene	A1651	US 65	15'1"
BU 65 S	Greene	A1651	US 65	15'4"
BU 65 S	Greene	A1651	US 65	15'4"
BU 65 S	Taney	A6927	US 65	17'10"
BU 65 S	Taney	A6926	US 65	17'7"
BU 71 N	Vernon	A1692	US 71	15'4"
BU 71 N	Bates	A1992	US 71	24'9"
BU 71 N	Newton	L0859	IS 44	14'5"
BU 71 N	Newton	L0859	IS 44	14'5"
BU 71 S	Bates	A1992	US 71	24'9"
BU 71 S	Bates	A1992	US 71	24'9"
BU 71 S	Newton	L0859	IS 44	14'5"
BU 71 S	Newton	L0859	IS 44	14'5"
SP 61 N	Jefferson	A0946	IS 55	15'0"
SP 61 N	Jefferson	A0946	IS 55	15'0"
SP 61 S	Jefferson	A0946	IS 55	15'0"
SP 61 S	Jefferson	A0946	IS 55	15'0"
SP 69 N	Harrison	A2827	IS 35	23'5"
SP 69 N	Harrison	A0697	IS 35	23'5"
SP 69 S	Harrison	A0697	IS 35	23'5"
SP 69 S	Harrison	A2827	IS 35	23'5"
SP 180 E	St. Louis	RB09612	SP 180	13'8"
SP 180 W	St. Louis	RB09612	SP 180	13'8"
RV 70 E	St. Louis City	A5976	CST UNION BLVD	15'10"
RV 70 E	St. Louis City	A6204	CST KINGSHIGHWAY BLVD	16'11"
RV 70 E	St. Louis City	A6206	CST SHREVE AVE	17'5"
RV 70 E	St. Louis City	A5984	CST WEST FLORISSANT AVE	15'6"
RV 70 E	St. Louis City	A5986	CST TAYLOR AVE	15'1"
RV 70 E	St. Louis City	A6205	CST CARRIE AVE	19'10"
RV 70 E	St. Louis City	A5960	CST ADELAIDE AVE	15'2"
RV 70 E	St. Louis City	A6238	CST MC KINLEY BRG	17'10"
RV 70 E	St. Louis City	A6239	MO 115	17'10"
RV 70 E	St. Louis City	A0141	CST ST LOUIS AVE	15'7"
RV 70 E	St. Louis City	A0140	PED NORTH MARKET PL OVER	14'10"
RV 70 E	St. Louis City	A0139	CST MADISON ST	17'2"
RV 70 E	St. Louis City	A0138	RV 70	16'7"
RV 70 E	St. Louis City	A0136	CST 9TH ST	16'11"
RV 70 E	St. Louis City	A0134	CST BROADWAY	15'8"
RV 70 W	St. Louis City	A0134	CST BROADWAY	15'8"

\* = Clearance Not Available

Page 79

Selected County: All Counties

This report is to provide vertical clearance information to the public and to serve as a tool for planning your travel route. Vertical clearances are an approximation and may change due to various maintenance activities. Structures signed at a clearance less than reported above should be obeyed. For official vertical clearances, please contact the Motor Carrier Services Division, Missouri Department of Transportation at 1-800-877-8499.



# Vertical Clearances for Missouri Bridges

May 26, 2010

5:30:59am

Traveled Route	County	Bridge Number	Location Description	Permitted Clearance
RV 70 W	St. Louis City	A0136	CST 9TH ST	16'11"
RV 70 W	St. Louis City	A0138	RV 70	16'7"
RV 70 W	St. Louis City	A0139	CST MADISON ST	17'2"
RV 70 W	St. Louis City	A0140	PED NORTH MARKET PL OVER	14'10"
RV 70 W	St. Louis City	A0141	CST ST LOUIS AVE	14'7"
RV 70 W	St. Louis City	A6239	MO 115	17'10"
RV 70 W	St. Louis City	A6238	CST MC KINLEY BRG	17'10"
RV 70 W	St. Louis City	A5960	CST ADELAIDE AVE	15'2"
RV 70 W	St. Louis City	A6205	CST CARRIE AVE	19'10"
RV 70 W	St. Louis City	A5986	CST TAYLOR AVE	15'1"
RV 70 W	St. Louis City	A5984	CST WEST FLORISSANT AVE	15'6"
RV 70 W	St. Louis City	A6206	CST SHREVE AVE	17'5"
RV 70 W	St. Louis City	A6204	CST KINGSHIGHWAY BLVD	16'11"
RV 70 W	St. Louis City	A5976	CST UNION BLVD	16'7"
OR 24 E	Carroll	A2947	US 24	20'8"
OR 24 E	Carroll	A2905	US 24	21'0"
OR 24 E	Marion	A3152	US 61	25'0"
OR 24 E	Marion	A3152	US 61	25'0"
OR 24 E	Carroll	A2907	US 24	*
OR 24 W	Carroll	A2907	US 24	*
OR 24 W	Carroll	A2905	US 24	21'0"
OR 29 N	Platte	A2281	RP IS29N TO RTDW	*
OR 29 N	Platte	A3380	CST BETHEL RD	18'0"
OR 29 S	Platte	A3380	CST BETHEL RD	18'0"
OR 29 S	Platte	A2281	RP IS29N TO RTDW	*
OR 44 E	Laclede	G0245	GASCONADE RVR	14'9"
OR 44 E	St. Louis	A4105	MO 141	17'1"
OR 44 E	St. Louis	A4104	MO 141	17'1"
OR 44 E	St. Louis	A3638	RP SOR44E TO MRAZ LN	16'8"
OR 44 W	St. Louis	A4104	MO 141	17'1"
OR 44 W	St. Louis	A4105	MO 141	17'1"
OR 44 W	St. Louis	A3638	RP SOR44E TO MRAZ LN	16'8"
OR 44 W	Laclede	G0245	GASCONADE RVR	14'9"
OR 50 E	Jackson	A2446	CST O BRIEN RD	19'10"
OR 50 W	Jackson	A2446	CST O BRIEN RD	19'10"
OR 55 N	St. Louis City	L0361	IS 55	13'9"
OR 55 S	St. Louis City	L0361	IS 55	13'9"
OR 63 N	Randolph	A5807	CST SINNOCK AVE	16'8"
OR 63 S	Randolph	A5807	CST SINNOCK AVE	16'6"
OR 69 N	Platte	A0450	US 69	*
OR 69 N	Platte	K0456	US 69	*
OR 69 S	Platte	K0456	US 69	*
OR 69 S	Platte	A0450	US 69	*

\* = Clearance Not Available

Page 80

Selected County: All Counties

This report is to provide vertical clearance information to the public and to serve as a tool for planning your travel route. Vertical clearances are an approximation and may change due to various maintenance activities. Structures signed at a clearance less than reported above should be obeyed. For official vertical clearances, please contact the Motor Carrier Services Division, Missouri Department of Transportation at 1-800-877-8499.





## Vertical Clearances for Missouri Bridges

May 26, 2010

5:30:59am

Traveled Route	County	Bridge Number	Location Description	Permitted Clearance
OR 70 E	St. Charles	A5448	CST SPENCER RD	17'3"
OR 70 E	St. Charles	A5448	CST SPENCER RD	18'0"
OR 70 E	St. Charles	A6086	CST SONDEREN ST	18'0"
OR 70 E	St. Charles	A5952	CST EXECUTIVE CENTER PKW	15'10"
OR 70 E	St. Charles	A5952	CST EXECUTIVE CENTER PKW	17'4"
OR 70 E	St. Charles	A3896	MO 79	18'0"
OR 70 E	St. Charles	A4293	MO 79	18'0"
OR 70 E	St. Charles	A5969	CST HAWKS NEST DR	18'0"
OR 70 E	St. Charles	A6678	MO 94	16'7"
OR 70 W	St. Charles	A4293	MO 79	18'0"
OR 70 W	St. Charles	A3896	MO 79	18'0"
OR 70 W	St. Charles	A5969	CST HAWKS NEST DR	18'0"
OR 70 W	St. Charles	A5952	CST EXECUTIVE CENTER PKW	17'4"
OR 70 W	St. Charles	A6086	CST SONDEREN ST	18'0"
OR 70 W	St. Charles	A5952	CST EXECUTIVE CENTER PKW	15'10"
OR 70 W	St. Charles	A5448	CST SPENCER RD	17'3"
OR 71 N	Bates	A1995	US 71	27'0"
OR 71 N	Jackson	A6260	OR 71	17'10"
OR 71 S	Bates	A1995	US 71	27'0"
OR 71 S	Jackson	A6260	RP OUTER RD TO US71S	14'4"
OR 94 E	St. Charles	A5940	CST HERITAGE CROSSING	18'0"
OR 94 W	St. Charles	A5940	CST HERITAGE CROSSING	17'10"
OR 270 E	St. Louis	A3808	IS 170	25'0"
OR 270 E	St. Louis	A6371	RP IS270W TO IS170E	25'0"
OR 270 E	St. Louis	A6370	IS 170	19'6"
OR 270 E	St. Louis	A6372	RP IS170W TO IS270E	18'7"
OR 270 E	St. Louis	A6919	MO 367	*
OR 270 W	St. Louis	A6370	IS 170	19'6"
OR 270 W	St. Louis	A6372	RP IS170W TO IS270E	18'7"
OR 270 W	St. Louis	A6371	RP IS270W TO IS170E	25'0"
OR 270 W	St. Louis	A3808	IS 170	25'0"
OR 270 W	St. Louis	A6919	MO 367	*
OR 635 N	Platte	A2431	IS 635	16'3"
OR 635 N	Platte	A2432	IS 635	16'5"
OR 635 S	Platte	A2432	IS 635	16'5"
OR 635 S	Platte	A2431	IS 635	16'3"
RP US65S TO US60E E	Greene	A7541	RP US65S TO US60E	*
RP IS44E TO LAFAYETTE AVE E	St. Louis City	A1096	CST MISSISSIPPI AVE	16'0"
RP US61S TO IS72E E	Marion	A5957	IS 72	18'3"
RP MO340W TO IS170E E	St. Louis	A6723	IS 170	16'6"
RP US67S TO IS64E E	St. Louis	A8002	IS 64	17'11"
RP IS435N TO MO210E E	Clay	A1946	RP IS435N TO MO210W	15'6"
RP MO340W TO IS170E E	St. Louis	A6724	IS 170	16'6"

\* = Clearance Not Available

Page 81

Selected County: All Counties

This report is to provide vertical clearance information to the public and to serve as a tool for planning your travel route. Vertical clearances are an approximation and may change due to various maintenance activities. Structures signed at a clearance less than reported above should be obeyed. For official vertical clearances, please contact the Motor Carrier Services Division, Missouri Department of Transportation at 1-800-877-8499.



## Vertical Clearances for Missouri Bridges

May 26, 2010

5:30:59am

Traveled Route	County	Bridge Number	Location Description	Permitted Clearance
RP IS35S TO IS670E E	Jackson	A1122	CST 14TH ST	17'1"
RP US67S TO RTB E	St. Louis	A7422	RT B	24'10"
RP IS70W TO 13TH ST E	Jackson	A5162	US 71	29'2"
RP IS64E TO 11TH ST E	St. Louis City	A1501	IS 64	16'8"
RP FOREST PARK AVE TO IS64E E	St. Louis City	A3594	IS 64	*
RP MO180E TO IS170E E	St. Louis	A3172	IS 170	16'8"
RP US71N TO 22ND ST E	Jackson	A5172	CO 23RD ST TO 24TH ST	16'3"
RP US71N TO MO96 E	Jasper	A3561	CST OAK ST	16'8"
RP IS70W TO 13TH ST E	Jackson	A0805	RP IS670E TO IS70W	15'4"
RP 14TH ST TO IS70E E	Jackson	A0806	RP IS70E TO IS670W	24'7"
RP IS70W TO US24E E	Jackson	L0937	CST EIGHTH ST	18'0"
RP 14TH ST TO IS70E E	Jackson	A5163	US 71	16'10"
RP BOEING RD TO IS170E E	St. Louis	A2926	IS 170	*
RP IS270E TO MO180 E	St. Louis	A3748	RP IS70E TO IS270E	17'1"
RP IS270E TO IS44W E	St. Louis	A5412	RP IS44E TO IS270E	18'0"
RP IS70W TO 13TH ST E	Jackson	A0247	IS 70	15'8"
RP IS70W TO 13TH ST E	Jackson	A0247	IS 70	16'10"
RP IS70E TO IS170W E	St. Louis	ML2	RP IS70E TO IS170W	18'0"
RP IS270W TO IS44E E	St. Louis	A5411	RP IS44W TO IS270W	17'5"
RP IS35S TO IS670E E	Jackson	A1114	IS 35	18'0"
RP IS270W TO MO100E E	St. Louis	A4840	CRD JJ KELLEY MEM DR	16'6"
RP TRUMAN RD TO IS670E E	Jackson	A7243	CST OAK TRFY	16'3"
RP IS70W TO 13TH ST E	Jackson	A5163	US 71	16'10"
RP IS170E TO IS70E E	St. Louis	A3003	RP IS70E TO IS170W	16'8"
RP IS70W TO 13TH ST E	Jackson	A0806	RP IS70E TO IS670W	18'0"
RP IS170E TO IS70E E	St. Louis	A3001	IS 70	18'5"
RP IS35S TO IS670E E	Jackson	A1113	RP IS670W TO IS35S	15'6"
RP PINE ST TO IS64E E	St. Louis City	A0840	CST MARKET ST	16'5"
RP 14TH ST TO IS70E E	Jackson	A0805	RP IS670E TO IS70W	16'0"
RP PROSPECT AVE TO IS70E E	Jackson	A0292	CST CHESTNUT AVE	17'8"
RP IS435S TO IS70E E	Jackson	A0993	IS 435	15'10"
RP BROADWAY TO IS670E E	Jackson	A1121	CST WYANDOTTE ST	18'0"
RP MO350E TO IS470W E	Jackson	A7486	IS 470	16'4"
RP IS270E TO IS44W E	St. Louis	A5411	RP IS44W TO IS270W	18'4"
RP IS55N TO US50E E	St. Louis	A4881	RP IS55N TO IS270E	17'0"
RP IS44E TO US65N E	Greene	A7024	RP US65N TO IS44W	17'1"
RP MO100E TO IS270E E	St. Louis	A0960	MO 100	19'7"
RP TRUMAN RD TO IS670E E	Jackson	A7244	CST LOCUST ST	17'10"
RP KINGSHIGHWAY BLVD TO IS64E E	St. Louis City	A8034	PED CID OVERPASS	17'8"
RP US50W TO IS470E E	Jackson	A7487	IS 470	25'0"
RP MO141S TO BIG BEND RD E E	St. Louis	A5856	CST BIG BEND BLVD	*
RP IS170E TO MO180E E	St. Louis	A3172	IS 170	17'0"
RP IS55N TO POPLAR ST E	St. Louis City	A1505	IS 70	20'0"

\* = Clearance Not Available

Page 82

Selected County: All Counties

This report is to provide vertical clearance information to the public and to serve as a tool for planning your travel route. Vertical clearances are an approximation and may change due to various maintenance activities. Structures signed at a clearance less than reported above should be obeyed. For official vertical clearances, please contact the Motor Carrier Services Division, Missouri Department of Transportation at 1-800-877-8499.



# Vertical Clearances for Missouri Bridges

May 26, 2010  
5:30:59am

Traveled Route	County	Bridge Number	Location Description	Permitted Clearance
RP SPOEDE RD TO IS64E E	St. Louis	A8001	CST SPOEDE RD	16'2"
RP MO141S TO MO100E E	St. Louis	A5818	MO 141	16'7"
RP IS70E TO IS55S E	St. Louis City	A1504	IS 70	15'0"
RP IS270W TO IS64E E	St. Louis	A4651	RP IS64W TO IS270W	18'0"
RP IS270E TO IS44W E	St. Louis	A5411	RP IS44W TO IS270W	18'4"
RP IS270W TO IS44E E	St. Louis	A5412	RP IS44E TO IS270E	17'3"
RP US65S TO RTDE E	Greene	A6178	US 65	18'11"
RP MO370W TO IS70E E	St. Charles	A5094	OR 70	17'7"
RP IS35N TO IS670E E	Jackson	A1117	CST BROADWAY	14'7"
RP IS170E TO MO340E E	St. Louis	A6724	IS 170	16'6"
RP IS70E TO IS55S E	St. Louis City	A1502	IS 55	25'0"
RP IS70E TO DR MARTIN LUTHER KING BRG E	St. Louis City	L0815	IS 70	15'1"
RP IS270E TO IS44W E	St. Louis	A1006	IS 270	15'11"
RP IS70E TO LACLEDES LANDING BLVD E	St. Louis City	L0815	IS 70	15'1"
RP IS35S TO IS670E E	Jackson	A1117	CST BROADWAY	14'11"
RP IS270E TO IS44W E	St. Louis	A5412	RP IS44E TO IS270E	18'0"
RP IS170E TO MO340E E	St. Louis	A6723	IS 170	16'6"
RP IS70E TO DR MARTIN LUTHER KING BRG E	St. Louis City	L0815	IS 70	15'1"
RP IS270W TO MO100E E	St. Louis	A5682	MO 100	17'4"
RP US71S TO IS470E E	Jackson	A6247	RP RTW TO IS435S	16'9"
RP IS70E TO LACLEDES LANDING BLVD E	St. Louis City	L0815	IS 70	15'1"
RP IS270W TO IS64E E	St. Louis	A4650	IS 64	18'0"
RP IS170E TO IS70W E	St. Louis	ML1	RP IS170E TO IS70W	18'0"
RP IS70E TO IS55S E	St. Louis City	A1501	IS 64	18'0"
RP IS64E TO CHESTNUT ST E	St. Louis City	A1523	RP PINE ST TO IS64E	18'0"
RP IS70E TO IS55S E	St. Louis City	A1501	IS 64	18'0"
RP IS35N TO IS670E E	Jackson	BH001	RP IS35N TO IS670E	14'8"
RP IS270W TO IS64E E	St. Louis	A4657	IS 270	18'0"
RP IS170E TO IS70E E	St. Louis	A3007	RP IS70W TO IS170E	20'0"
RP US71S TO IS470E E	Jackson	A6246	IS 435	20'0"
RP IS70W TO MO370E E	St. Charles	A5094	OR 70	20'0"
RP IS64E TO CHESTNUT ST E	St. Louis City	A1501	IS 64	16'2"
RP IS270E TO IS64E E	St. Louis	A4654	RP IS64E TO RTJJ	20'0"
RP IS64E TO CHESTNUT ST E	St. Louis City	A1501	IS 64	16'1"
RP IS70E TO IS270E E	St. Louis	A3750	IS 70	18'0"
RP IS70E TO IS270E E	St. Louis	A3766	RP IS270W TO IS70E	17'4"
RP IS270W TO IS64E E	St. Louis	A4652	IS 64	25'0"
RP IS35N TO IS670E E	Jackson	BH002	IS 35	*
RP US50W TO IS470E E	Jackson	A2513	CST NW BLUE PKWY	17'4"
RP US50W TO IS470E E	Jackson	A2514	CST NW BLUE PKWY	16'6"
RP IS70E TO IS270E E	St. Louis	A3749	IS 70	17'4"

\* = Clearance Not Available

Page 83

Selected County: All Counties

This report is to provide vertical clearance information to the public and to serve as a tool for planning your travel route. Vertical clearances are an approximation and may change due to various maintenance activities. Structures signed at a clearance less than reported above should be obeyed. For official vertical clearances, please contact the Motor Carrier Services Division, Missouri Department of Transportation at 1-800-877-8499.



# Vertical Clearances for Missouri Bridges

May 26, 2010  
5:30:59am

Traveled Route	County	Bridge Number	Location Description	Permitted Clearance
RP IS70E TO IS55S E	St. Louis City	L0363	RP IS70E TO IS55S	13'8"
RP IS55N TO IS270E E	St. Louis	A1235	RP IS270W TO IS55N	17'4"
RP IS270W TO IS64E E	St. Louis	A4653	RP IS64E TO IS270E	18'0"
RP IS64E TO IS270W E	St. Louis	A4651	RP IS64W TO IS270W	18'0"
RP US71S TO IS470E E	Jackson	A6248	IS 435	20'0"
RP IS64W TO MARKET ST E	St. Louis City	A0840	CST MARKET ST	14'9"
RP US71S TO IS470E E	Jackson	A6249	IS 470	23'4"
RP IS270E TO IS70E E	St. Louis	A3729	CST MCKELVEY RD	18'0"
RP IS70E TO IS270E E	St. Louis	A3744	IS 270	17'3"
RP IS70E TO IS270E E	St. Louis	A3743	IS 270	18'0"
RP IS70E TO IS270E E	St. Louis	A3764	RP IS270E TO IS70W	18'0"
RP IS270E TO IS44E E	St. Louis	A1007	MO 366	14'10"
RP IS64E TO IS270E E	St. Louis	A4652	IS 64	15'4"
RP IS64E TO IS270E E	St. Louis	A4650	IS 64	18'0"
RP IS270E TO IS70W E	St. Louis	A3766	RP IS270W TO IS70E	18'0"
RP IS64E TO IS270E E	St. Louis	A4651	RP IS64W TO IS270W	16'6"
RP IS64E TO CHESTNUT ST E	St. Louis City	A0840	CST MARKET ST	14'7"
RP IS270E TO IS44E E	St. Louis	A1008	MO 366	*
RP PINE ST TO IS64E E	St. Louis City	A1501	IS 64	16'3"
RP IS435S TO IS470E E	Jackson	A6246	IS 435	16'8"
RP IS44E TO IS270E E	St. Louis	A5408	OR 44	16'10"
RP IS435S TO IS470E E	Jackson	A6248	IS 435	15'10"
RP IS435S TO IS470E E	Jackson	A6249	IS 470	23'4"
RP IS270W TO IS70E E	St. Louis	A3764	RP IS270E TO IS70W	18'10"
RP US50E TO SOUTH COUNTRY CLUB DR N	Cole	A3978	CST W TRUMAN BLVD	17'4"
RP IS35N TO MO9N N	Jackson	A4224	CST GRAND AVE	18'0"
RP US71N TO FRONTAGE RD N	Jackson	A5180	CST 31ST ST	*
RP BIG BEND RD E TO MO141N N	St. Louis	A5856	CST BIG BEND BLVD	*
RP RTDW TO US65N N	Greene	A6178	US 65	18'11"
RP BU65E TO US65N N	Taney	A6926	US 65	17'7"
RP MO100W TO MO141N N	St. Louis	A5818	MO 141	16'7"
RP US40W TO MCCAUSLAND AVE N	St. Louis City	A8024	CST CLAYTON AVE	16'5"
RP IS35N TO IS435N N	Clay	A3374	IS 435	17'0"
RP IS670W TO IS35N N	Jackson	BH002	IS 35	*
RP IS35N TO IS435N N	Clay	A3375	IS 435	17'3"
RP 22ND ST TO US71N N	Jackson	A5572	CST TROOST AVE	19'0"
RP IS70W TO PROSPECT AVE N	Jackson	A0292	CST CHESTNUT AVE	15'1"
RP IS55N TO IS70W N	St. Louis City	L0363	RP IS55N TO IS70W	13'8"
RP IS70E TO IS435N N	Jackson	A0993	IS 435	16'3"
RP IS229N TO US59N N	Andrew	A1203	IS 29	20'6"
RP IS670W TO IS35N N	Jackson	BH001	IS 35	15'1"
RP IS435N TO US71N N	Jackson	A6246	IS 435	20'0"
RP 27TH ST TO IS35N N	Jackson	L0248	RP IS35S TO 27TH ST	15'1"

\* = Clearance Not Available

Page 84

Selected County: All Counties

This report is to provide vertical clearance information to the public and to serve as a tool for planning your travel route. Vertical clearances are an approximation and may change due to various maintenance activities. Structures signed at a clearance less than reported above should be obeyed. For official vertical clearances, please contact the Motor Carrier Services Division, Missouri Department of Transportation at 1-800-877-8499.



# Vertical Clearances for Missouri Bridges

May 26, 2010  
5:30:59am

Traveled Route	County	Bridge Number	Location Description	Permitted Clearance
RP US24 TO IS29N N	Jackson	L0786	CST CLIFF DR	14'10"
RP IS55N TO PARK AVE N	St. Louis City	A3351	RP 8TH ST TO IS55N	16'5"
RP IS670W TO IS35N N	Jackson	A1117	CST BROADWAY	15'1"
RP PENN VALLEY DR N TO IS35N N	Jackson	A6570	CST PENN VALLEY DR	15'5"
RP IS55N TO IS70W N	St. Louis City	A1501	IS 64	20'0"
RP IS29N TO DAVIDSON RD N	Clay	A1761	RP IS35S TO IS29N	15'0"
RP IS55N TO MEMORIAL DR N	St. Louis City	A1501	IS 64	25'0"
RP IS35N TO US169N N	Jackson	A1131	IS 35	16'3"
RP IS55N TO IS70W N	St. Louis City	A1501	IS 64	20'0"
RP IS55N TO MEMORIAL DR N	St. Louis City	A1501	IS 64	24'10"
RP RED BRIDGE RD TO US71N N	Jackson	A6256	RP US71N TO IS435S	17'4"
RP IS229N TO MO759N N	Buchanan	A2235	RP TO US 36	16'7"
RP IS435N TO US71N N	Jackson	A6236	RP IS435S TO IS470E	20'0"
RP US65N TO US60E N	Greene	A7542	RP US65N TO US60E	16'6"
RP IS35N TO MO9N N	Jackson	A4457	MO 9	16'5"
RP IS470W TO IS435N N	Jackson	A2199	CST HICKMAN MILLS DR	25'0"
RP IS55N TO IS70W N	St. Louis City	A1502	IS 55	25'0"
RP IS229N TO MO759N N	Buchanan	A2232	RP IS229S TO US36E	16'6"
RP MO210E TO IS29N N	Clay	A7654	IS 29	*
RP US36E TO US61N N	Marion	A5957	IS 72	18'3"
RP IS670W TO IS35N N	Jackson	A1116	RP BROADWAY TO IS35S	14'6"
RP IS229N TO US59N N	Andrew	A1201	IS 29	17'0"
RP IS435N TO IS35N N	Clay	A1581	RP US69S TO IS35S	16'8"
RP IS55N TO MEMORIAL DR N	St. Louis City	A1505	IS 70	15'9"
RP IS55N TO IS70W N	St. Louis City	A1504	IS 70	14'7"
RP IS435N TO IS35N N	Clay	A3386	RP US69N TO IS435N	16'2"
RP IS170E TO BRENTWOOD BLVD N	St. Louis	A8011	RP IS170E TO IS64W	18'3"
RP IS35N TO BROADWAY N N	Jackson	A1117	CST BROADWAY	15'10"
RP IS670W TO IS35N N	Jackson	A1115	RP IS35N TO 14TH ST	15'1"
RP US65N TO BU65W N	Taney	A6926	US 65	17'7"
RP IS170E TO BRENTWOOD BLVD N	St. Louis	A8013	RP IS64E TO IS170W	19'11"
RP IS670W TO IS35N N	Jackson	A1122	CST 14TH ST	16'9"
RP IS64E TO US67N N	St. Louis	A8002	IS 64	20'6"
RP IS670W TO IS35N N	Jackson	A1123	RP PENNSYLVANIA AVE TO I	14'8"
RP IS70W TO IS435N N	Jackson	A7750	US 40	*
RP BERMUDA RD TO RTNN N	St. Louis	A6155	RP BERMUDA RD TO IS70W	18'0"
RP IS270W TO IS55N N	St. Louis	A1235	RP IS270W TO IS55N, IS 5	17'1"
RP IS255N TO IS55N N	St. Louis	A5134	US 50	17'2"
RP IS270W TO IS55N N	St. Louis	A4881	RP IS55N TO IS270E	17'0"
RP IS270W TO IS55N N	St. Louis	A4882	RP IS55S TO IS255S	16'11"
RP IS270W TO IS55N N	St. Louis	A4882	RP IS55S TO IS255S	16'11"
RP IS29N TO MO152W N	Platte	A3976	MO 152	18'0"
RP IS270W TO IS55N N	St. Louis	A4882	RP IS55S TO IS255S	16'11"

\* = Clearance Not Available

Page 85

Selected County: All Counties

This report is to provide vertical clearance information to the public and to serve as a tool for planning your travel route. Vertical clearances are an approximation and may change due to various maintenance activities. Structures signed at a clearance less than reported above should be obeyed. For official vertical clearances, please contact the Motor Carrier Services Division, Missouri Department of Transportation at 1-800-877-8499.



## Vertical Clearances for Missouri Bridges

May 26, 2010

5:30:59am

Traveled Route	County	Bridge Number	Location Description	Permitted Clearance
RP IS29N TO MO152W N	Platte	A3975	MO 152	18'0"
RP IS270W TO IS55N N	St. Louis	A1235	RP IS270W TO IS55N	20'4"
RP IS270W TO IS55N N	St. Louis	A1234	IS 255	20'0"
RP IS270W TO IS55N N	St. Louis	A1233	IS 255	16'7"
RP US169S TO LOU HOLLAND DR S	Clay	A4645	US 169	15'2"
RP IS64E TO 6TH ST S	St. Louis City	A1501	IS 64	*
RP IS64E TO 6TH ST S	St. Louis City	A1501	IS 64	15'1"
RP IS64E TO 6TH ST S	St. Louis City	A1517	7TH ST, BROADWAY S	14'10"
RP IS64E TO 6TH ST S	St. Louis City	A1517	RP BROADWAY TO IS64W	*
RP CHARLES ST TO IS229S S	Buchanan	A2229	BNSF RR	13'4"
RP RTDE TO US65S S	Greene	A6178	US 65	18'11"
RP BU65E TO US65S S	Taney	A6927	US 65	17'10"
RP MO100W TO MO141S S	St. Louis	A5818	MO 141	16'7"
RP RTNS TO IS70W S	St. Louis	A6155	RP BERMUDA RD TO IS70W	17'10"
RP IS670E TO US71S S	Jackson	A0807	CST CHARLOTTE ST	14'8"
RP IS64W TO SPOEDE RD S	St. Louis	A8001	CST SPOEDE RD	15'10"
RP IS270E TO IS55S S	St. Louis	A4881	RP IS55N TO IS270E	17'0"
RP IS70E TO US63C S	Boone	A4092	US 63	19'10"
RP IS29N TO IS635S S	Platte	L0692	RT A	18'0"
RP IS270E TO NORTH HANLEY RD S	St. Louis	A6370	IS 170	18'2"
RP IS44E TO IS55S S	St. Louis City	A1096	CST MISSISSIPPI AVE	18'0"
RP US40E TO MO141N S	St. Louis	A4705	CST OLD WOODS MILL RD	17'4"
RP IS64W TO KINGSHIGHWAY BLVD S	St. Louis City	A8034	PED CID OVERPASS	17'8"
RP IS70E TO US63C S	Boone	A4091	US 63	18'4"
RP IS70W TO IS435S S	Jackson	A0991	RP IS435S TO IS70E	17'2"
RP US60W TO US65S S	Greene	A7542	RP US60W TO US65S	*
RP PITMAN AVE TO US61S S	St. Charles	A5406	RP US61S TO US40W	17'2"
RP IS670E TO IS35S S	Jackson	A3141	CST SUMMIT ST	26'0"
RP MO210W TO IS435S S	Clay	A1946	RP IS435N TO MO210W	18'0"
RP US169S TO IS29S S	Clay	L0719	IS 29	18'0"
RP ADMIRAL BLVD TO IS70E S	Jackson	L0937	CST EIGHTH ST	18'0"
RP IS29S TO BARRY RD S	Platte	A3973	RP MO152E TO IS29S	16'10"
RP IS70W TO IS435S S	Jackson	A0993	IS 435	17'10"
RP IS270E TO NORTH HANLEY RD S	St. Louis	A6371	RP IS270W TO IS170E	17'6"
RP IS64E TO VANDEVENTER AVE S	St. Louis City	A3735	RP PAPIN ST E TO IS64E	16'2"
RP IS435S TO RTD S	Platte	A3456	RP IS435N TO RTDW	16'8"
RP IS35S TO IS435S S	Clay	A3388	RP IS35N TO IS435N	18'0"
RP IS270E TO IS55S S	St. Louis	A4882	RP IS55S TO IS255S	16'11"
RP IS29S TO RTD S	Platte	A2281	RP IS29N TO RTDW	25'0"
RP US65S TO US60W S	Greene	A7542	RP US65S TO US60W	*
RP IS70W TO IS435S S	Jackson	A0992	IS 435	14'11"
RP US60W TO US65S S	Greene	A7542	RP US60W TO US65S	*
RP IS29N TO IS635S S	Platte	A1688	IS 635	16'8"

\* = Clearance Not Available

Page 86

Selected County: All Counties

This report is to provide vertical clearance information to the public and to serve as a tool for planning your travel route. Vertical clearances are an approximation and may change due to various maintenance activities. Structures signed at a clearance less than reported above should be obeyed. For official vertical clearances, please contact the Motor Carrier Services Division, Missouri Department of Transportation at 1-800-877-8499.





## Vertical Clearances for Missouri Bridges

May 26, 2010

5:30:59am

Traveled Route	County	Bridge Number	Location Description	Permitted Clearance
RP BROADWAY TO IS35S S	Jackson	A1114	IS 35	14'9"
RP IS55S TO IS155S S	Pemiscot	A2429	IS 55	17'10"
RP FRONTAGE RD TO US71S S	Jackson	A5180	CST 31ST ST	*
RP MO96 TO US71S S	Jasper	A3561	CST OAK ST	19'8"
RP OLD HWY 21 TO MO21S S	Jefferson	A6058	CRD OLD HWY 21	*
RP IS72W TO US61S S	Marion	A5957	IS 72	18'3"
RP IS35S TO IS435S S	Clay	A3377	IS 435	18'0"
RP US169S TO IS29S S	Clay	A1616	US 169	17'0"
RP IS270E TO NORTH HANLEY RD S	St. Louis	A6373	RP IS170W TO IS270E	17'2"
RP US65S TO BU65E S	Taney	A6927	US 65	17'10"
RP IS35S TO IS435S S	Clay	A3378	IS 435	16'6"
RP MO210W TO IS29S S	Clay	A7654	IS 29	*
RP TRUMAN PKWY TO IS55S S	St. Louis City	A1535	IS 44	15'3"
RP US60 TO US63S S	Howell	A6478	US 60	17'2"
RP MO9S TO IS35S S	Jackson	A4224	CST GRAND AVE	16'5"
RP MO9S TO IS35N S	Jackson	A4112	MO 9	16'5"
RP MO9S TO IS35N S	Jackson	A4457	MO 9	16'3"
RP IS64E TO OAKVIEW PL S	St. Louis City	A8029	CST CONCOURSE DR	15'11"
RP BARRY RD TO US169S S	Clay	L0873	CST BARRY RD	16'3"
RP IS635N TO IS29S S	Platte	A1689	RT A	16'6"
RP MO9S TO IS35N S	Jackson	A4114	RP IS35N TO MO9N	15'9"
RP IS435S TO IS29N S	Platte	A3460	IS 435	16'6"
RP US60E TO US65S S	Greene	A7541	RP US60E TO US65S	22'0"
RP BU60W TO US67S S	Butler	A3721	US 67	17'2"
RP IS635N TO IS29S S	Platte	L0692	RT A	18'0"
RP IS35S TO IS435S S	Clay	A1579	IS 35	15'8"
RP BU60W TO US67S S	Butler	A3722	US 60	17'9"
RP US50W TO US63S S	Osage	A5553	US 50	*
RP US50W TO US63S S	Osage	A5554	US 63	17'4"
RP IS29N TO IS229S S	Andrew	A1200	IS 29	16'4"
RP IS55S TO IS255S S	St. Louis	A5124	US 50	17'8"
RP IS35S TO IS435S S	Clay	A1580	RP IS435N TO IS35S	16'5"
RP IS435S TO US69N S	Clay	A1580	RP IS435N TO IS35S	16'5"
RP IS64W TO US67S S	St. Louis	A8002	IS 64	16'0"
RP MO180 TO IS270W S	St. Louis	A3765	RP IS270W TO IS70E	16'6"
RP IS29N TO IS229S S	Andrew	A1202	IS 29	16'4"
RP IS55N TO IS255S S	St. Louis	A5082	RP IS270W TO US67	*
RP IS55N TO IS255S S	St. Louis	A5082	RP IS270W TO US67	16'3"
RP IS435S TO US69N S	Clay	A3390	RP IS35N TO IS435S	16'10"
RP BERMUDA RD TO RTNS S	St. Louis	A6154	IS 70	18'0"
RP BERMUDA RD TO RTNS S	St. Louis	A6153	IS 70	18'0"
RP IS435S TO US71S S	Jackson	A6249	IS 470	25'0"
RP IS55S TO IS255S S	St. Louis	A1234	IS 255	21'10"

\* = Clearance Not Available

Page 87

Selected County: All Counties

This report is to provide vertical clearance information to the public and to serve as a tool for planning your travel route. Vertical clearances are an approximation and may change due to various maintenance activities. Structures signed at a clearance less than reported above should be obeyed. For official vertical clearances, please contact the Motor Carrier Services Division, Missouri Department of Transportation at 1-800-877-8499.



# Vertical Clearances for Missouri Bridges

May 26, 2010

5:30:59am

Traveled Route	County	Bridge Number	Location Description	Permitted Clearance
RP IS435N TO US71S S	Jackson	A6254	RP IS470W TO RED BRIDGE	18'0"
RP US61N TO US36W W	Marion	A5957	IS 72	18'3"
RP RTNN TO IS70W W	St. Louis	A6153	IS 70	18'0"
RP MO340E TO IS170W W	St. Louis	A6724	IS 170	16'6"
RP BROADWAY TO IS64W W	St. Louis City	A1501	IS 64	*
RP MO340E TO IS170W W	St. Louis	A6723	IS 170	16'6"
RP IS229S TO FELIX ST W	Buchanan	A2225	IS 229	16'3"
RP RTNN TO IS70W W	St. Louis	A6154	IS 70	18'0"
RP IS670E TO IS70W W	Jackson	A0825	CST HOLMES ST	14'8"
RP IS44W TO US65S W	Greene	A7024	RP US65N TO IS44W	20'0"
RP IS435S TO IS70W W	Jackson	A7750	US 40	*
RP MO180E TO IS170W W	St. Louis	A3171	IS 170	17'10"
RP IS70E TO 11TH ST W	Jackson	L0939	CST TENTH ST	15'10"
RP IS470W TO MO350W W	Jackson	A2513	CST NW BLUE PKWY	21'9"
RP IS470W TO MO350W W	Jackson	A2514	CST NW BLUE PKWY	16'1"
RP IS35S TO INDEPENDENCE AVE W	Jackson	A4114	RP IS35N TO MO9N	16'2"
RP IS670W TO TRUMAN RD W	Jackson	A1121	CST WYANDOTTE ST	18'0"
RP IS70E TO 11TH ST W	Jackson	L0939	RP TENTH ST TO IS70E	13'8"
RP IS170W TO IS70W W	St. Louis	A3007	RP IS70W TO IS170E	18'0"
RP IS435N TO MO350W W	Jackson	A6335	MO 350	16'9"
RP US71S TO RED BRIDGE RD W	Jackson	A6253	RP IS435N TO US71S	16'6"
RP DUNN RD TO IS270W W	St. Louis	A6370	IS 170	17'5"
RP IS670E TO IS70W W	Jackson	A0807	CST CHARLOTTE ST	14'7"
RP IS670E TO IS70W W	Jackson	A0807	CST CHARLOTTE ST	15'8"
RP IS170W TO IS70W W	St. Louis	ML3	RP IS170W TO IS70W	18'0"
RP IS170W TO IS70W W	St. Louis	A3000	RP IS70E TO IS170W	20'0"
RP IS55N TO IS44W W	St. Louis City	A1092	IS 55	15'4"
RP IS35S TO INDEPENDENCE AVE W	Jackson	A4457	MO 9	*
RP FROST AVE TO IS270E W	St. Louis	A2987	IS 170	16'6"
RP BROADWAY TO IS64W W	St. Louis City	A7084	RP BROADWAY TO IS64W	*
RP IS35S TO INDEPENDENCE AVE W	Jackson	A4112	MO 9	*
RP IS170W TO IS70W W	St. Louis	A3005	IS 70	18'0"
RP FROST AVE TO IS270E W	St. Louis	A2986	IS 170	16'6"
RP IS55N TO IS44W W	St. Louis City	A1093	IS 44	18'0"
RP US63C TO IS70W W	Boone	A4091	US 63	20'6"
RP IS435N TO IS70W W	Jackson	A0992	IS 435	14'10"
RP US54E TO US50W W	Cole	A1417	US 54	15'8"
RP BROADWAY TO IS64W W	St. Louis City	A1517	RP IS64E TO 6TH ST, CST	14'10"
RP IS70W TO IS270E W	St. Louis	A3729	CST MCKELVEY RD	16'3"
RP IS670E TO IS70W W	Jackson	A5163	US 71	17'1"
RP US63C TO IS70W W	Boone	A4092	US 63	20'4"
RP IS470W TO MO350W W	Jackson	A7486	IS 470	17'8"
RP US65N TO US60W W	Greene	A7542	RP US65N TO US60W	*

\* = Clearance Not Available

Page 88

Selected County: All Counties

This report is to provide vertical clearance information to the public and to serve as a tool for planning your travel route. Vertical clearances are an approximation and may change due to various maintenance activities. Structures signed at a clearance less than reported above should be obeyed. For official vertical clearances, please contact the Motor Carrier Services Division, Missouri Department of Transportation at 1-800-877-8499.





# Vertical Clearances for Missouri Bridges

May 26, 2010  
5:30:59am

Traveled Route	County	Bridge Number	Location Description	Permitted Clearance
RP IS35S TO INDEPENDENCE AVE W	Jackson	A4115	RP MO9S TO IS35N	16'4"
RP GRATIOT ST TO IS64W W	St. Louis City	A3735	RP PAPIN ST E TO IS64E	25'0"
RP IS70E TO IS670W W	Jackson	A0807	CST CHARLOTTE ST	14'3"
RP US65N TO RTDW W	Greene	A6178	US 65	18'11"
RP IS170W TO MO340W W	St. Louis	A6723	IS 170	16'6"
RP GRATIOT ST TO IS64W W	St. Louis City	L0669	IS 64	15'6"
RP IS170W TO IS70E W	St. Louis	ML4	RP IS170W TO IS70E	18'0"
RP MO141N TO MO100W W	St. Louis	A5818	MO 141	16'7"
RP LAFAYETTE AVE TO IS44W W	St. Louis City	A1096	CST MISSISSIPPI AVE	15'10"
RP US71N TO IS670W W	Jackson	A0805	RP IS670E TO IS70W	14'10"
RP IS35S TO INDEPENDENCE AVE W	Jackson	A4113	RP MO9S TO IS35S	16'2"
RP IS170W TO MO180W W	St. Louis	A3171	IS 170	17'10"
RP IS170W TO MO340W W	St. Louis	A6724	IS 170	16'6"
RP IS270E TO IS64W W	St. Louis	A4653	RP IS64E TO IS270E	18'0"
RP IS35N TO IS670W W	Jackson	A1113	RP IS670W TO IS35S	15'6"
RP MO364W TO NOR94W W	St. Charles	A6219	MO 94	18'7"
RP IS35N TO IS670W W	Jackson	A1114	IS 35	18'0"
RP US54E TO US50W W	Cole	A4828	US 63	16'7"
RP IS170W TO IS70W W	St. Louis	A3002	IS 170	16'10"
RP IS270E TO MO370W W	St. Louis	A4888	IS 270	16'9"
RP IS270E TO IS64W W	St. Louis	A4652	IS 64	18'0"
RP US71N TO IS670W W	Jackson	A5163	US 71	16'10"
RP IS35N TO IS670W W	Jackson	A1124	IS 35	15'5"
RP IS70E TO IS670W W	Jackson	A0825	CST HOLMES ST	15'8"
RP IS170W TO IS70W W	St. Louis	A3003	RP IS70E TO IS170W	16'0"
RP IS270E TO MO370W W	St. Louis	A4947	IS 270	19'0"
RP US71N TO IS670W W	Jackson	A0806	RP IS70E TO IS670W	18'0"
RP MO141N TO US40W W	St. Louis	A4705	CST OLD WOODS MILL RD	17'4"
RP IS270E TO IS64W W	St. Louis	A4657	IS 270	16'9"
RP IS270E TO MO370W W	St. Louis	A4889	MO 370	25'0"
RP MO100W TO IS270W W	St. Louis	A0960	MO 100	*
RP IS270E TO IS64W W	St. Louis	A4650	IS 64	18'0"
RP IS170E TO IS64W W	St. Louis	A8012	RP IS170E TO IS64W	*
RP IS35N TO IS670W W	Jackson	A3141	CST SUMMIT ST	26'0"
RP NO FORTY DR TO US40W W	St. Louis	A4705	CST OLD WOODS MILL RD	18'0"
RP IS64W TO IS270W W	St. Louis	A4650	IS 64	16'11"
RP IS170W TO BOEING W	St. Louis	A2926	IS 170	*
RP IS270E TO IS64W W	St. Louis	A4651	RP IS64W TO IS270W	18'6"
RP IS170W TO IS70W W	St. Louis	ML1	RP IS170W TO IS70W	18'0"
RP HANLEY DR TO IS64W W	St. Louis	A8015	RP IS64W TO IS170W	21'10"
RP IS70W TO IS270W W	St. Louis	A3752	IS 70	18'0"
RP IS70W TO IS270W W	St. Louis	A3764	RP IS270E TO IS70W	18'0"
RP IS64W TO IS270W W	St. Louis	A4652	IS 64	17'5"

\* = Clearance Not Available

Page 89

Selected County: All Counties

This report is to provide vertical clearance information to the public and to serve as a tool for planning your travel route. Vertical clearances are an approximation and may change due to various maintenance activities. Structures signed at a clearance less than reported above should be obeyed. For official vertical clearances, please contact the Motor Carrier Services Division, Missouri Department of Transportation at 1-800-877-8499.



## Vertical Clearances for Missouri Bridges

May 26, 2010

5:30:59am

Traveled Route	County	Bridge Number	Location Description	Permitted Clearance
RP IS70W TO IS270W W	St. Louis	A3753	IS 70	18'0"
RP HANLEY RD TO IS170W W	St. Louis	A8015	RP IS64W TO IS170W	25'0"
RP IS270W TO US67S W	St. Louis	A0226	US 67	16'9"
RP IS270W TO US67S W	St. Louis	A0226	US 67	16'9"
RP HANLEY DR TO IS64W W	St. Louis	A8014	RP IS170E TO IS64E	25'0"
RP IS64W TO IS270W W	St. Louis	A4653	RP IS64E TO IS270E	16'5"
RP IS70W TO IS270W W	St. Louis	A3746	IS 270	17'4"
RP RED BRIDGE RD TO IS470W W	Jackson	A6252	IS 470	18'0"
RP IS70W TO IS270W W	St. Louis	A3766	RP IS270W TO IS70E	17'5"
RP HANLEY DR TO IS64W W	St. Louis	A8013	RP IS64E TO IS170W	25'0"
RP IS70W TO IS270W W	St. Louis	A3747	IS 270	17'5"
RP RED BRIDGE RD TO IS470W W	Jackson	A6251	RP IS470W TO IS435N	20'0"
RP MO152W TO IS29N W	Platte	A1794	CST SKYVIEW AVE	16'3"
RP IS64E TO IS170W W	St. Louis	A8014	RP IS170E TO IS64E	16'3"
RP RED BRIDGE RD TO IS470W W	Jackson	A6250	IS 470	17'5"
CO NO FORTY DR TO SOR40 E	St. Louis	A4344	RP NO FORTY DR TO US40W	16'11"
CO NO FORTY DR TO SOR40 E	St. Louis	A4066	US 40	18'0"
CO NO FORTY DR TO SOR40 E	St. Louis	A4350	US 40	16'7"
CO MAIN ST N TO MAIN ST S S	Jackson	A4223	CST DELAWARE ST	*
CO BENTON BLVD TO INDIANA AVE W	Jackson	A0298	CST BENTON BLVD	14'8"

\* = Clearance Not Available

Page 90

Selected County: All Counties

This report is to provide vertical clearance information to the public and to serve as a tool for planning your travel route. Vertical clearances are an approximation and may change due to various maintenance activities. Structures signed at a clearance less than reported above should be obeyed. For official vertical clearances, please contact the Motor Carrier Services Division, Missouri Department of Transportation at 1-800-877-8499.